

2008

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

19

Charlotte County
Town of Charlotte C.H.
Town of Drakes Branch
Town of Keysville
Town of Phenix

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Mecklenburg County Line															
15 Barnesville Hwy	Charlotte County	7.39	1300	G	89%	1%	1%	1%	8%	0%	F	0.083	F	0.533	1300	G
	To: SR 92 Barnes Junction															
15 Barnesville Hwy	Charlotte County	3.24	2000	G	89%	1%	1%	1%	8%	0%	F	0.110	F	0.577	2100	G
	To: US 360 Near Wyllyesburg															
15 360 Kings Hwy	Charlotte County	3.88	5300	G	75%	1%	2%	1%	20%	2%	F	0.08	F	0.528	5800	G
	To: SR 47 Krafton Gate															
15 360 Kings Hwy	Charlotte County	6.60	5000	G	75%	1%	2%	1%	20%	2%	C	0.086	F	0.569	5100	G
	To: BUS US 15 South of Keysville															
15 360 Kings Hwy	Charlotte County	3.36	4600	G	74%	1%	2%	1%	19%	1%	F	0.076	F	0.531	5100	G
	To: SR 40 Keysville															
15 360 Kings Hwy	Charlotte County	2.04	5300	G	74%	1%	2%	1%	19%	1%	C	0.085	F	0.522	5400	G
	To: US 360, BUS US 15 North of Keysville															
15 Farmville Hwy	Charlotte County	1.66	3700	G	90%	1%	1%	2%	6%	0%	F	0.088	F	0.611	3800	G
	To: Prince Edward County Line															
	From: US 15 S of Keysville															
Bus 15 Bus 360 Olds Kings Hwy	Charlotte County	2.93	1300	G	90%	0%	1%	1%	7%	0%	C	0.102	F	0.587	1400	G
	To: CL Keysville															
Bus 15 Bus 360	Town of Keysville (Maint: 19)	0.73	1300	N	90%	0%	1%	1%	7%	0%	N	0.102	N	0.587	1400	N
	To: S SR 40															
Bus 15 Bus 360 40 McDonald Rd	Town of Keysville (Maint: 19)	0.56	4700	G	90%	0%	1%	1%	7%	0%	F	0.096	F	0.507	4800	G
	To: N SR 40															
Bus 15 Bus 360 Four Locust Hwy	Town of Keysville (Maint: 19)	0.37	4200	G	90%	0%	1%	1%	7%	0%	F	0.086	F	0.561	4300	G
	To: CL Keysville															
Bus 15 Bus 360	Charlotte County	1.34	4200	N	90%	0%	1%	1%	7%	0%	N	0.086	N	0.561	4300	N
	To: US 15 N of Keysville															
	From: Campbell County Line															
40 Patrick Henry Hwy	Charlotte County	6.74	1300	G	76%	1%	2%	2%	20%	0%	C	0.086	F	0.560	1300	G
	To: WCL Phenix															
40 Phenix Main St	Town of Phenix (Maint: 19)	0.97	1300	N	76%	1%	2%	2%	20%	0%	N	0.086	N	0.560	1300	N
	To: 19-727 Washington Ave; Red House Rd															
40 Patrick Henry Hwy	Town of Phenix (Maint: 19)	0.62	2100	G	76%	1%	2%	2%	20%	0%	F	0.108	F	0.611	2100	G
	To: ECL Phenix															
40 Patrick Henry Hwy	Charlotte County	0.78	2100	N	76%	1%	2%	2%	20%	0%	N	0.108	N	0.611	2100	N
	To: 19-746 East of Phenix															
40 Patrick Henry Hwy	Charlotte County	4.38	2200	G	76%	1%	2%	2%	20%	0%	F	0.11	F	0.608	2300	G
	To: WCL Charlotte C.H.															

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
		From: WCL Charlotte C.H.														
40 David Bruce Ave	Town of Charlotte C.H. (Maint: 19)	0.98	2200	N	76%	1%	2%	2%	20%	0%	N	0.11	N	0.608	2300	N
		To: SR 47 Le Grande Ave														
40 47 Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.10	4500	G	76%	1%	2%	2%	20%	0%	F	0.105	F	0.588	4600	G
		To: SR 47 Thomas Jefferson Hwy														
40 George Washington Hwy	Town of Charlotte C.H. (Maint: 19)	0.94	2200	G	76%	1%	2%	2%	20%	0%	F	0.102	F	0.651	2300	G
		To: ECL Charlotte C.H.														
40 George Washington Hwy	Charlotte County	7.58	2200	N	76%	1%	2%	2%	20%	0%	N	0.102	N	0.651	2300	N
		To: WCL Keysville														
40 Church St	Town of Keysville (Maint: 19)	0.54	2200	N	76%	1%	2%	2%	20%	0%	N	0.102	N	0.651	2300	N
		To: Bus US 15, Bus US 360														
40 15 360 McDonald Rd	Town of Keysville (Maint: 19)	0.56	4700	G	90%	0%	1%	1%	7%	0%	F	0.096	F	0.507	4800	G
		To: E US 15 BUS														
40 Lunenburg Hwy	Town of Keysville (Maint: 19)	0.40	2900	G	87%	2%	2%	1%	8%	0%	F	0.102	F	0.531	3000	G
		To: ECL Keysville														
40 Lunenburg Hwy	Charlotte County	0.85	2900	N	87%	2%	2%	1%	8%	0%	N	0.102	N	0.531	3000	N
		To: Lunenburg County Line														
		To: Mecklenburg County Line														
47 Craftons Gate Hwy	Charlotte County	2.70	1500	G	82%	1%	2%	1%	14%	0%	F	0.09	F	0.553	1600	G
		To: US 15 Kings Hwy														
47 Graftons Gate Hwy	Charlotte County	6.55	1800	G	82%	1%	2%	1%	14%	0%	F	0.088	F	0.504	1800	G
		To: SCL Drakes Branch														
47	Town of Drakes Branch (Maint: 19)	2.09	1800	N	82%	1%	2%	1%	14%	0%	N	0.088	N	0.504	1800	N
		To: SR 59														
47	Town of Drakes Branch (Maint: 19)	0.25	2400	G	82%	1%	2%	1%	14%	0%	F	0.094	F	0.6	2400	G
		To: NCL Drakes Branch														
47	Charlotte County	3.03	2400	N	82%	1%	2%	1%	14%	0%	N	0.094	N	0.6	2400	N
		To: SCL Charlotte C.H.														
47	Town of Charlotte C.H. (Maint: 19)	0.99	2400	N	82%	1%	2%	1%	14%	0%	N	0.094	N	0.6	2400	N
		To: S SR 40														
47 40 Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.10	4500	G	76%	1%	2%	2%	20%	0%	F	0.105	F	0.588	4600	G
		To: N SR 40														
47 Thomas Jefferson Hwy	Town of Charlotte C.H. (Maint: 19)	0.98	1500	G	82%	1%	2%	1%	14%	0%	F	0.087	F	0.708	1500	G
		To: N SR 40 G. W. Hwy														
		To: NCL Charlotte C.H.														
47	Charlotte County	3.47	1500	N	82%	1%	2%	1%	14%	0%	N	0.087	N	0.708	1500	N
		To: 19-660														

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
							From: 19-660										
47	Thomas Jefferson Hwy	Charlotte County	7.02	1400	G	82%	1%	2%	1%	14%	0%	C	0.091	F	0.504	1400	G
							To: 19-649 Madisonville										
47	Thomas Jefferson Hwy	Charlotte County	2.82	1600	G	82%	1%	2%	1%	14%	0%	F	0.087	F	0.613	1600	G
							To: Prince Edward County Line										
							From: Charlotte County Line										
47	Thomas Jefferson Hwy	Charlotte County	1.59	1700	G	82%	1%	2%	1%	14%	0%	F	0.089	F	0.55	1700	G
							To: Appomattox County Line										
							From: SR 47 North of Drakes Branch										
59		Town of Drakes Branch (Maint: 19)	0.55	1600	G	91%	1%	1%	1%	6%	0%	C	0.093	F	0.516	1600	G
							To: NCL Drakes Branch										
59		Charlotte County	6.77	1600	N	91%	1%	1%	1%	6%	0%	N	0.093	N	0.516	1600	N
							To: WCL Keysville										
59		Town of Keysville (Maint: 19)	0.58	1600	N	91%	1%	1%	1%	6%	0%	N	0.093	N	0.516	1600	N
							To: SR 40 Keysville										
							From: Mecklenburg County Line										
92	JEB Stuart Hwy	Charlotte County	2.11	2300	G	94%	0%	1%	1%	4%	0%	F	0.104	F	0.522	2400	G
							To: US 15 Barnes Junction										
92	JEB Stuart Hwy	Charlotte County	3.80	2000	G	94%	0%	1%	1%	4%	0%	F	0.103	F	0.541	2000	G
							To: US 360 Kings Hwy										
92	JEB Stuart Hwy	Charlotte County	0.70	440	G	93%	2%	1%	1%	3%	0%	F	0.120	F	0.558	450	G
							To: Halifax County Line										
							From: Halifax County Line										
360	Kings Hwy	Charlotte County	1.73	5300	G	84%	1%	1%	1%	13%	1%	F	0.081	F	0.540	5100	G
							To: SR 92 JEB Stuart Hwy										
360	Kings Hwy	Charlotte County	4.64	4700	G	84%	1%	1%	1%	13%	1%	F	0.072	F	0.516	4500	G
							To: W US 15										
360	15 Kings Hwy	Charlotte County	3.88	5300	G	75%	1%	2%	1%	20%	2%	F	0.08	F	0.528	5800	G
							To: SR 47 Krafon Gate										
360	15 Kings Hwy	Charlotte County	6.60	5000	G	75%	1%	2%	1%	20%	2%	C	0.086	F	0.569	5100	G
							To: S US 15 BUS										
360	15 Kings Hwy	Charlotte County	3.36	4600	G	74%	1%	2%	1%	19%	1%	F	0.076	F	0.531	5100	G
							To: SR 40 Keysville										
360	15 Kings Hwy	Charlotte County	2.04	5300	G	74%	1%	2%	1%	19%	1%	C	0.085	F	0.522	5400	G
							To: E US 15										
360	Kings Hwy	Charlotte County	1.75	6000	G	84%	1%	1%	1%	13%	1%	F	0.073	F	0.536	5800	G
							To: Prince Edward County Line										
							From: US 15 S OF KEYSVILLE										
Bus 360	Bus 15 Olds Kings Hwy	Charlotte County	2.93	1300	G	90%	0%	1%	1%	7%	0%	C	0.102	F	0.587	1400	G
							To: CL Keysville										

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charlotte Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 360 Bus 15	From: CL Keysville Town of Keysville (Maint: 19)	0.73	1300	N	90%	0%	1%	1%	7%	0%	N	0.102	N	0.587	1400	N
Bus 360 Bus 15 40 McDonald Rd	To: S SR 40 From: Town of Keysville (Maint: 19)	0.56	4700	G	90%	0%	1%	1%	7%	0%	F	0.096	F	0.507	4800	G
Bus 360 Bus 15 Four Locust Hwy	To: N SR 40 From: Town of Keysville (Maint: 19)	0.37	4200	G	90%	0%	1%	1%	7%	0%	F	0.086	F	0.561	4300	G
Bus 360 Bus 15	To: CL Keysville From: Charlotte County	1.34	4200	N	90%	0%	1%	1%	7%	0%	N	0.086	N	0.561	4300	N
	To: US 15 N OF KEYSVILLE															

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(F627)	0.04	10	R											NA		05/16/2006
(F628) Pur Year Rd	0.79	20	R											NA		05/16/2006
(F629) Walkers Pond Lane	0.13	10	R											NA		05/16/2006
(600) Pine Tree Rd	0.60	140	R											NA		05/31/2006
(601) Keysville Rd	0.70	100	R											NA		06/16/2003
(601) Gholson Rd	0.20	350	R											NA		06/11/2003
(601) Gholson Rd	0.70	370	R											NA		06/11/2003
(602) Barnes Rd	0.10	190	R											NA		05/23/2006
(602) Barnes Rd	0.99	100	R											NA		05/31/2006
(602) Barnes Rd	0.91	120	R											NA		05/31/2006
(603) Lindward Rd	0.50	130	R											NA		06/16/2003
(603) Lindward Rd	1.50	90	R											NA		05/23/2006
(603) Lindward Rd	0.60	50	R											NA		05/23/2006
(604) Roanoke Ridge Rd	2.83	550	G	95%	2%	1%	1%	1%	0%	C	0.111	F	0.656	560	G	2008
(604) Abilene Rd	1.50	440	R											NA		05/07/2003
(604) Abilene Rd	3.40	370	R											NA		05/13/2003
(605) Whitlow Rd	1.59	110	R											NA		05/31/2006
(605) Whitlow Rd	0.10	370	R											NA		05/31/2006
(605) Rutledge Rd	1.06	200	R											NA		05/31/2006
(605) Rutledge Rd	0.50	120	R											NA		05/31/2006
(605) Rutledge Rd	0.27	100	R											NA		05/31/2006
(606) Bacon School Rd	2.00	150	R											NA		05/09/2006

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(606) Bacon School Rd	3.50	270	R													05/09/2006
(606) Bacon School Rd	0.70	700	R													05/23/2006
(606) Bacon School Rd	0.72	440	R													05/23/2006
(607) River Rd	3.06	160	R													03/03/2003
(607) Roanoke Station Rd	2.95	130	R													03/03/2003
(607) Roanoke Station Rd	2.10	380	G	96%	1%	1%	0%	2%	0%	C	0.104	F	0.7	390	G	2008
(607) Roanoke Station Rd	1.50	250	R													06/11/2003
(607) Roanoke Station Rd	0.60	80	G	96%	1%	1%	0%	2%	0%	F	0.216	F	0.546	80	G	2008
(607) Jackson Vaughan Rd	0.85	340	R													06/11/2003
(607) Moody Creek Rd	0.70	450	R													06/11/2003
(607) Moody Creek Rd	1.70	210	R													06/11/2003
(607) West Spring Hill Rd	1.50	290	R													06/11/2003
(608) Rocky Branch Rd	1.46	250	G	91%	2%	1%	1%	5%	0%	F	0.116	F	0.694	250	G	2008
(608) Public Fork Rd	0.86	190	G	91%	2%	1%	1%	5%	0%	C	0.164	F	0.629	190	G	2008
(608) Tobacco Hill Rd	2.12	600	G	91%	2%	1%	1%	5%	0%	F	0.092	F	0.654	610	G	2008
(608) Tobacco Hill Rd	1.95	470	R													06/16/2003
(608) Salem School Rd	0.88	400	R													05/31/2006
(608) Atkins Rd	0.25	90	R													05/31/2006
(609) Robertson Rd	1.70	110	R													05/23/2006
(609) Robertson Rd	1.29	140	R													05/23/2006
(609) Robertson Rd	0.31	270	R													05/23/2006
(610) Carrington Rd	1.89	210	R													05/31/2006
(611) Hebron Church Rd	1.10	480	G	95%	1%	1%	0%	2%	0%	C	0.114	F	0.649	490	G	2008

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(611) Hebron Church Rd	1.80	290	R								NA			NA		05/03/2003
						From: 19-634 Westview Farm Rd										
(611) Hebron Church Rd	1.20	320	R								NA			NA		05/03/2003
						From: 19-625 Mill Pond Rd										
(611) Coleman Ferry Rd	3.35	120	R								NA			NA		05/03/2003
						From: 19-607 Roanoke Station Rd										
						To: 19-608 Rocky Branch Rd										
(612) Herman Rd	2.20	420	G	89%	2%	3%	6%	1%	0%	F	0.102	F	0.654	450	G	2008
						From: 19-746 Scuffletown Rd										
(612) Herman Rd	0.69	410	G	89%	2%	3%	6%	1%	0%	C	0.113	F	0.565	420	G	2008
						From: 19-641 Mulberry Hill Rd										
						To: 19-637 N, Saxkey Rd										
(612) Herman Rd	1.10	390	R								NA			NA		06/09/2003
						From: 19-637 E, Saxkey Rd; Sylvan Hill Rd										
(612) Herman Rd	1.30	300	R								NA			NA		06/09/2003
						From: 19-613 Country Rd										
(612) Sunnyside Rd	3.20	200	R								NA			NA		06/09/2003
						From: 19-634 Westview Farm Rd										
						To: SR 47 Graftons Gate Hwy										
(613) Country Rd	2.20	180	R								NA			NA		05/09/2006
						From: 19-612 Herman Rd										
(613) Country Rd	2.70	330	R								NA			NA		05/16/2006
						From: 19-642 Mossingford Rd										
						To: SR 47 N, Graftons Gate Hwy										
						To: SR 47 S, Graftons Gate Hwy										
(613) Alegra Rd	4.50	160	R								NA			NA		05/23/2006
						From: 19-623 West Point Stephens Rd										
(614) Friend-Leigh Rd	0.50	50	R								NA			NA		05/16/2006
						From: SR 59										
						To: Dead End										
(615) Lawyers Rd	1.19	1300	G	98%	0%	1%	0%	1%	0%	F	0.089	F	0.540	1400	G	2008
						From: Campbell County Line										
(615) Rolling Hill Rd	0.39	780	G	98%	0%	1%	0%	1%	0%	C	0.099	F	0.538	790	G	2008
						From: 19-727 Red House Rd										
(615) Rolling Hill Rd	0.31	780	G	98%	0%	1%	0%	1%	0%	F	0.095	F	0.513	800	G	2008
						From: 19-672 Mt Zion Rd										
(615) Rolling Hill Rd	1.25	650	G	98%	0%	1%	0%	1%	0%	F	0.094	F	0.515	660	G	2008
						From: 19-663 Bear Creek Rd										
(615) Rolling Hill Rd	2.99	430	R								NA			NA		05/07/2003
						From: 19-701 Thortons Mill Rd										
(615) Rolling Hill Rd	2.13	390	R								NA			NA		05/07/2003
						From: 19-664 Butterwood Rd										
						To: SR 47 Thomas Jefferson Hwy										
(616) Smiths Mill Rd	1.68	150	R								NA			NA		04/25/2006
						From: Campbell County Line										
						To: 19-672 S, Midway Rd										
(616) Whites Chapel Rd	1.00	150	R								NA			NA		04/25/2006
						From: 19-672 N, Midway Rd										
(616) Whites Chapel Rd	2.97	80	R								NA			NA		04/20/2006
						From: 1.00 ME 19-672										
						To: 19-727 Red House Rd										
(617) Old Well Rd	1.30	210	R								NA			NA		05/13/2003
						From: 19-672 Midway Rd										
						To: 19-762 Turkey Creek Rd										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(617) Old Well Rd	1.70	240	R			From: 19-762 Turkey Creek Rd					NA			NA		05/13/2003
(617) Old Well Rd	1.60	190	G	89%	1%	3%	1%	5%	0%	C	0.123	F	0.654	190	G	2008
(617) Bethel Rd	0.60	250	R			From: SR 40 Patrick Henry Hwy					NA			NA		04/25/2006
(617) Bethel Rd	2.50	250	R			From: 19-675 Tola Rd					NA			NA		05/20/2003
						To: 19-619 Cub Creek Church Rd; Aspen Wall Rd										
(618) Turnip Creek Rd	0.90	230	R			From: Campbell County Line					NA			NA		04/25/2006
						To: SR 40 Patrick Henry Hwy										
(619) Staunton Hill Rd	3.50	120	R			From: Campbell County Line					NA			NA		05/13/2003
(619) Staunton Hill Rd	3.00	130	R			From: 19-620 Clarkton Bridge Rd					NA			NA		05/13/2003
(619) Ridgeway Rd	0.50	240	R			From: 19-649 Coles Ferry Rd					NA			NA		05/13/2003
(619) Aspen Wall Rd	2.58	240	R			From: 19-678 Francisco Rd					NA			NA		05/20/2003
(619) Cub Creek Church Rd	2.29	160	R			From: 19-617 Bethel Rd					NA			NA		05/20/2003
(619) Harrisburg Rd	0.10	60	R			From: 19-649 Coles Ferry Rd					NA			NA		05/20/2003
(619) Harrisburg Rd	1.30	50	R			From: 19-648 Hannah Rd					NA			NA		05/20/2003
(619) Harrisburg Rd	1.50	80	R			From: 19-647 Adams Rd					NA			NA		04/25/2006
(619) Chandler Fork Rd	2.55	30	R			From: 19-746 Scuffletown Rd					NA			NA		05/02/2006
(619) Double Bridges Rd	3.00	40	R			From: 19-645 Carwile Springs Rd					NA			NA		05/02/2006
						To: 19-637 W, Saxkey Rd										
Town of Drakes Branch																
(619) Proctor St	0.41	320	G	98%	1%	1%	0%	0%	0%	F	0.123	F	0.556	330	G	2008
(619) Proctor St	0.56	290	G	98%	1%	1%	0%	0%	0%	C	0.139	F	0.59	300	G	2008
						From: SR 47 Drakes Main St										
Charlotte County																
(620) Clarkton Bridge Rd	2.80	30	R			From: 19-619 Staunton Hill Rd					NA			NA		04/25/2006
						To: Halifax County Line; Dead End										
(621) Floralee Rd	1.68	40	R			From: Dead End					NA			NA		04/25/2006
						To: 19-672 Midway Rd										
(622) Old Kings Rd	1.10	70	R			From: US 15 S, Kings Hwy					NA			NA		06/16/2003
(622) Old Kings Rd	1.02	290	R			From: 19-639 Towler Rd					NA			NA		06/16/2003
						From: US 15 N; Bus US 15; Gap										
(622) West Ontario Rd	1.10	350	G	93%	2%	2%	1%	2%	0%	C	0.11	F	0.707	360	G	2008
						To: Lunenburg County Line										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Drakes Branch																
(623) West Point Stevens Rd	1.07	520	G	96%	1%	1%	0%	2%	0%	C	0.123	F	0.529	530	G	2008
Charlotte County																
(623) West Point Stevens Rd	1.67	380	G	96%	1%	1%	0%	2%	0%	F	0.123	F	0.594	390	G	2008
(623) West Point Stephens R	3.00	490	R								NA			NA		06/09/2003
(623) West Point Stephens R	1.00	320	R								NA			NA		06/09/2003
(623) West Point Stephens R	0.70	470	R								NA			NA		06/09/2003
(623) Friendship Church Rd	1.40	270	R								NA			NA		06/09/2003
(624) Morgan Rd	1.00	280	R								NA			NA		06/11/2003
(625) Mill Pond Rd	2.30	70	R								NA			NA		05/03/2003
(626) Hatchet Rd	0.70	250	R								NA			NA		06/09/2003
(626) Hatchet Rd	0.50	220	R								NA			NA		06/09/2003
(626) Hatchet Rd	0.70	8	R								NA			NA		05/23/2006
(627) Shelton Hall Rd	1.30	260	R								NA			NA		06/16/2003
(627) Tate Mill Rd	1.90	300	R								NA			NA		06/16/2003
(628) Puryear Rd	0.50	480	R								NA			NA		05/20/2003
(629) Juniper Creek Rd	1.30	160	R								NA			NA		06/10/2003
(629) Southern Dr	0.46	190	R								NA			NA		06/10/2003
Town of Keysville																
(629) Southern Dr	0.24	220	R								NA			NA		05/16/2006
Charlotte County																
(630) Fort Mitchell Rd	1.78	270	R								NA			NA		06/16/2003
(631) Kings Cross Rd	1.00	100	R								NA			NA		05/31/2006
(631) Kings Cross Rd	1.00	200	R								NA			NA		05/31/2006

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(631) Kings Cross Rd	1.80	150	R													05/31/2006
						From: SR 92; 19-624										
(631) Kings Cross Rd	0.30	120	R													05/31/2006
						From: US 360 Kings Hwy										
						To: 19-607 Roanoke Station Rd										
(632) Jones Store Rd	1.60	180	R													05/31/2006
						From: 19-605 Whitlow Rd										
(632) Jones Store Rd	4.45	90	R													05/31/2006
						From: 19-608 Salem School Rd										
						To: 19-640 Laconia Rd										
(633) Horse Horn Rd	1.70	110	R													05/31/2006
						From: 19-608 S. Tobacco Hill Rd										
(633) Horse Horn Rd	1.20	190	R													05/31/2006
						From: 19-702 Arbor Rd										
						To: 19-608 N. Tobacco Hill Rd										
(634) Westview Farm Rd	0.30	310	R													05/31/2006
						From: 19-611 Hebron Church Rd										
(634) Westview Farm Rd	2.80	260	R													05/09/2006
						From: 19-679 Bailey Farm Rd										
(634) Westview Farm Rd	1.40	260	R													05/09/2006
						From: 19-606 Bacon School Rd										
						To: 19-612										
(635) Williams Rd	0.60	20	R													05/23/2006
						From: 19-609 Robertson Rd										
						To: 19-607										
(636) Garnette Rd	0.70	20	R													04/20/2006
						From: 19-746 Scuffletown Rd										
(636) Roxabel Rd	1.10	60	R													05/02/2006
						From: Dead End; Gap										
						To: 19-645 Carwile Springs Rd										
(637) Sylvan Hill Rd	2.99	240	G	92%	1%	1%	4%	3%	0%	F	0.167	F	0.512	240	G	2008
						From: 19-612 S. Sunny Side Rd										
(637) Saxkey Rd	3.56	430	G	92%	1%	1%	4%	3%	0%	F	0.113	F	0.585	440	G	2008
						From: 19-642 W. Mossingford Rd										
(637) Saxkey Rd	2.67	700	G	92%	1%	1%	4%	3%	0%	C	0.128	F	0.611	720	G	2008
						From: WCL Drakes Branch										
Town of Drakes Branch																
(637) Saxkey Rd	0.13	700	N	92%	1%	1%	4%	3%	0%	N	0.128	N	0.611	720	N	2008
						From: WCL Drakes Branch										
(637) Saxkey Rd	0.36	820	R													06/09/2003
						From: 19-619 E. Proctor St										
(637) Saxkey Rd	0.38	910	R													06/09/2003
						From: 19-1207 Green St										
						To: SR 47; SR 59										
Charlotte County																
(638) Wheelers Spring Rd	0.10	100	R													06/09/2006
						From: Appomattox County Line										
(638) Wheelers Spring Rd	1.70	60	R													05/31/2006
						From: 19-691 Tower Rd										
(638) Wheelers Spring Rd	2.40	120	R													05/07/2003
						From: 06-628 Piney Ridge Rd										
						To: 06-725; 19-725										

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(639) Towler Rd	1.90	200	R			From: 19-623 West Point Stephens Rd					NA			NA		05/16/2006
						To: 19-622 Old Kings Rd										
(640) Laconia Rd	1.15	50	R			From: Dead End					NA			NA		05/31/2006
(640) Laconia Rd	0.15	50	R			From: 1.15 ME Dead End					NA			NA		05/31/2006
(640) Laconia Rd	0.71	190	R			From: 19-632 Jones Store Rd					NA			NA		06/16/2003
						To: US 15 N, Barnesville Hwy										
(640) Wheatland Rd	0.20	100	R			From: US 15 S, Barnesville Hwy					NA			NA		06/16/2003
						To: Mecklenburg County Line										
(641) Mulberry Hill Rd	3.72	70	R			From: 19-607 Roanoke Station Rd; River Rd					NA			NA		05/03/2003
						To: 19-612 Herman Rd										
(642) Mossingford Rd	0.28	420	R			From: 19-746 Scuffletown Rd					NA			NA		05/02/2006
(642) Mossingford Rd	2.60	210	R			From: 19-645 Carwile Springs Rd					NA			NA		05/02/2006
(642) Mossingford Rd	1.11	340	R			From: 19-643 Brick House Rd					NA			NA		05/09/2006
						To: 19-637 S, Saxkey Rd										
(642) Mossingford Rd	2.00	190	R			From: 19-637 N, Saxkey Rd					NA			NA		05/09/2006
						To: 19-613 Country Rd										
(643) Brick House Rd	1.70	150	R			From: 19-746 Scuffletown Rd					NA			NA		05/02/2006
(643) Brick House Rd	0.57	150	R			From: 1.70 ME 19-746 Scuffletown Rd					NA			NA		05/02/2006
						To: 19-642 Mossingford Rd										
(644) Hancock Rd	0.80	350	R			From: 19-615 Lawyers Rd					NA			NA		05/07/2003
(644) Hancock Rd	0.50	300	R			From: Campbell County Line					NA			NA		05/07/2003
						To: Appomattox County Line										
(645) Carwile Springs Rd	1.10	260	R			From: 19-642 Mossingford Rd					NA			NA		05/02/2006
(645) Carwile Springs Rd	0.63	250	R			From: 1.10 MN 19-642 Mossingford Rd					NA			NA		05/02/2006
(645) Carwile Springs Rd	1.35	240	R			From: 1.73 MN 19-642 Mossingford Rd					NA			NA		05/02/2006
(645) Carwile Springs Rd	1.57	340	R			From: 19-619 Double Bridges Rd; Chandler Fork Rd					NA			NA		05/02/2006
(645) Evergreen Rd	0.30	460	R			From: 19-786 Dogwood Rd					NA			NA		05/23/2006
						To: WCL Charlotte CH										
Town of Charlotte C.H.																
(645) Evergreen Rd	0.25	510	R			From: WCL Charlotte CH					NA			NA		10/17/2000
(645) Evergreen Rd	0.48	580	R			From: 19-1106 Gold Leaf Dr					NA			NA		05/23/2006
						To: SR 40 David Bruce Ave										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(646) Slaughter House Rd	0.75	46	R								NA			NA		05/09/2006
(647) Adams Rd	2.10	30	R								NA			NA		04/25/2006
(648) Hannah Rd	3.29	30	R								NA			NA		05/02/2006
(648) Hannah Rd	2.29	20	R								NA			NA		04/20/2006
(649) Coles Ferry Rd	2.00	46	R								NA			NA		05/13/2003
(649) Coles Ferry Rd	1.80	10	R								NA			NA		04/20/2006
(649) Coles Ferry Rd	0.50	80	R								NA			NA		05/13/2003
(649) Coles Ferry Rd	0.62	50	R								NA			NA		04/20/2006
(649) Coles Ferry Rd	0.30	50	R								NA			NA		04/25/2006
(649) Coles Ferry Rd	2.16	40	R								NA			NA		04/25/2006
(649) Coles Ferry Rd	1.01	90	R								NA			NA		04/25/2006
(649) Fears Town Rd	2.50	310	R								NA			NA		05/13/2003
(649) Fearstown Rd	2.50	360	G	92%	1%	1%	0%	5%	0%	C	0.117	F	0.721	370	G	2008
(649) Germantown Rd	3.00	520	R								NA			NA		05/20/2003
(649) Germantown Rd	1.57	320	R								NA			NA		05/20/2003
(649) Crawley Rd	0.70	60	R								NA			NA		05/13/2003
(649) Crawley Rd	3.84	190	R								NA			NA		05/13/2003
(650) Hill Cross Rd	2.36	80	R								NA			NA		05/10/2006
(650) Hill Cross Rd	1.15	180	R								NA			NA		05/10/2006
(650) Hill Cross Rd	3.58	190	R								NA			NA		05/10/2006
Town of Charlotte C.H.																
(650) Woodfork Rd	1.12	210	R								NA			NA		05/23/2006
Charlotte County																
(651) Morton Rd	1.50	170	R								NA			NA		05/07/2003

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(651) Country Club Rd	1.70	60	R								NA			NA		05/10/2006
(651) Mt Harmony Rd	0.80	80	R								NA			NA		05/07/2003
(651) Whitehead Rd	1.40	130	R								NA			NA		05/07/2003
(651) Country Club Rd	0.56	170	G	97%	2%	1%	1%	0%	0%	C	0.121	F	0.55	170	G	2008
(652) Eureka Mill Rd	1.64	60	R								NA			NA		05/16/2006
(652) Eureka Mill Rd	0.66	90	R								NA			NA		05/16/2006
(652) Briery Rd	2.20	230	R								NA			NA		05/13/2003
(652) Briery Rd	0.60	330	R								NA			NA		05/13/2003
(653) Maple Rd	1.60	220	R								NA			NA		05/16/2006
(653) Maple Rd	1.20	60	R								NA			NA		05/31/2006
(654) Eureka School Rd	2.23	400	R								NA			NA		05/13/2003
(654) Mt Harmony Rd	3.70	250	R								NA			NA		05/13/2003
(654) Crab Orchard Rd	0.75	270	R								NA			NA		05/07/2003
(654) Crab Orchard Rd	1.45	350	R								NA			NA		05/13/2003
(655) Bethlehem Rd	1.88	170	R								NA			NA		05/10/2006
(655) Bethlehem Rd	1.70	270	R								NA			NA		05/10/2006
(656) Greenfield Rd	2.50	60	R								NA			NA		05/10/2006
(657) Bradner Rd	0.80	90	R								NA			NA		05/10/2006
(658) Welsh Tract Rd	4.41	290	R								NA			NA		05/10/2006
(659) McCoys Shop Rd	0.60	160	R								NA			NA		05/10/2006
(660) Virginia Rd	1.55	170	R								NA			NA		05/20/2003

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(660) Taro Rd	3.10	310	R									NA		NA		05/13/2003
(660) Taro Rd	0.80	170	R									NA		NA		05/13/2003
(661) Wards Fork Mill Rd	5.12	200	R									NA		NA		05/10/2006
(662) Tower Loop Rd	0.50	80	R									NA		NA		05/09/2006
(663) Bear Creek Rd	3.80	130	R									NA		NA		05/20/2003
(664) Butterwood Rd	1.70	220	R									NA		NA		05/20/2003
(664) Butterwood Rd	1.30	60	R									NA		NA		05/09/2006
(665) Harvey Rd	3.47	210	R									NA		NA		05/09/2006
(666) Vincent Store Rd	1.36	360	R									NA		NA		05/20/2003
(666) Vincent Store Rd	2.75	460	R									NA		NA		05/20/2003
(667) Hillcroft Rd	3.17	160	R									NA		NA		06/09/2003
Town of Phenix																
(668) Stockdale Rd	0.09	50	R									NA		NA		06/09/2003
(668) Stockdale Rd	0.26	20	R									NA		NA		04/20/2006
Charlotte County																
(668) Stockdale Rd	1.95	30	R									NA		NA		05/23/2006
(669) Sandy Creek Rd	0.50	60	R									NA		NA		05/01/2006
(669) Sandy Creek Rd	0.28	80	R									NA		NA		05/01/2006
(670) Poindexter Rd	0.80	30	R									NA		NA		04/25/2006
(671) County Line Rd	1.88	190	G	94%	1%	1%	2%	2%	0%	C	0.124	F	0.577	190	G	2008
(671) County Line Rd	1.10	40	G	94%	1%	1%	2%	2%	0%	F	0.279	F	0.591	40	G	2008
(671) County Line Rd	4.92	190	G	94%	1%	1%	2%	2%	0%	F	0.106	F	0.587	190	G	2008

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(672) Mt Carmel Rd	2.10	430	R			From: 19-678 Aspen Rd; Francisco Rd					NA			NA		04/25/2006
(672) Mt Caramel Rd	1.60	510	G	95%	1%	0%	2%	2%	0%	C	0.09	F	0.642	520	G	2008
(672) Midway Rd	1.30	400	G	95%	1%	0%	2%	2%	0%	F	0.127	F	0.547	400	G	2008
(672) Midway Rd	7.30	250	G	95%	1%	0%	2%	2%	0%	F	0.117	F	0.556	250	G	2008
(672) Mt Zion Rd	1.20	210	R			From: 19-727 Red House Rd					NA			NA		04/25/2006
(673) Cedar Grove Rd	0.50	60	R			From: Dead End					NA			NA		04/25/2006
(674) Jordans Gate School Rd	1.30	150	R			From: 19-672 Midway Rd					NA			NA		04/25/2006
(675) Tola Rd	0.87	210	R			From: 19-617 Bethel Rd					NA			NA		04/25/2006
(675) Tola Rd	0.80	210	R			From: 19-676 Poor House Rd					NA			NA		05/01/2006
Town of Phenix																
(675) Tola Rd	0.60	410	R			From: SCL Phenix					NA			NA		07/17/2000
Charlotte County																
(676) Poor House Rd	1.10	110	R			From: 19-675 Tola Rd					NA			NA		04/25/2006
(677) Red Hill Rd	1.10	120	R			From: Dead End					NA			NA		05/02/2006
(678) Ridgeway Rd	0.45	80	R			From: Dead End					NA			NA		05/13/2003
(678) Ridgeway Rd	1.20	90	R			From: 19-649 S, Coles Ferry Rd					NA			NA		05/13/2003
(678) Ridgeway Rd	0.80	230	R			From: 19-649 N, Coles Ferry Rd					NA			NA		05/13/2003
(678) Francisco Rd	0.60	320	G	93%	1%	1%	3%	3%	0%	C	0.098	F	0.6	320	G	2008
(678) Aspen Rd	3.10	110	G	93%	1%	1%	3%	3%	0%	F	0.119	F	0.552	110	G	2008
(679) Bailey Farm Rd	2.80	90	R			From: 19-724 Col Smith Rd					NA			NA		06/09/2003
(680) Crymes Orchard Rd	1.41	250	R			From: 19-619 Aspen Wall Rd; Ridgeway Rd					NA			NA		05/20/2003
(681) Moon Rd	1.30	150	R			From: 19-619 Aspen Wall Rd					NA			NA		04/25/2006
						From: 19-672 Mt Carmel Rd										
						From: SR 40 Patrick Henry Hwy										
						From: 19-634 Westview Farm Rd										
						From: 19-606 Bacon School Rd										
						From: Bus US 15										
						From: 19-652 Briery Rd										
						From: 19-672 Midway Rd										
						From: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(682) Womacks Loop Rd	0.10	350	R								NA			NA		05/20/2003
(683) Otter Creek Rd	0.25	160	R								NA			NA		06/11/2003
(684) Quarter Horse Rd	1.70	110	R								NA			NA		05/23/2006
(685) S Berles Creek Rd	0.50	40	R								NA			NA		05/31/2006
(685) N Berles Creek Rd	0.65	30	R								NA			NA		05/31/2006
(686) Roseland Rd	0.40	200	R								NA			NA		05/31/2006
(686) Roseland Rd	0.80	100	R								NA			NA		05/23/2006
(687) Mt Mitchell Rd	1.00	210	R								NA			NA		05/23/2006
(687) Mt Mitchell Rd	0.20	30	R								NA			NA		05/23/2006
(688) Blue Stone Rd	0.52	90	R								NA			NA		05/16/2006
(688) Blue Stone Rd	0.38	140	R								NA			NA		05/20/2003
Town of Keysville																
(688) Blue Stone Rd	0.07	270	R								NA			NA		05/20/2003
Charlotte County																
(689) Carwile Rd	0.60	30	R								NA			NA		05/09/2006
(690) Little Retreat Rd	0.50	30	R								NA			NA		05/31/2006
(690) Little Retreat Rd	0.03	80	R								NA			NA		05/31/2006
(691) Tower Rd	1.20	70	R								NA			NA		04/20/2006
(691) Tower Rd	3.00	120	R								NA			NA		05/07/2003
Prince Edward County																
(691) Tower Rd	0.10	120	N								NA			NA		05/07/2003
Charlotte County																
(692) Wpa Rd	0.70	200	R								NA			NA		06/09/2003

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(693) Terrell Rd	2.80	50	R				From: 19-619 Staunton Hill Rd				NA			NA		05/13/2003
							To: 19-672 Mt Carmel Rd									
(694) Pillow Rd	0.10	190	R				From: 19-672 Midway Rd				NA			NA		05/13/2003
							To: 19-617 Old Well Rd									
(695) Rough Creek Rd	2.80	60	R				From: 19-617 Old Well Rd				NA			NA		05/09/2006
							To: 19-727 Red House Rd									
(696) Corner Rd	0.10	20	R				From: 19-665 Harvey Rd				NA			NA		05/09/2006
							To: 19-703 Mapleton Rd									
(696) Corner Rd	0.15	20	R				From: SR 47 Thomas Jefferson Hwy				NA			NA		05/09/2006
							To: SR 47 S, Thomas Jefferson Hwy									
(697) Dixon Rd	0.10	70	R				From: 0.10 MN SR 47 Thomas Jefferson Hwy				NA			NA		05/20/2003
							To: SR 47 N, Thomas Jefferson Hwy									
(698) Greenview Rd	0.90	45	R				From: Dead End				NA			NA		05/02/2006
							To: 19-746 Scuffletown Rd									
(699) Deer Rd	0.80	100	R				From: Dead End				NA			NA		05/07/2003
							To: SR 47 Thomas Jefferson Hwy									
(700) Hamlet Rd	1.40	160	R				From: Dead End				NA			NA		04/25/2006
							To: 19-727 Red House Rd									
(701) Thortons Mill Rd	1.55	150	R				From: 19-615 Rolling Hill Rd				NA			NA		04/25/2006
							To: 19-736 Hunters Rd									
(701) Thortons Mill Rd	1.35	60	R				From: 19-691 Tower Rd				NA			NA		04/25/2006
							To: 19-633 Horse Horn Rd									
(702) Arbor Rd	0.50	40	R				From: Dead End				NA			NA		05/31/2006
							To: Dead End									
(703) Mapleton Rd	0.70	30	R				From: Dead End				NA			NA		05/09/2006
							To: 19-696 Corner Rd									
(704) Nollie Rd	0.57	10	R				From: 19-727 S, Red House Rd				NA			NA		05/09/2006
							To: 19-727 N, Red House Rd									
(705) Mosley Ferry Rd	0.50	230	R				From: Dead End				NA			NA		05/31/2006
							To: SR 92 JEB Stuart Hwy									
(706) Alberts Rd	0.60	40	R				From: SR 40 Patrick Henry Hwy				NA			NA		05/23/2006
							To: 19-669 Sandy Creek Rd									
(707) Waddell-Nelson Rd	0.72	50	R				From: 19-671 W, County Line Rd				NA			NA		05/10/2006
							To: 0.72 ME 19-671 County Line Rd									
(707) Waddell-Nelson Rd	1.48	100	R				From: 19-760 Station Rd				NA			NA		05/10/2006
							To: 73-671 E, County Line Rd									
(707) Waddell-Nelson Rd	0.17	240	R				From: 73-671 E, County Line Rd				NA			NA		05/13/2003
							To: 73-671 E, County Line Rd									

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(708) Micajah Rd	0.60	60	R								NA			NA		04/25/2006
Town of Charlotte C.H.																
(709) Union Cemetery Rd	0.48	1100	G	96%	1%	1%	0%	1%	0%	C	0.100	F	0.632	1100	G	2008
Charlotte County																
(709) Union Cemetery Rd	0.95	850	G	96%	1%	1%	0%	1%	0%	F	0.095	F	0.601	870	G	2008
(709) Union Cemetery Rd	1.32	260	R								NA			NA		04/20/2006
(710) Oak Hill Rd	1.35	100	R								NA			NA		06/09/2003
(710) Oak Hill Rd	2.80	140	R								NA			NA		06/09/2003
(711) Carden Rd	1.00	80	R								NA			NA		04/25/2006
Town of Keysville																
(712) Church St	1.02	230	R								NA			NA		06/10/2003
Charlotte County																
(712) Horseshoe Bend Rd	1.22	170	R								NA			NA		06/10/2003
(712) Horseshoe Bend Rd	0.65	130	R								NA			NA		06/10/2003
(712) Horseshoe Bend Rd	1.59	150	R								NA			NA		06/10/2003
(713) Deuprees Store Rd	0.35	170	R								NA			NA		06/09/2003
(713) Deuprees Store Rd	1.20	260	R								NA			NA		06/09/2003
Town of Keysville																
(714) Railroad Ave	0.10	370	R								NA			NA		06/10/2003
(714) Railroad Ave	0.02	290	R								NA			NA		06/10/2003
(715) J St	0.06	2	R								NA			NA		05/02/2006
(715) J St	0.07	530	R								NA			NA		05/02/2006
(716) Farrar St	0.35	630	R								NA			NA		05/02/2006
(716) Farrar St	0.20	270	R								NA			NA		05/02/2006

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(717) Wright Rd	0.45	100	R											NA		05/16/2006
Town of Keysville																
(718) H St	0.08	870	R											NA		05/02/2006
Charlotte County																
(719) Sublett Place Rd	0.50	60	R											NA		04/25/2006
(720) Price Rd	0.65	60	R											NA		05/09/2006
(721) Pugh Rd	0.80	70	R											NA		05/09/2006
Town of Keysville																
(722) Spaulding Ave	0.07	400	R											NA		05/16/2006
(722) Spaulding Ave	0.05	1000	R											NA		05/16/2006
Charlotte County																
(723) Cedar Tavern Rd	1.00	70	R											NA		04/25/2006
(724) Col Smith Rd	1.00	60	R											NA		04/25/2006
(725) Point Rd	0.13	49	R											NA		05/09/2006
(726) Lockett Rd	1.80	80	R											NA		05/31/2006
Town of Phenix																
(727) Washington Ave.	0.28	1300	G	92%	0%	1%	1%	5%	0%	F	0.139	F	0.506	1300	G	2008
Charlotte County																
(727) Red House Rd	4.02	1300	N	92%	0%	1%	1%	5%	0%	N	0.139	N	0.506	1300	N	2008
(727) Red House Rd	4.03	670	G	92%	0%	1%	1%	5%	0%	F	0.101	F	0.54	680	G	2008
(727) Red House Rd	1.37	940	G	92%	0%	1%	1%	5%	0%	F	0.091	F	0.545	960	G	2008
(727) Red House Rd	0.94	1400	G	92%	0%	1%	1%	5%	0%	C	0.099	F	0.603	1400	G	2008
(728) Parsons Rd	0.45	60	R											NA		05/19/2006
(729) Maloneys Shop Rd	0.60	60	R											NA		04/25/2006

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(730) Shiloh Church Rd	0.15	190	R			From: 19-713 Deuprees Store Rd					NA			NA		06/09/2003
(730) Shiloh Church Rd	0.04	100	R			To: US 15 Kings Hwy					NA			NA		06/16/2003
(730) Shiloh Church Rd	1.21	40	R			From: 19-763 Able Rd					NA			NA		05/23/2006
						To: Dead End										
Town of Keysville																
(731) Pettus St	0.07	120	G	81%	0%	4%	4%	10%	0%	C	0.146	F	0.611	120	G	2008
						From: 19-757 Osborne St										
						To: Bus US 15; SR 40, Lunenburg Hwy										
Charlotte County																
(732) Dickerson Rd	0.75	50	R			From: Dead End					NA			NA		05/09/2006
						To: 19-666 Vincent Store Rd										
(733) Ford Rd	0.58	30	R			From: Dead End					NA			NA		05/09/2006
						To: 19-664 Butterwood Rd										
(734) Trents Cemetery Rd	0.80	50	R			From: 19-617 Old Well Rd					NA			NA		04/25/2006
						To: Dead End										
Town of Keysville																
(735) Pecan St	0.08	80	R			From: Bus US 15					NA			NA		06/10/2003
(735) Pecan St	0.02	9	R			From: 19-789 Pecan St					NA			NA		06/10/2003
						To: Dead End										
Charlotte County																
(736) Hunters Rd	0.90	80	R			From: 19-701 Thortons Mill Rd					NA			NA		04/20/2006
						To: Dead End										
(737) Tatem Rd	0.30	120	R			From: Dead End					NA			NA		05/02/2006
						To: 19-612 Herman Rd										
(738) Ferguson Rd	0.22	40	R			From: SR 47					NA			NA		05/10/2006
						To: SR 47										
Town of Keysville																
(739) Wilson St	0.12	140	R			From: SR 59					NA			NA		05/02/2006
						To: 19-765 Arvin St										
Charlotte County																
(740) Old Forty-Seven Rd	0.33	90	R			From: SR 47 Graftons Gate Hwy					NA			NA		05/16/2006
						To: SR 47 Graftons Gate Hwy										
(741) Roanoke Creek Rd	0.25	60	R			From: 19-612 Hermon Rd					NA			NA		05/09/2006
						To: Dead End										
(742) Duffey Rd	0.55	90	R			From: Dead End					NA			NA		05/31/2006
						To: 19-654 Crab Orchard Rd										
(743) Shady Oaks Rd	0.50	100	R			From: Dead End					NA			NA		05/16/2006
						To: SR 40 George Washington Hwy										
(744) Elam Rd	0.55	50	R			From: 19-603 Lindward Rd					NA			NA		05/23/2006
						To: Mecklenburg County Line										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(745) Forest Trail Rd	0.20	60	R								NA			NA		05/16/2006
(746) Scuffletown Rd	6.34	700	G	87%	1%	3%	4%	6%	0%	C	0.125	F	0.506	720	G	2008
(746) Scuffletown Rd	3.76	480	G	87%	1%	3%	4%	6%	0%	F	0.115	F	0.507	490	G	2008
(746) Scuffletown Rd	2.08	480	G	87%	1%	3%	4%	6%	0%	F	0.119	F	0.573	490	G	2008
(747) Seamster Rd	0.80	70	R								NA			NA		04/25/2006
(748) Deaner Rd	0.35	10	R								NA			NA		04/25/2006
(749) Hills Creek Rd	0.25	60	R								NA			NA		05/10/2006
(750) New Town Rd	1.10	60	R								NA			NA		05/02/2006
(751) St Louis Rd	0.90	100	R								NA			NA		05/23/2006
(752) Azalea Rd	0.70	130	R								NA			NA		05/20/2003
(753) Pump Handle Rd	0.30	20	R								NA			NA		04/25/2006
(754) Harmony Rd	0.40	50	R								NA			NA		05/02/2006
(755) Legion Rd	0.15	8	R								NA			NA		05/02/2006
(756) Wren Rd	1.80	110	R								NA			NA		05/13/2003
Town of Keysville																
(757) Osborne St	0.03	300	R								NA			NA		05/20/2003
(757) Osborne St	0.42	310	G	96%	2%	1%	0%	1%	0%	C	0.141	F	0.532	310	G	2008
(757) Osborne St	0.14	380	R								NA			NA		05/20/2003
(758) I St	0.11	30	G	99%	0%	1%	0%	0%	0%	F	0.203	F	0.5	30	G	2008
(758) I St	0.09	100	G	99%	0%	1%	0%	0%	0%	C	0.131	F	0.5	110	G	2008
(758) I St	0.09	410	R								NA			NA		05/20/2003

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(759) Hailey Rd	0.12	160	R											NA		05/09/2006
(760) Station Rd	0.18	45	R											NA		05/10/2006
(761) Inge Rd	0.85	30	R											NA		05/09/2006
(762) Turkey Creek Rd	3.25	110	R											NA		04/20/2006
(763) Able Rd	0.70	60	R											NA		05/23/2006
(764) Kennedy Rd	0.45	70	R											NA		05/31/2006
Town of Keysville																
(765) Arvin St	0.05	200	R											NA		05/02/2006
(765) Front St	0.15	110	G	98%	0%	0%	0%	1%	0%	F	0.137	F	0.510	120	G	2008
(765) Front St	0.15	200	G	98%	0%	0%	0%	1%	0%	C	0.107	F	0.625	210	G	2008
Charlotte County																
(766) Fernado Rd	0.40	50	R											NA		04/25/2006
(767)	0.02	0	R											NA		05/02/2006
(768)	0.02	0	R											NA		05/02/2006
Town of Keysville																
(769) Mary Knoll Lane	0.23	100	R											NA		05/16/2006
Charlotte County																
(770) Sawmill Rd	0.35	110	R											NA		05/23/2006
Town of Keysville																
(771) Shaw Dr	0.10	80	R											NA		05/02/2006
(771) Shaw Dr	0.10	10	R											NA		05/02/2006
Charlotte County																
(772) Hill Ave	0.05	230	G	96%	1%	3%	1%	0%	0%	F	0.127	F	0.516	240	G	2008
(772) Hill Ave	1.59	230	G	96%	1%	3%	1%	0%	0%	F	0.148	F	0.611	230	G	2008

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Keyville																
(772) Hill Ave	0.38	230	N	96%	1%	3%	1%	0%	0%	N	0.148	N	0.611	230	N	2008
			From: SCL Keyville													
(772) Railroad Ave	0.10	590	G	96%	1%	3%	1%	0%	0%	C	0.116	F	0.589	600	G	2008
			From: 19-757 W, Osborne St													
			To: Bus US 15													
(773) Priddy St	0.05	100	R								NA			NA		05/20/2003
			From: 19-774 Priddy St													
			To: SR 59													
(774) Priddy St	0.16	30	R								NA			NA		05/20/2003
			From: 19-826 Merry Oakes Lane													
			To: 19-773 Priddy St													
Charlotte County																
(775) Moldavia Rd	0.25	48	R								NA			NA		04/20/2006
			From: Dead End													
(775) Dabbs Bridge Rd	0.45	40	R								NA			NA		04/20/2006
			From: 19-709 Union Cemetery Rd													
			To: Dead End													
Town of Keyville																
(776) Mary Ave	0.04	190	R								NA			NA		05/02/2006
			From: SR 59													
			To: 19-772 Hill Ave													
Charlotte County																
(777) Candy Rd	0.45	45	R								NA			NA		05/02/2006
			From: Dead End													
			To: 19-746 Scuffletown Rd													
(778) Coppermine Rd	0.50	60	R								NA			NA		05/16/2006
			From: Dead End													
			To: 19-772 Hill Ave													
(779) Jacksonville Rd	0.40	80	R								NA			NA		05/02/2006
			From: Dead End													
			To: 19-746 Scuffletown Rd													
(780) Sunset	0.20	20	R								NA			NA		05/10/2006
			From: Dead End													
			To: 19-654 Crab Orchard Rd													
Town of Keyville																
(781) Pine Haven St	0.09	60	R								NA			NA		05/16/2006
			From: Dead End													
			To: SR 40 Lunenburg Hwy													
Charlotte County																
(782) Walton Rd	0.63	120	R								NA			NA		05/20/2003
			From: Dead End													
			To: SR 40 George Washington Hwy													
(783) Ulrich Plt (Plantation) R	0.30	50	R								NA			NA		05/09/2006
			From: Dead End													
			To: 19-727 Red House Rd													
(784) Scott Rd	0.90	170	R								NA			NA		05/16/2006
			From: Dead End													
			To: 19-613 Country Rd													
(785) Barrett Rd	0.75	60	R								NA			NA		04/25/2006
			From: Dead End													
			To: 19-672 Midway Rd													
(786) Dogwood Rd	0.60	180	R								NA			NA		05/23/2006
			From: Dead End													
			To: 19-645 Evergreen Rd; Carwile Springs Rd													
Town of Keyville																
(787) Keyville Main St	0.09	90	R								NA			NA		05/02/2006
			From: 19-716 Farrar St													
			To: 19-796 Shadow Lane													

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Keyesville																
(787) Keyesville Main St	0.05	2	R			From: 19-796 Shadow Lane					NA			NA		05/02/2006
						To: Dead End										
Charlotte County																
(788) Carys Shop Rd	0.40	70	R			From: SR 47 Graftons Gate Hwy					NA			NA		05/23/2006
						To: Dead End										
Town of Keyesville																
(789) Pecan St	0.06	90	R			From: Dead End					NA			NA		06/10/2003
						To: 19-735 Pecan St										
Charlotte County																
(790) Rosa Rd	0.50	60	R			From: Dead End					NA			NA		04/25/2006
						To: 19-678 Aspen Rd										
(791) Thompson Blvd	0.22	60	R			From: SR 59					NA			NA		05/16/2006
						To: Dead End										
(792) Trainview Rd	0.60	70	R			From: Dead End					NA			NA		04/25/2006
						To: 19-672 Mt Carmel Rd										
(793) Trails End Rd	0.70	130	R			From: Dead End					NA			NA		05/09/2006
						To: SR 47 Thomas Jefferson Hwy										
(794) Jenkins Creek Rd	0.40	50	R			From: Dead End					NA			NA		05/09/2006
						To: 19-649 Crawley Rd										
Town of Keyesville																
(795) Arvin Rd	0.08	60	R			From: Dead End					NA			NA		05/02/2006
						To: 19-765 Arvin St										
(796) Shadow Lane	0.08	310	R			From: Bus US 15					NA			NA		06/16/2003
						To: 19-787 Keyesville Main St										
(796) Shadow Lane	0.12	50	R			From: Dead End					NA			NA		06/16/2003
						To: 19-771 Shaw Dr										
Charlotte County																
(797) Jackson Court Rd	0.20	140	R			From: US 360 Kings Hwy					NA			NA		05/20/2003
						To: Dead End										
(798) Community Rd	0.10	120	R			From: 19-606 Bacon School Rd					NA			NA		06/09/2003
						To: Dead End										
(799) Ccc Rd	0.41	90	R			From: Dead End					NA			NA		05/23/2006
						To: 19-623 West Point Stephens Rd										
(800) Hook Rd	0.30	40	R			From: Dead End					NA			NA		05/13/2003
						To: 73-664; Pr Ed CL										
(800) Hook Rd	0.44	150	R			From: Dead End					NA			NA		05/13/2003
						To: 19-671 County Line Rd										
(801) Pump Rd	0.08	10	R			From: Dead End					NA			NA		04/25/2006
						To: 19-753 Pump Handle Rd										
(801) Pump Rd	0.67	60	R			From: Dead End					NA			NA		04/25/2006
						To: Campbell County Line										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Charlotte County																
(802) Horsepen Creek Lane	0.19	70	R			From: 19-699 Deer Rd					NA			NA		05/09/2006
						To: Dead End										
(804) Roanoke Bridge Rd	0.25	NA				From: 19-604 W, Roanoke Ridge Rd					NA			NA		
						To: 19-604 E, Roanoke Ridge Rd										
(805) Pulliam Farm Rd	0.21	40	R			From: Dead End					NA			NA		05/09/2006
						To: 19-606 Bacon School Rd										
(807) Eubanks Rd	0.30	60	R			From: Dead End					NA			NA		05/31/2006
						To: US 15 Barnesville Hwy										
(810) Hare Rd	0.50	50	R			From: Dead End					NA			NA		05/31/2006
						To: 19-608 Rocky Branch Rd										
(820) Pine Crest Rd	0.34	80	R			From: US 15 Farmville Hwy					NA			NA		05/16/2006
						To: Dead End										
Town of Keysville																
(823) June Lane	0.10	90	R			From: Bus US 15					NA			NA		04/20/2006
						To: 19-824 Leisure Dr										
(824) Leisure Dr	0.15	20	R			From: Dead End					NA			NA		04/20/2006
						To: 19-823 June Lane										
(825) Merry Oaks Lane	0.35	20	R			From: 19-826 Merry Oaks Lane					NA			NA		05/02/2006
						To: SR 59										
Charlotte County																
(826) Merry Oaks Lane	0.04	30	R			From: 19-825 Merry Oaks Lane					NA			NA		05/02/2006
						To: WCL Keysville										
Town of Keysville																
(826) Merry Oaks Lane	0.10	30	R			From: WCL Keysville					NA			NA		05/02/2006
						To: SR 59										
Charlotte County																
(830) Dat Rd	0.30	30	R			From: 19-645 Carwile Springs Rd					NA			NA		05/02/2006
						To: Dead End										
Town of Phenix																
(1001) Lincoln St	0.43	90	R			From: Dead End					NA			NA		06/03/2003
						To: 19-1007 Chester St										
(1001) Lincoln St	0.07	250	R			From: 19-1007 Chester St					NA			NA		06/03/2003
						To: SR 40; 19-675										
(1002) Charlotte Ave	0.14	330	R			From: SR 40; 19-675					NA			NA		06/09/2003
						To: 19-1005 Park St										
(1003) Virginia Ave	0.07	70	R			From: SR 40 Patrick Henry Hwy					NA			NA		06/03/2003
						To: 19-1004 Church St Keysville										
(1003) Virginia Ave	0.07	50	R			From: 19-1004 Church St Keysville					NA			NA		06/03/2003
						To: 19-1005 Park St										
(1003) Virginia Ave	0.06	30	R			From: 19-1005 Park St					NA			NA		05/01/2006
						To: 19-1006 Randolph St										

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Phenix																
(1004) Church St (Keysville)	0.23	50	R													06/03/2003
(1004) Church St (Keysville)	0.09	50	R													06/03/2003
(1004) Church St (Keysville)	0.08	50	R													05/01/2006
(1004) Church St (Keysville)	0.09	20	R													05/01/2006
(1005) Park St	0.09	30	R													06/03/2003
(1005) Park St	0.09	60	R													06/03/2003
(1005) Park St	0.16	80	R													06/03/2003
(1006) Randolph St	0.15	50	R													05/01/2006
(1006) Randolph St	0.21	140	R													05/01/2006
(1006) Randolph St	0.04	20	R													05/01/2006
(1007) Chester St	0.09	100	R													06/03/2003
(1008) Chester St	0.07	330	R													06/03/2003
(1009) Kentucky Ave	0.05	6	R													05/01/2006
(1010) Halifax St	0.05	47	R													05/01/2006
(1010) Halifax St	0.19	60	R													05/01/2006
(1011) Pennsylvania Ave	0.07	20	R													06/03/2003
(1011) Pennsylvania Ave	0.07	20	R													06/03/2003
(1012) Florida Ave	0.05	40	R													05/01/2006
(1013) Florida Ave	0.06	20	R													05/01/2006
Town of Charlotte C.H.																
(1101) Watkins Dr	0.34	120	R													05/23/2006
(1102) Chestnut Ln	0.11	40	R													05/07/2003

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Charlotte C.H.																
(1103) Patrick Henry Ave	0.56	150	R			From: SR 47 Thomas Jefferson Hwy					NA		NA			05/07/2003
						To: SR 40 George Washington Hwy										
(1104) Morrison Grove Dr	0.19	50	R			From: Dead End					NA		NA			05/07/2003
						To: 19-709 Union Cemetery Rd										
(1105) Wilfan Dr	0.06	90	R			From: 19-1103 Patrick Henry Ave					NA		NA			04/20/2006
						To: Dead End										
(1106) Gold Leaf Dr	0.50	190	R			From: Dead End					NA		NA			05/23/2006
						To: 19-645 Evergreen Rd										
(1107) Twin Oaks Dr	0.09	70	R			From: SR 40 George Washington Hwy					NA		NA			05/07/2003
						To: 19-1103 Patrick Henry Ave										
(1108) Dixie Youth Dr	0.19	160	R			From: Dead End					NA		NA			05/23/2006
						To: SR 40 George Washington Hwy										
(1109) Carey Dr	0.25	60	R			From: 19-709 Union Cemetery Rd					NA		NA			05/07/2003
						To: Dead End										
(1110) Moses Dr	0.15	60	R			From: Dead End					NA		NA			05/07/2003
						To: SR 47 Thomas Jefferson Hwy										
(1111) Statesman Dr	0.65	760	R			From: SR 40 David Bruce Ave					NA		NA			05/07/2003
						To: SR 47										
(1113)	0.25	0	R			From: Dead End					NA		NA			05/23/2006
						To: 19-1111 Statesman Dr										
(1114) Law Lane	0.08	230	R			From: 19-1111 Statesman Dr					NA		NA			05/23/2006
						To: 0.08 ME 19-1111										
(1114) Law Lane	0.14	360	R			From: 0.08 ME 19-1111					NA		NA			05/23/2006
						To: SR 47										
Town of Drakes Branch																
(1201) School St	0.12	110	R			From: Dead End					NA		NA			05/16/2006
						To: 19-619 Proctor St										
(1202) White St	0.20	160	R			From: SR 47					NA		NA			05/16/2006
						To: Dead End										
(1203) Harold St	0.03	450	R			From: 19-619 Proctor St					NA		NA			05/16/2006
						To: SR 47										
(1204) Isabella St	0.24	230	R			From: 19-619 Proctor St					NA		NA			05/16/2006
						To: SR 47										
(1205) Marshall St	0.25	240	R			From: SR 47					NA		NA			04/20/2006
						To: 0.25 ME SR 47										
(1205) Marshall St	0.25	260	R			From: 0.25 ME SR 47					NA		NA			04/20/2006
						To: Dead End										
(1206) New York Ave	0.25	160	R			From: SR 47					NA		NA			05/16/2006
						To: Dead End										

Virginia Department of Transportation
 Traffic Engineering Division
 2008
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Charlotte Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Drakes Branch																
(1207) Green St	0.21	130	R			From: 19-619 Proctor St					NA			NA		05/16/2006
						To: 19-637 Saxkey Rd										
(1208) Pine St	0.06	20	R			From: Dead End					NA			NA		05/16/2006
						To: 19-619 Proctor St										
(1209) Bedford St	0.16	100	R			From: Cul-de-Sac					NA			NA		05/16/2006
						To: 19-623 West Point Stevens Rd										
(1210) Dunlop St	0.15	2	R			From: Dead End					NA			NA		05/16/2006
						To: 19-1212 Foster St										
(1210) Dunlop St	0.01	340	R			From: 19-1212 Foster St					NA			NA		05/16/2006
						To: SR 47										
(1211) Fawthorp St	0.06	30	R			From: Dead End					NA			NA		05/16/2006
						To: 19-623 West Point Stevens Rd										
(1212) Foster St	0.12	190	R			From: 19-1210 Dunlop St					NA			NA		05/16/2006
						To: Dead End										
(1213) Payne St	0.06	130	R			From: Dead End					NA			NA		05/16/2006
						To: SR 47										
Charlotte County																
(9091) School Lane	0.23	170	R			From: 19-654					NA			NA		05/16/2006
						To: Eureka Elem School										
(9092) Canary Lane	0.06	40	R			From: US 15 Barnesville Hwy					NA			NA		05/23/2006
						To: Cul-de-Sac										
(9477)	0.06	360	R			From: J Murry Jeffress Elem Sch					NA			NA		05/20/2003
						To: SR 40 Patrick Henry Hwy										
Town of Charlotte C.H.																
(9504)	0.03	170	R			From: SR 47 Thomas Jefferson Hwy					NA			NA		05/23/2006
						To: Central High School										
Town of Phenix																
(9729)	0.09	220	R			From: 19-727 Red House Rd					NA			NA		05/01/2006
						To: Phenix Elem School										
Charlotte County																
(9730) Bacon Elem School	0.09	300	R			From: 19-606 Bacon School Rd					NA			NA		05/23/2006
						To: Bacon Elem School										