

**2008**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**41**

Halifax County  
Town of South Boston  
Town of Halifax  
Town of Scottsburg  
Town of Virgilina

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
34 Hodges St	From: North Main St															
	Town of South Boston	0.54	2000	F	98%	1%	1%	0%	0%	0%	C	0.102	F	0.535	2200	F
	To: US 360 John Randolph Blvd															
40 Stage Coach Rd	From: Pittsylvania County Line															
	Halifax County	4.16	720	F	84%	1%	2%	1%	12%	0%	F	0.098	F	0.534	770	F
	To: 41-638 Bull Creek Rd															
40 Stage Coach Rd	From: 41-638 Bull Creek Rd															
	Halifax County	5.96	810	F	88%	0%	2%	1%	9%	0%	C	0.096	F	0.643	860	F
	To: US 501 North of Halifax															
40 501 L P Bailey Memorial Hwy	From: US 501 Halifax															
	Halifax County	0.97	4900	F	92%	0%	1%	0%	6%	0%	C	0.084	F		5300	F
	To: Campbell County Line															
49 96 Florence Ave	From: North Carolina State Line															
	Town of Virgilina (Maint: 41)	0.13	1400	F	84%	1%	1%	1%	13%	0%	F	0.096	F	0.631	1500	F
	To: SR 96 Seventh St															
49 Seventh St	From: SR 96 Seventh St															
	Town of Virgilina (Maint: 41)	0.47	710	F	84%	1%	1%	1%	13%	0%	C	0.103	F	0.533	760	F
	To: ECL Virgilina															
49	From: ECL Virgilina															
	Halifax County	2.05	710	N	84%	1%	1%	1%	13%	0%	N	0.103	N	0.533	760	N
	To: Mecklenburg County Line															
57 Chatham Rd	From: Pittsylvania County Line															
	Halifax County	3.53	680	F	85%	2%	1%	1%	12%	0%	F	0.100	F	0.533	720	F
	To: 41-844 Tune Trail															
57 Chatham Rd	From: 41-844 Tune Trail															
	Halifax County	1.64	970	F	85%	2%	1%	1%	12%	0%	C	0.093	F	0.629	1000	F
	To: 41-845 Ed Mason Lane															
57 Chatham Rd	From: 41-845 Ed Mason Lane															
	Halifax County	3.62	1400	F	85%	2%	1%	1%	12%	0%	F	0.114	F	0.53	1500	F
	To: 41-676 Asbury Church Rd															
57 Chatham Rd	From: 41-676 Asbury Church Rd															
	Halifax County	4.06	1600	F	85%	2%	1%	1%	12%	0%	F	0.090	F	0.719	1700	F
	To: SR 360 Mountain Rd															
58 360 Philpott Rd	From: Pittsylvania County Line															
	Halifax County	3.48	8500	F	83%	1%	1%	1%	13%	1%	F	0.073	F		8500	F
	To: SR 119 Delila															
58 360 Philpott Rd	From: SR 119 Delila															
	Halifax County	6.58	8000	F	83%	1%	1%	1%	13%	1%	F	0.072	F		7900	F
	To: 41-658 Turbeville Rd															
58 360 Philpott Rd	From: 41-658 Turbeville Rd; Melon Rd															
	Halifax County	9.25	8500	A	84%	1%	1%	1%	13%	1%	C	0.098	A		8600	A
	To: US 501 Huell Matthews Hwy															
58 360 Bill Tuck Hwy	From: US 501 Huell Matthews Hwy															
	Town of South Boston	0.18	13000	F	84%	1%	1%	1%	13%	1%	F	0.077	F		13000	F
	To: ECL South Boston															
58 360 Bill Tuck Hwy	From: ECL South Boston															
	Halifax County	0.52	13000	N	84%	1%	1%	1%	13%	1%	N	0.077	N		13000	N
	To: US 360 John Randolph Blvd															

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
58 Bill Tuck Hwy	From:	US 360 John Randolph Blvd															
	Halifax County	5.00	6500	F	84%	1%	1%	1%	13%	1%	F	0.079	F		6600	F	
58 Bill Tuck Hwy	To:	41-601 Rockchoal Rd															
	Halifax County	5.57	5500	F	84%	1%	1%	1%	13%	1%	F	0.08	F		5500	F	
92 Clover Rd	From:	Charlotte County Line															
	Halifax County	4.19	470	G	93%	2%	1%	1%	3%	0%	C	NA			490	G	
92 Clover Rd	To:	NCL Clover															
	Clover (Maint: 41)	0.47	470	N	93%	2%	1%	1%	3%	0%	N	NA			490	N	
92 Clover Rd	From:	41-746; 41-1001															
	Clover (Maint: 41)	0.33	470	N	93%	2%	1%	1%	3%	0%	N	NA			490	N	
92 Clover Rd	To:	SCL Clover															
	Halifax County	0.80	470	N	93%	2%	1%	1%	3%	0%	N	NA			490	N	
96 Virgilina Rd	From:	US 501 S of Cluster Springs															
	Halifax County	7.11	1200	F	80%	1%	1%	1%	17%	0%	C	0.092	F	0.512	1300	F	
96	To:	WCL Virgilina															
	Town of Virgilina (Maint: 41)	0.59	1200	N	80%	1%	1%	1%	17%	0%	N	0.092	N	0.512	1300	N	
96 49 Florence Ave	From:	N SR 49															
	Town of Virgilina (Maint: 41)	0.13	1400	F	84%	1%	1%	1%	13%	0%	F	0.096	F	0.631	1500	F	
119 Calvary Rd	To:	North Carolina State Line															
	Halifax County	3.08	670	F	90%	1%	1%	1%	7%	0%	C	0.113	F	0.539	720	F	
129 North Main St	From:	US 501 P; Wilborn Ave; Main St															
	Town of South Boston	0.09	3200	F	99%	1%	0%	0%	0%	0%	F	0.096	F	0.793	3500	F	
129 North Main St	To:	US 501 Broad St															
	Town of South Boston	0.38	5000	F	99%	1%	0%	0%	0%	0%	C	0.096	F		5400	F	
129 North Main St	From:	SR 34 Hodges St															
	Town of South Boston	0.16	6000	F	99%	1%	0%	0%	0%	0%	F	0.094	F	0.519	6500	F	
129 North Main St	To:	Edmunds St															
	Town of South Boston	0.19	6200	F	99%	1%	0%	0%	0%	0%	F	0.095	F	0.574	6700	F	
129 North Main St	From:	College St															
	Town of South Boston	0.63	5900	F	99%	1%	0%	0%	0%	0%	F	0.099	F	0.567	6400	F	
129 North Main St	To:	Hamilton Blvd															
	Town of South Boston	0.88	9600	F	99%	1%	0%	0%	0%	0%	C	0.099	F		10000	F	
129 Old Halifax Rd	From:	NCL South Boston															
	Halifax County	0.85	13000	F	98%	1%	1%	0%	0%	0%	C	NA			14000	F	
	To:	US 501 Centerville															



Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: 304 Seymour Dr		US 501 P: Main St														
304 Seymour Dr	Town of South Boston	0.08	2500	F	97%	0%	1%	1%	0%	0%	F	0.102	F	2700	F	
To: 304 Seymour Dr		US 501 Broad St														
304 Seymour Dr	Town of South Boston	0.38	3000	F	97%	0%	1%	1%	0%	0%	C	0.092	F	3200	F	
To: 304 Seymour Dr		Marshall St														
304 Seymour Dr	Town of South Boston	0.25	2600	F	97%	0%	1%	1%	0%	0%	F	0.092	F	0.574	2800	F
To:		US 360 John Randolph Blvd														
From: 344 Scottsburg Rd		SR 360 Bethel Rd														
344 Scottsburg Rd	Halifax County	1.58	1100	F	92%	2%	1%	2%	3%	0%	F	0.100	F	0.519	1200	F
To: 344		NCL Scottsburg														
344	Town of Scottsburg (Maint: 41)	0.75	1100	N	92%	2%	1%	2%	3%	0%	N	0.100	N	0.519	1200	N
To: 344		41-720														
From: 344 McDonald Rd		41-720 Green Level Rd														
344 McDonald Rd	Town of Scottsburg (Maint: 41)	0.42	740	F	92%	2%	1%	2%	3%	0%	C	0.107	F	0.583	790	F
To: 344		ECL Scottsburg														
344	Halifax County	7.35	740	N	92%	2%	1%	2%	3%	0%	N	0.107	N	0.583	790	N
To: 344 McDonald Rd		Staunton River State Park														
344 McDonald Rd	Halifax County	2.18	100	F	92%	2%	1%	2%	3%	0%	F	0.126	F	0.733	100	F
To:		End of Route														
From: 349 Edmunds Blvd		SR 360 Mountain Rd														
349 Edmunds Blvd	Town of Halifax (Maint: 41)	0.12	670	F	94%	2%	3%	1%	0%	0%	C	0.154	F	0.533	720	F
To:		US 501 Main St														
From: 360 58 Philpott Rd		Pittsylvania County Line														
360 58 Philpott Rd	Halifax County	3.48	8500	F	83%	1%	1%	1%	13%	1%	F	0.073	F		8500	F
To: 360 58 Philpott Rd		SR 119 Delila														
360 58 Philpott Rd	Halifax County	6.58	8000	F	83%	1%	1%	1%	13%	1%	F	0.072	F		7900	F
To: 360 58 Philpott Rd		41-658 Turbeville Rd; Melon Rd														
360 58 Philpott Rd	Halifax County	9.25	8500	A	84%	1%	1%	1%	13%	1%	C	0.098	A		8600	A
To: 360 58 Bill Tuck Hwy		US 501 Huell Mathews Hwy														
360 58 Bill Tuck Hwy	Town of South Boston	0.18	13000	F	84%	1%	1%	1%	13%	1%	F	0.077	F		13000	F
To: 360 58 Bill Tuck Hwy		CL South Boston														
360 58 Bill Tuck Hwy	Halifax County	0.52	13000	N	84%	1%	1%	1%	13%	1%	N	0.077	N		13000	N
To: 360 John Randolph Blvd		E US 58														
360 John Randolph Blvd	Halifax County	0.45	9700	F	84%	1%	1%	1%	13%	1%	F	0.083	F		9500	F
To: 360 John Randolph Blvd		SCL South Boston														
360 John Randolph Blvd	Town of South Boston (Maint: 41)	0.16	9700	F	84%	1%	1%	1%	13%	1%	F	0.083	F		9500	F
To: 360 John Randolph Blvd		SR 304 Seymour Dr														
360 John Randolph Blvd	Town of South Boston	0.52	9200	F	84%	1%	1%	1%	13%	1%	F	0.085	F		9000	F
To:		SR 34 Hodges St														

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
360 John Randolph Blvd	Town of South Boston	0.44	10000	F	84%	1%	1%	1%	13%	1%	F	0.085	F	10000	F	
360 John Randolph Blvd	Town of South Boston (Maint: 41)	0.09	7500	F	84%	1%	1%	1%	13%	1%	F	0.081	F	7300	F	
360 James D Hagood Hwy	Halifax County	1.43	7400	F	84%	1%	1%	1%	13%	1%	F	0.076	F	7200	F	
360 James D Hagood Hwy	Halifax County	5.28	6100	F	84%	1%	1%	1%	13%	1%	F	0.078	F	6000	F	
360 James D Hagood Hwy	Halifax County	2.40	7300	F	84%	1%	1%	1%	13%	1%	F	0.081	F	7200	F	
360 James D Hagood Hwy	Halifax County	2.79	6300	F	84%	1%	1%	1%	13%	1%	F	0.079	F	6100	F	
360 James D Hagood Hwy	Halifax County	2.73	5700	F	84%	1%	1%	1%	13%	1%	F	0.077	F	5500	F	
360 Mountain Rd	Halifax County	5.11	1000	F	93%	1%	1%	1%	4%	0%	C	0.091	F	0.535	1100	F
360 Mountain Rd	Halifax County	5.65	1900	F	93%	1%	1%	1%	4%	0%	F	0.093	F	0.605	2000	F
360 Mountain Rd	Halifax County	2.57	5300	F	93%	1%	1%	1%	4%	0%	F	0.084	F	0.64	5700	F
360 Mountain Rd	Halifax County	0.30	2200	N	93%	0%	1%	1%	5%	0%	N	0.089	N	0.58	2400	N
360 Mountain Rd	Town of Halifax (Maint: 41)	1.72	2200	F	93%	0%	1%	1%	5%	0%	C	0.089	F	0.58	2400	F
360 501 Main St	Town of Halifax (Maint: 41)	0.78	8700	F	97%	0%	1%	0%	2%	0%	F	0.091	F	9300	F	
360 Bethel Rd	Town of Halifax (Maint: 41)	0.26	4100	F	92%	0%	1%	1%	6%	0%	C	0.085	F	4400	F	
360 Bethel Rd	Halifax County	6.19	2800	F	86%	1%	1%	1%	11%	0%	C	0.084	F	2900	F	
501 Huell Matthews Hwy	Halifax County	2.46	3500	F	88%	1%	1%	3%	8%	0%	F	0.103	F	0.598	3800	F
501 Huell Matthews Hwy	Halifax County	3.84	4500	F	88%	1%	1%	3%	8%	0%	C	0.103	F	4800	F	

Virginia Department of Transportation  
 Traffic Engineering Division  
 2008  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
501	Huell Matthews Hwy	From: 41-658 Cluster Springs Rd To: Halifax County	4.64	6000	F	88%	1%	1%	3%	8%	0%	F	0.087	F	6400	F	
501	Main St	From: US 58, US 360; SCL South Boston To: Town of South Boston	0.53	17000	F	97%	0%	1%	0%	1%	0%	C	0.089	F	18000	F	
501	Broad St	From: US 501 P; Broad St To: US 501 P Main St	0.09	8300	F	97%	0%	1%	0%	1%	0%	F	0.098	F	9000	F	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		15000	F	97%	1%	1%	0%	1%	0%	F	0.090	F	17000	F	
501	Broad St	From: SR 304 Seymour Dr To: Town of South Boston	0.22	8100	F	97%	0%	1%	0%	1%	0%	C	0.092	F	8800	F	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		15000	F	97%	1%	1%	0%	1%	0%	C	0.094	F	17000	F	
501	Broad St	From: SR 129 North Main St To: Town of South Boston	0.26	6100	F	97%	0%	1%	0%	1%	0%	F	0.089	F	6600	F	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		13000	F	97%	1%	1%	0%	1%	0%	F	0.085	F	14000	F	
501	Broad Street	From: Third St To: Town of South Boston	0.18	5800	F	97%	0%	1%	0%	2%	0%	C	0.101	F	6300	F	
501	Broad Street	From: Edmunds St To: Town of South Boston	0.41	5900	F	97%	0%	1%	0%	2%	0%	F	0.096	F	6400	F	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		14000	F	97%	1%	1%	0%	1%	0%	F	0.09	F	16000	F	
501	Wilborn Ave	From: US 501 P Wilborn Ave To: US 501 P; Broad St	0.51	14000	F	97%	0%	1%	0%	2%	0%	F	0.087	F	16000	F	
501	Halifax Rd	From: Hamilton Blvd To: Town of South Boston	0.69	16000	F	97%	0%	1%	0%	2%	0%	F	0.09	F	17000	F	
501	Halifax Rd	From: Old NCL South Boston To: Town of South Boston	0.79	17000	F	97%	0%	1%	0%	2%	0%	F	0.091	F	18000	F	
501	Halifax Rd	From: SR 129 N, Old Halifax Rd To: Town of South Boston	0.38	27000	G	97%	0%	1%	0%	2%	0%	F	NA		27000	G	
501	Halifax Rd	From: NCL South Boston To: Halifax County	0.36	12000	F	95%	1%	1%	0%	2%	0%	C	0.088	F	12000	F	
501	Main St	From: SCL Halifax To: Town of Halifax (Maint: 41)	1.56	11000	F	95%	1%	1%	0%	2%	0%	C	0.085	F	12000	F	
501	360 Main St	From: SR 360 S, Mountain Rd To: Town of Halifax (Maint: 41)	0.78	8700	F	97%	0%	1%	0%	2%	0%	F	0.091	F	9300	F	
501	L P Bailey Memorial Hwy	From: SR 360 N, Bethel Rd To: Town of Halifax (Maint: 41)	0.67	4600	F	90%	1%	1%	1%	7%	0%	F	0.082	F	0.673	5000	F
501	L P Bailey Memorial Hwy	From: ECL Halifax To: Halifax County	6.56	4200	F	90%	1%	1%	1%	7%	0%	F	0.084	F	0.672	4400	F
		To: 41-642 Meadville Rd, Liberty Rd															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2008  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
501 L P Bailey Memorial Hwy	Halifax County	From: 41-642 Meadville Rd, Liberty Rd	5.85	3200	F	90%	1%	1%	1%	7%	0%	C	0.09	F	3400	F	
		To: 41-603 Cody Rd															
501 L P Bailey Memorial Hwy	Halifax County	From: 41-603 Volens Rd	2.57	2700	F	90%	1%	1%	1%	7%	0%	F	0.086	F	0.554	2900	F
		To: 41-645 State Shed Rd															
501 L P Bailey Memorial Hwy	Halifax County	From: 41-645 State Shed Rd	4.90	3100	F	90%	1%	1%	1%	7%	0%	F	0.088	F	0.502	3400	F
		To: SR 40 Stage Coach Rd															
501 40 L P Bailey Memorial Hwy	Halifax County	From: SR 40 Stage Coach Rd	0.97	4900	F	92%	0%	1%	0%	6%	0%	C	0.084	F	5300	F	
		To: Campbell County Line															
501 Main St	Town of South Boston	From: US 501 Broad St	0.07	7000	F	97%	1%	1%	0%	1%	0%	F	0.084	F	7600	F	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 15000															F
501 Main St	Town of South Boston	From: SR 304 Seymour Dr	0.18	7400	F	97%	1%	1%	0%	1%	0%	C	0.088	F	8000	F	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 15000															F
501 Wilborne Ave	Town of South Boston	From: SR 129 North Main St	0.26	7000	F	97%	1%	1%	0%	1%	0%	F	0.088	F	7600	F	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 13000															F
501 Wilborne Ave	Town of South Boston	From: Third St	0.57	8500	F	97%	1%	1%	0%	1%	0%	F	0.084	F	9300	F	
		To: US 501 Broad Street															

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(F831) Keystone Mill Rd	0.06	120	R								NA		NA			09/08/2008
(F1064)	0.19	60	R								NA		NA			08/13/2008
(600) Black Walnut Rd	4.55	410	R								NA		NA			09/07/2005
(600) Black Walnut Rd	1.39	360	R								NA		NA			09/07/2005
(601) Stevens Rd	0.31	80	R								NA		NA			09/19/2005
(601) Bucksheal Rd	0.40	600	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.60	610	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.20	380	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.00	160	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.00	140	R								NA		NA			08/11/2008
(601) Virgie Cole Rd	1.50	100	R								NA		NA			08/11/2008
(602) N Fork Church Rd	2.10	90	F	95%	2%	2%	0%	2%	0%	F	0.132	F	0.533	100	F	2008
(602) North Fork Church Rd	3.80	280	F	95%	2%	2%	0%	2%	0%	F	0.104	F	0.551	300	F	2008
(602) Hitesburg Church Rd	2.80	340	F	95%	2%	2%	0%	2%	0%	C	0.146	F	0.618	360	F	2008
(603) Cody Rd	3.73	1000	F	90%	1%	1%	0%	7%	0%	F	0.105	F	0.552	1100	F	2008
(603) Cody Rd	2.35	1500	F	90%	1%	1%	0%	7%	0%	C	0.096	F	0.571	1600	F	2008
(603) Volens Rd	3.50	420	F	81%	1%	1%	1%	16%	0%	F	0.095	F	0.518	450	F	2008
(603) Volens Rd	1.41	670	F	81%	1%	1%	1%	16%	0%	F	0.085	F	0.601	710	F	2008
(603) Lenning Rd	3.65	750	F	81%	1%	1%	1%	16%	0%	C	0.101	F	0.543	810	F	2008
(603) Hunting Creek Rd	5.20	510	F	81%	1%	1%	1%	16%	0%	F	0.101	F	0.532	540	F	2008
(603) Hunting Creek Rd	2.64	530	F	81%	1%	1%	1%	16%	0%	F	0.101	F	0.552	570	F	2008
(604) Rip Rap Rd	1.50	120	R								NA		NA			08/13/2008
(604) Rip Rap Rd	0.75	60	R								NA		NA			08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(604) Rip Rap Rd	0.55	60	R									NA		NA		08/13/2008
(604) Rip Rap Rd	0.20	60	R									NA		NA		10/03/2005
(605) Mill Rd	2.38	130	R									NA		NA		08/04/2008
(606) Rice School Rd	0.50	10	R									NA		NA		08/13/2008
(606) Rice School Rd	0.60	70	R									NA		NA		08/13/2008
(606) Rice School Rd	0.55	140	R									NA		NA		08/13/2008
(606) Rice School Rd	0.65	170	R									NA		NA		08/13/2008
(607) Rodgers Chapel Rd	4.96	1400	F	94%	1%	1%	1%	3%	0%	C	0.100	F	0.767	1500	F	2008
(608) Cole Lane	1.70	320	R									NA		NA		09/13/2005
(608) Rev Coleman Rd	1.70	290	R									NA		NA		08/04/2008
(609) Abbott Hill Rd	2.10	240	R									NA		NA		08/04/2008
(609) Abbott Hill Rd	1.30	430	R									NA		NA		08/04/2008
(609) West Store Rd	2.30	220	R									NA		NA		07/30/2008
(610) Murphy Grove Rd	1.67	190	R									NA		NA		08/06/2008
(610) Crystal Hill Rd	4.60	410	F	97%	1%	1%	0%	1%	0%	F	0.107	F	0.5	440	F	2008
(610) Clay's Mill Rd	2.00	280	F	97%	1%	1%	0%	1%	0%	F	0.116	F	0.563	300	F	2008
(610) Clays Mill Rd	2.35	430	F	97%	1%	1%	0%	1%	0%	F	0.166	F	0.606	460	F	2008
(610) Clays Mill Rd	2.39	790	F	97%	1%	1%	0%	1%	0%	C	0.097	F	0.738	850	F	2008
(611) Hundley Rd	2.43	280	R									NA		NA		08/04/2008
(611) Hundley Rd	0.60	240	R									NA		NA		08/04/2008
(612) Clays Mill School Rd	1.30	550	R									NA		NA		09/13/2005
(612) Clays Mill School Rd	0.60	40	R									NA		NA		09/13/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(613) Marions Trail	0.70	210	R								NA			NA		09/13/2005
						From: 41-626 Howard P Johnson Hwy										
(613) Marions Trail	0.28	140	R								NA			NA		09/13/2005
						To: 41-893 James Trail										
(613) Wagstaff Lane	0.45	870	R								NA			NA		08/04/2008
						From: Dead End; Gap										
(613) Wagstaff Lane	0.36	280	R								NA			NA		09/13/2005
						From: 41-614 W, Burton Rd										
(613) Wagstaff Lane	0.30	190	R								NA			NA		08/04/2008
						From: 41-614 E, Burton Rd										
(613) Terrys Bridge Rd	3.30	420	F	98%	0%	1%	1%	0%	0%	C	0.126	F	0.536	450	F	2008
						From: SR 360 W, Bethel Rd										
(613) Terrys Bridge Rd	2.74	710	F	93%	1%	1%	1%	3%	0%	F	0.088	F	0.549	760	F	2008
						From: SR 360 E, Bethel Rd										
						To: US 360 James D Hagwood Hwy										
						To: WCL Scottsburg										
<b>Town of Scottsburg</b>																
(613) Terrys Bridge Rd	0.28	720	F	93%	1%	1%	1%	3%	0%	C	0.106	F	0.643	770	F	2008
						From: WCL Scottsburg										
						To: SR 344 Scottsburg Rd										
<b>Halifax County</b>																
(614) Love Shop Rd	2.07	2500	F	96%	1%	1%	2%	0%	0%	C	0.089	F	0.596	2600	F	2008
						From: 41-716 Rodgers Chapel Rd										
(614) Love Shop Rd	1.86	1900	F	96%	1%	1%	2%	0%	0%	F	0.085	F	0.609	2000	F	2008
						From: 41-651 Cowford Rd										
(614)	0.31	750	R								NA			NA		08/04/2008
						From: SR 360 Bethel Rd										
(614) Burton Rd	2.25	620	R								NA			NA		09/13/2005
						From: 41-613 E, Wagstaff Lane										
						To: 41-613 W, Wagstaff Lane										
						To: 41-610 Clays Mill Rd										
(615) Tucker Rd	2.30	310	R								NA			NA		09/13/2005
						From: US 501, L P Bailey Mem Hwy										
						To: 41-626 S, Howard P Johnson Hwy										
(615) Winns Creek Rd	2.30	610	R								NA			NA		09/13/2005
						From: 41-626 N, Howard P Johnson Hwy; Howard P Anderson										
						To: 41-610 Clays Mill Rd										
(616) Neals Corner Rd	2.50	150	R								NA			NA		07/30/2008
						From: 41-603 Hunting Creek Rd										
(616) Neals Corner Rd	0.50	120	R								NA			NA		07/30/2008
						From: 41-780 Lloyds Mill Rd										
(616) Neals Corner Rd	1.10	80	R								NA			NA		07/30/2008
						From: 41-617 Cove Rd										
(617) Cove Rd	0.90	110	R								NA			NA		07/28/2008
						From: 41-746 Mt Laurel Rd										
(617) Cove Rd	2.00	40	R								NA			NA		07/28/2008
						From: 41-618 Chester Rd										
(617) Cove Rd	1.45	70	R								NA			NA		07/28/2008
						From: 41-623 Mortons Ferry Rd										
(617) Cove Rd	0.01	10	R								NA			NA		09/01/2005
						From: 1.45 MN 41-623 Mortons Ferry Rd										
						To: Dead End										
(618) Chester Rd	1.60	60	R								NA			NA		09/01/2005
						From: 41-617 Cove Rd										
						To: 41-623 Mortons Ferry Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Halifax County</b>																	
(619) Hardings Mill Rd	2.90	100	R								NA		NA			09/01/2005	
			From:	41-603 Hunting Creek Rd													
			To:	41-623 Mortons Ferry Rd													
(620) Narrow Bridge Rd	0.20	60	R								NA		NA			09/01/2005	
			From:	41-626 Clarkton Rd													
			To:	Charlotte County Line													
(621) Bradley Creek Rd	3.30	120	R								NA		NA			07/30/2008	
			From:	41-647 Leda Grove Rd													
			To:	US 501, L P Bailey Mem Hwy													
(621) Beaver Pond Rd	1.10	110	R								NA		NA			07/30/2008	
			From:	41-761 Boxwood Rd													
(621) Beaver Pond Rd	2.00	110	R								NA		NA			07/30/2008	
			From:	41-642 Liberty Rd													
(621) Chilsolm Trail	0.80	100	R								NA		NA			07/30/2008	
			From:	41-875 Moormans Lane													
(621) Chilsolm Trail	0.90	80	R								NA		NA			07/30/2008	
			From:	Dead End; Gap													
(621) Hodges St	1.40	80	R								NA		NA			07/30/2008	
			From:	41-626 N, Howard P Anderson Rd													
			To:	41-626 S, Howard P Anderson Rd													
(621) Newbill School Rd	3.40	170	F	96%	2%	0%	1%	0%	0%	C	0.105	F	0.546	180	F	2008	
			From:	41-739, T N Snow Rd													
(621) Newbill School Rd	0.83	210	F	96%	2%	0%	1%	0%	0%	F	0.138	F	0.509	220	F	2008	
			From:	41-609 Abbott Hill Rd													
(621) Newbill School Rd	3.30	250	F	96%	2%	0%	1%	0%	0%	F	0.119	F	0.567	270	F	2008	
			From:	41-603 Hunting Creek Rd													
			To:	Dead End													
(622) Waltman Trail	1.00	80	R								NA		NA			08/04/2008	
			From:	SR 360 Mtn Rd													
(623) Mortons Ferry Rd	2.72	180	R								NA		NA			07/28/2008	
			From:	41-603 Hunting Creek Rd													
(623) Mortons Ferry Rd	0.24	200	R								NA		NA			07/28/2008	
			From:	41-619 Hardings Mill Rd													
(623) Mortons Ferry Rd	1.01	410	R								NA		NA			09/01/2005	
			From:	41-758 Crossroads Trail													
(623) Mortons Ferry Rd	2.47	190	R								NA		NA			09/01/2005	
			From:	41-624 Coles Ferry Rd													
(623) Mortons Ferry Rd	1.09	100	R								NA		NA			09/01/2005	
			From:	41-618 Chester Rd													
(623) Mortons Ferry Rd	0.65	10	R								NA		NA			07/28/2008	
			From:	41-617 Cove Rd													
			To:	Dead End													
(624) Coles Ferry Rd	2.40	170	R								NA		NA			09/01/2005	
			From:	41-626 Clarkton Rd													
			To:	41-625 Ellis Creek Rd													
(624) Coles Ferry Rd	5.48	150	R								NA		NA			09/01/2005	
			From:	41-625 Ellis Creek R													
(624) Coles Ferry Rd	1.50	70	R								NA		NA			09/01/2005	
			From:	41-623 Mortons Ferry Rd													
			To:	Dead End													
(625) Ellis Creek Rd	1.60	60	R								NA		NA			07/28/2008	
			From:	41-626 Clarkton Rd													
			To:	41-624 Coles Ferry Rd													



Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(626) Shiloh Church Rd	3.11	300	F	97%	0%	0%	1%	1%	0%	C	0.115	F	0.541	320	F	2008
						From: US 501 L P Bailey Mem Hwy										
						To: 41-632 Hog Wallow Rd										
(626) Clarkton Rd	4.10	220	F	97%	0%	0%	1%	1%	0%	F	0.135	F	0.563	230	F	2008
						From: 41-625 Ellis Creek Rd										
(626) Clarkton Rd	4.70	210	F	95%	4%	1%	0%	0%	0%	C	0.108	F	0.593	230	F	2008
						From: 41-603 E, Hunting Creek Rd										
						To: 41-603 W, Hunting Creek Rd										
(626) Howard P Anderson Rd	3.30	860	F	84%	1%	1%	0%	14%	0%	F	0.099	F	0.584	920	F	2008
						From: 41-610 S Clays Mill Rd										
(626) Howard P Anderson Rd	2.96	1000	F	84%	1%	1%	0%	14%	0%	F	0.093	F	0.737	1100	F	2008
						From: 41-615 N, Winns Creek Rd										
(626) Howard P Johnson Hwy	2.45	1800	F	84%	1%	1%	0%	14%	0%	C	0.085	F	0.524	1900	F	2008
						To: SR 360 Bethel Rd										
(627) Armistead Rd	2.40	60	R								NA			NA		07/28/2008
						From: 41-603 Lenning Rd										
						To: 41-644 Stoney Ridge Rd										
(628) Chestnut Rd	4.90	390	R								NA			NA		08/29/2005
						From: 41-647 Leda Grove Rd										
						To: US 501, L P Bailey Mem Hwy										
(629) Henrys Trail	0.70	150	R								NA			NA		07/28/2008
						From: Dead End										
						To: 41-603 Lenning Rd										
(630) Doctor Merritt Rd	0.60	130	R								NA			NA		08/29/2005
						From: 41-603 Lenning Rd										
						To: 41-631 Railroad Dr										
(630) Doctor Merritt Rd	0.80	48	R								NA			NA		08/29/2005
						From: Dead End										
						To: 41-644										
(631) Railroad Dr	0.60	70	R								NA			NA		07/28/2008
						From: 41-644										
						To: 41-630 Doctor Merritt Rd										
(632) Hog Wallow Rd	4.61	540	F	97%	1%	0%	0%	1%	0%	C	0.099	F	0.712	580	F	2008
						From: 41-626 Clarkton Rd										
						To: US 501; SR 40 LP Bailey Hwy										
(633) Turkey Track Lane	1.50	80	R								NA			NA		09/01/2005
						From: 41-634 Elder Rd										
						To: Dead End										
(634) Elder Rd	1.30	20	R								NA			NA		07/28/2008
						From: 41-632 Hog Wallow Rd										
						To: 41-633 Turkey Track Lane										
(634) Elder Rd	0.40	110	R								NA			NA		07/28/2008
						From: 41-636 Childrey Rd; Childrey Church Rd										
(635) Loop Rd	2.50	80	R								NA			NA		10/24/2005
						From: SR 360 Mtn Rd										
						To: 41-665 Nunnleys Bridge Rd										
(636) Thorntons Rd	1.50	250	R								NA			NA		07/28/2008
						From: SR 40 Stage Coach Rd										
(636) Thorntons Rd	1.62	80	R								NA			NA		07/28/2008
						From: 41-645 State Shed Rd										
(636) Thorntons Rd	0.07	90	R								NA			NA		07/28/2008
						From: 1.62 ME 41-645 State Shed Rd										
(636) Childrey Church Rd	1.26	270	R								NA			NA		07/28/2008
						From: US 501 N, L P Bailey Mem Hwy										
						To: US 501 S, L P Bailey Mem Hwy										
						From: 41-634 Elder Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(636) Childrey Rd	0.80	210	R													07/28/2008
From: 41-634 Elder Rd																
To: 41-626 Shiloh Church Rd																
(637) Cherry Creek Rd	1.80	80	R													07/28/2008
From: 41-670 Sandy Ridge Rd																
To: 41-638 Bull Creek Rd																
(638) Bull Creek Rd	0.80	170	R													07/28/2008
From: SR 40 W, Stage Coach Rd																
To: 41-637 Cherry Creek Rd																
(638) Bull Creek Rd	0.90	110	R													07/28/2008
From: 41-639 Rock Barn Rd																
(638) Bull Creek Rd	3.79	230	R													07/28/2008
From: SR 40 MID																
To: SR 40 E, Stage Coach Rd																
(638) Perth Rd	1.50	180	R													07/28/2008
From: US 501, L P Bailey Mem Hwy																
To: Pittsylvania County Line																
(639) Rock Barn Rd	1.20	250	R													07/28/2008
From: 41-640 Buffalo Rd																
(639) Rock Barn Rd	0.40	180	R													07/28/2008
From: 41-670 Sandy Ridge Rd																
(639) Rock Barn Rd	2.50	170	R													07/28/2008
From: 41-638 Bull Creek Rd																
(640) Buffalo Rd	1.00	290	R													07/28/2008
From: 41-650 Mulberry Rd																
(640) Buffalo Rd	2.10	250	R													07/28/2008
From: SR 40 Stage Coach Rd																
(640) Buffalo Rd	3.20	180	R													07/28/2008
From: 41-669 Evergreen Rd																
To: 41-639 Rock Barn Rd																
(641) Lower Liberty Rd	3.30	180	R													07/30/2008
From: 41-642 Liberty Rd																
To: 41-610 Crystal Hill Rd																
(642) Meadville Rd	3.02	720	F	91%	2%	1%	1%	7%	0%	C	0.111	F	0.505	770	F	2008
From: SR 57 Chatham Rd																
(642) Liberty Rd	4.69	660	F	96%	1%	1%	1%	1%	0%	C	0.099	F	0.514	710	F	2008
From: US 501 L P Bailey Memorial Hwy																
To: 41-603 Volens Rd																
(643) McKendree Church Rd	0.10	20	R													08/06/2008
From: Dead End																
(643) McKendree Church Rd	0.40	70	R													08/06/2008
From: 41-814; 41-826																
(643) Cedar Fork Rd	0.50	130	R													08/04/2008
From: US 501 W, L P Bailey Mem Hwy																
To: US 501 E, L P Bailey Mem Hwy																
(644)	1.20	770	F	94%	0%	2%	1%	3%	0%	C	0.100	F	0.529	830	F	2008
From: 41-603 Hunting Creek Rd																
(644) Stoney Ridge Rd	2.75	110	R													07/28/2008
From: 41-645 Acorn Rd																
(644) Stoney Ridge Rd	0.60	100	R													07/28/2008
From: 41-627 Armistead Rd																
To: 41-626 Clarkton Rd																

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(645) Acorn Rd	3.01	570	F	92%	0%	2%	1%	5%	0%	C	0.093	F	0.556	610	F	2008
						From: 41-644										
						To: US 501 S, L P Bailey Mem Hwy										
(645) State Shed Rd	2.42	250	R									NA		NA		07/28/2008
						From: US 501 N, L P Bailey Mem Hwy										
						To: 41-636 Thorntons Rd										
(646) Rabat Rd	2.08	220	R									NA		NA		07/28/2008
						From: 41-645 Acorn Rd										
						To: 41-811 Matts Trail										
(646) Rabat Rd	0.34	290	R									NA		NA		07/28/2008
						From: 41-626 Shiloh Church Rd										
(647) Leda Grove Rd	4.01	240	F	97%	2%	1%	0%	0%	0%	F	0.105	F	0.554	260	F	2008
						From: 41-667 Leda Rd										
						To: 41-603 East Cody Rd										
(647) Tobacco Rd	2.18	270	F	97%	2%	1%	0%	0%	0%	F	0.108	F	0.508	290	F	2008
						From: 41-603 West Cody Rd										
						To: 41-649 Golden Leaf Rd										
(647) Tobacco Rd	1.70	250	F	97%	2%	1%	0%	0%	0%	C	0.101	F	0.679	270	F	2008
						From: SR 40 Stage Coach Rd										
						To: 41-696 Henderson Rd										
(648) Mason Chapel Rd	3.70	80	R									NA		NA		08/13/2008
						From: 41-699 Mt Caramel Rd										
(649) Old Concord Rd	1.20	150	R									NA		NA		07/30/2008
						From: 41-667 Leda Rd										
						To: 41-786 Runaway Rd										
(649) Old Concord Rd	1.50	140	R									NA		NA		07/30/2008
						From: 41-603 S, Cody Rd										
						To: 41-603 N, Cody Rd										
(649)	2.90	210	R									NA		NA		07/28/2008
						From: 41-647 Tobacco Rd										
(650) Mulberry Rd	1.30	150	R									NA		NA		07/30/2008
						From: 41-667: 71-650										
						To: 41-657 Felix Rd										
(650) Mulberry Rd	1.00	250	R									NA		NA		07/30/2008
						From: 41-640 Buffalo Rd										
(650) Mulberry Rd	0.60	130	R									NA		NA		07/28/2008
						To: 41-603 Cody Rd										
<b>Town of Halifax</b>																
(651) Cowford Rd	0.11	990	F	94%	0%	1%	4%	0%	0%	F	0.098	F	0.616	1100	F	2008
						From: US 501 Main St										
						To: ECL Halifax										
<b>Halifax County</b>																
(651) Cowford Rd	2.22	960	F	94%	0%	1%	4%	0%	0%	C	0.099	F	0.642	1000	F	2008
						From: ECL Halifax										
						To: 41-614 Love Shop Rd										
<b>Town of Halifax</b>																
(652) Academy St	0.44	80	R									NA		NA		09/08/2008
						From: Dead End										
						To: SCL Halifax										
<b>Halifax County</b>																
(652)	1.52	170	R									NA		NA		08/19/2002
						From: SCL Halifax										
						To: SR 360 Mountain Rd										
(653) Ball Park Loop	1.60	110	R									NA		NA		09/08/2008
						From: SR 360 EAST; 41-903										
						To: 41-880 Burns Trail										
(653) Ball Park Loop	1.90	190	R									NA		NA		09/08/2008
						From: 41-880 Burns Trail										
						To: SR 360 W, Mtn Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(654) Singi Rd	2.73	6100	F	98%	1%	0%	0%	1%	0%	C	0.085	F		6500	F	2008
(655) Blane Rd	1.20	610	F	96%	2%	1%	0%	1%	0%	C	0.102	F	0.5	650	F	2008
(656) Hackberry Rd	3.05	490	F	95%	0%	1%	2%	3%	0%	C	0.111	F	0.672	520	F	2008
(657) Felix Rd	1.80	80	R								NA			NA		07/30/2008
(658) Melon Rd	1.80	240	R								NA			NA		08/13/2008
(658)	3.76	460	N	92%	0%	1%	4%	3%	0%	N	0.129	N	0.669	490	N	2008
(658) Melon Rd	0.42	460	F	92%	0%	1%	4%	3%	0%	F	0.129	F	0.669	490	F	2008
(658) Melon Rd	3.84	720	F	92%	0%	1%	4%	3%	0%	C	0.107	F	0.639	770	F	2008
(658) Turbeville Rd	2.80	460	F	98%	1%	0%	1%	0%	0%	F	0.117	F	0.564	490	F	2008
(658) Turbeville Rd	1.96	490	F	98%	1%	0%	1%	0%	0%	F	0.134	F	0.585	520	F	2008
(658) Cluster Springs Rd	0.63	1100	F	98%	1%	0%	1%	0%	0%	F	0.101	F	0.546	1100	F	2008
(658) Cluster Springs Rd	3.56	1200	F	97%	1%	1%	1%	1%	0%	C	0.093	F	0.548	1300	F	2008
(658) Cluster Springs Rd	0.80	1800	F	98%	1%	0%	1%	0%	0%	C	0.101	F	0.583	1900	F	2008
(658) Cherry Hill Church Rd	3.52	590	F	93%	4%	2%	1%	1%	0%	F	0.127	F	0.627	630	F	2008
(658) Grady T Cole Memorial	0.12	180	F	93%	4%	2%	1%	1%	0%	C	0.134	F	0.704	190	F	2008
(658) Virgie Cole Rd	3.80	300	F	93%	4%	2%	1%	1%	0%	F	0.123	F	0.543	320	F	2008
(659) Brooklyn Rd	1.58	270	F	96%	1%	1%	1%	0%	0%	F	0.121	F	0.605	290	F	2008
(659) River Rd	3.72	290	F	96%	1%	1%	1%	0%	0%	F	0.126	F	0.578	310	F	2008
(659) River Rd	3.89	350	F	96%	1%	1%	1%	0%	0%	F	0.116	F	0.558	380	F	2008
(659) River Rd	1.74	620	F	96%	1%	1%	1%	0%	0%	C	0.113	F	0.608	670	F	2008
(659) River Rd	5.48	830	F	98%	1%	1%	1%	0%	0%	F	0.114	F	0.603	890	F	2008
(659) River Rd	0.09	2500	F	98%	1%	1%	1%	0%	0%	F	0.104	F	0.515	2700	F	2008
(659) River Rd	1.27	2800	F	98%	1%	1%	1%	0%	0%	C	0.097	F		3000	F	2008

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(660) Glass Mill Rd	0.45	60	R													08/04/2008
(660) Glass Mill Rd	0.40	90	R													08/04/2008
(661) High Point Rd	0.50	80	R													08/04/2008
(662) Birch Elmo Rd	0.80	170	R													08/04/2008
(662) Birch Elmo Rd	1.00	100	R													08/04/2008
(662) Birch Elmo Rd	3.80	110	R													08/11/2008
(662) Birch Elmo Rd	0.40	220	R													08/11/2008
(662) Ashton Hall Rd	2.40	80	F	94%	1%	2%	2%	1%	0%	C	0.16	F	0.583	80	F	2008
(663) Carlbrook Rd	2.10	60	R													08/04/2008
(664) Johns Run Rd	2.00	30	R													08/04/2008
(665) Nunnleys Bridge Rd	0.70	210	R													10/24/2005
(665) Nunnleys Bridge Rd	1.90	170	R													09/15/2005
(666) East Elkhorn Rd	0.50	310	R													09/15/2005
(666) East Elkhorn Rd	2.00	280	R													09/15/2005
(667) Leda Rd	2.65	250	F	90%	6%	1%	1%	1%	0%	F	0.103	F	0.698	260	F	2008
(667) Leda Rd	3.71	190	F	90%	6%	1%	1%	1%	0%	C	0.116	F	0.577	210	F	2008
(667) Leda Rd	3.48	240	F	90%	6%	1%	1%	1%	0%	F	0.112	F	0.586	260	F	2008
(668) Tower Lane	0.51	80	R													07/28/2008
(668) Straightstone Rd	0.69	690	F	86%	1%	1%	0%	12%	0%	C	0.086	F	0.578	730	F	2008
(669) Evergreen Rd	0.60	70	R													07/28/2008
(670) Sandy Ridge Rd	1.00	130	R													07/28/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(670) Sandy Ridge Rd	3.90	70	R				From: 41-637 Cherry Creek Rd					NA		NA		07/28/2008
							To: 41-639 Rock Barn Rd									
(671) News Ferry Trail	0.90	70	R				From: Dead End					NA		NA		08/06/2008
							To: 41-659 E, River Rd									
(671) Jones Ferry Rd	3.50	120	R				From: 41-659 W, River Rd					NA		NA		08/06/2008
							To: 41-679 Union Grove Rd; Deer Run Rd									
(671) High View Rd	2.00	250	R				From: SR 360 W, Mtn Rd					NA		NA		08/06/2008
							To: SR 360 E, Mtn Rd									
(671) Swain Rd	2.90	140	R				From: SR 57 Chatham Rd					NA		NA		08/06/2008
							To: SR 57 Chatham Rd									
(672) Jones Trail	2.00	180	R				From: SR 57 Chatham Rd					NA		NA		07/30/2008
							To: 41-674 Blue Rock Trail									
(672) Plato Rd	1.10	100	R				From: 41-676 W, Ashbury Church Rd					NA		NA		07/30/2008
							To: 41-676 E, Ashbury Church Rd									
(672) Jones Trail	1.00	120	R				From: Dead End					NA		NA		07/30/2008
							To: SR 57 Chatham Rd									
(673) Farmer Trail	0.85	50	R				From: SR 57 Chatham Rd					NA		NA		08/04/2008
							To: 41-936 McNear Trail									
(673) Farmer Trail	0.05	20	R				From: Dead End					NA		NA		08/04/2008
							To: 41-676 Ashbury Church Rd; Thompson Store Rd									
(674) Blue Rock Rd	1.70	120	R				From: 41-672 Jones Trail					NA		NA		10/24/2005
							To: Dead End									
(674) Blue Rock Trail	0.90	40	R				From: Pittsylvania County Line					NA		NA		09/15/2005
							To: 41-664; 41-807									
(675) Ridgeway Rd	1.80	110	R				From: 41-665 Nunleys Bridge Rd					NA		NA		09/15/2005
							To: 41-756 Cheerful Lane									
(675) Ridgeway Rd	2.05	140	R				From: SR 57 Chatham Rd					NA		NA		09/15/2005
							To: SR 57 Chatham Rd									
(675) Ridgeway Rd	0.95	160	R				From: Dead End					NA		NA		09/15/2005
							To: SR 57 Chatham Rd									
(675) Ridgeway Rd	1.20	30	R				From: SR 360 Mtn Rd					NA		NA		08/04/2008
							To: 41-677 Ridge Rd									
(676) Thompson Store Rd	2.70	530	R				From: 41-674 Blue Rock Rd					NA		NA		10/24/2005
							To: 41-672 E, Jones Trail									
(676) Thompson Store Rd	0.80	300	R				From: SR 57 Chatham Rd					NA		NA		10/24/2005
							To: Dead End									
(676) Ashbury Church Rd	2.60	260	R				From: 1.00 MN Dead End					NA		NA		08/04/2008
							To: 1.00 MN Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(677) Wilson Mem Trail	1.40	320	R				1.00 MN Dead End				NA			NA		08/04/2008
							SR 360 W, Mtn Rd									
							SR 360 E, Mtn Rd									
(677) Ridge Rd	1.60	360	R				41-763 Pine Ridge Trail				NA			NA		10/24/2005
							41-676 Thompson Store Rd									
(677) Ridge Rd	1.60	150	R				41-681 Union Church Rd				NA			NA		10/24/2005
							41-682 Old Grubby Rd									
(678) Grubby Rd	0.80	780	F	98%	1%	1%	0%	0%	0%	C	0.096	F	0.825	840	F	2008
							41-654 Singi Rd				NA			NA		09/08/2008
(679) Deer Run Rd	1.60	180	R				41-680 Pleasant Grove Rd				NA			NA		08/06/2008
							41-671 High View Rd; Jones Ferry Rd									
(679) Union Grove Rd	1.70	330	R				41-681 Union Church Rd				NA			NA		08/06/2008
							41-683 Oak Level Rd									
(680) Pleasant Grove Rd	3.00	90	R				41-679 Deer Run Rd				NA			NA		08/06/2008
							SR 360 Mtn Rd									
(680) Pleasant Grove Rd	1.40	240	R				41-659 River Rd				NA			NA		08/06/2008
							41-679 Union Grove Rd									
(681) Union Church Rd	2.90	110	R				41-678 Grubby Rd				NA			NA		08/06/2008
							SR 360 Mountain Rd									
(681) Union Church Rd	0.45	530	R				41-678 Grubby Road				NA			NA		08/06/2008
							41-659 N, River Rd									
							41-659 S, River Rd									
(681) Union Church Rd	2.15	390	F	97%	2%	0%	0%	0%	0%	C	0.099	F	0.636	420	F	2008
							WCL South Boston									
(682) Old Grubby Rd	3.17	830	F	99%	0%	0%	0%	0%	0%	F	0.105	F	0.573	890	F	2008
							41-659 River Rd				NA			NA		08/11/2008
(682) Berry Hill Rd	1.06	2200	F	99%	0%	0%	0%	0%	0%	C	0.097	F	0.511	2400	F	2008
							41-680 Pleasant Grove Rd									
(683) Oak Level Rd	1.00	260	R				41-685; 41-771				NA			NA		08/11/2008
							41-684 Hummingbird Lane									
(683) Oak Level Rd	0.80	440	R				41-662 Birch Elmo Rd				NA			NA		08/06/2008
							41-663 Carlbrook Rd									
(683) Oak Level Rd	1.50	670	R				41-683 Oak Level Rd				NA			NA		08/06/2008
							SR 360 Mtn Rd									
(684) Hummingbird Lane	1.80	130	R				41-662 Birch Elmo Rd				NA			NA		08/04/2008
							41-663 Carlbrook Rd									
(684) Hummingbird Lane	1.80	240	R				41-683 Oak Level Rd				NA			NA		08/04/2008
							41-662 Birch Elmo Rd									
(685) Lewis Ferrell Rd	4.70	170	R				41-683; 41-771				NA			NA		08/06/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(686) Mercy Seat Rd	1.30	100	R				From: 41-689 Wooding Rd				NA			NA		10/17/2005
(686) Mercy Seat Rd	0.60	80	R				From: 41-658				NA			NA		10/17/2005
							To: Dead End									
(687) Fire Tower Trail	0.16	150	R				From: 41-708 Cedar Grove Rd				NA			NA		10/13/2005
							To: Dead End									
(688) Kerns Mill Rd	3.08	320	R				From: Pittsylvania County Line				NA			NA		08/11/2008
(688) Kerns Mill Rd	1.90	100	R				From: 41-658 Melon Rd				NA			NA		08/11/2008
							To: 41-659 River Rd; Brooklyn Rd									
(689) Wooding Rd	0.62	30	R				From: Dead End				NA			NA		08/11/2008
(689) Wooding Rd	0.30	30	R				From: 0.62 ME Dead End				NA			NA		08/11/2008
(689) Wooding Rd	2.00	60	R				From: 41-686 Mercy Seat Rd				NA			NA		10/17/2005
							To: 41-658									
(690) Handy Bottom Trail	1.80	80	R				From: 41-603 Cody Rd				NA			NA		08/29/2005
							To: Dead End									
(691) Stebbins Rd	2.00	260	R				From: 41-658 Melon Rd				NA			NA		10/27/2005
							To: 41-659 River Rd									
(692) Richardson Lane	0.45	70	R				From: Dead End				NA			NA		08/11/2008
							To: 41-751 Storys Creek Rd									
(693) Pointer Rd	0.64	330	R				From: NC State Line WEST				NA			NA		10/12/2005
(693) Pointer Rd	3.09	130	R				From: 41-764 New Haven Rd				NA			NA		10/12/2005
(693) Pointer Rd	0.22	180	R				From: 41-829 Foster Rd; Samuel Rd				NA			NA		10/12/2005
							To: NC State Line EAST									
(694) Medley Rd	1.00	90	R				From: US 58; SR 119				NA			NA		08/13/2008
(694) Medley Rd	0.55	40	R				From: 1.00 ME US 58				NA			NA		10/12/2005
							To: Dead End									
(695) Buckskin Trail	0.30	80	R				From: Dead End				NA			NA		07/28/2008
							To: 41-624 Coles Ferry Rd									
(696) Henderson Rd	0.20	48	R				From: North Carolina State Line				NA			NA		10/12/2005
(696) Henderson Rd	1.90	150	R				From: 41-712 Williamson Rd				NA			NA		10/12/2005
(696) Henderson Rd	0.50	210	R				From: 41-648 Mason Chapel Rd				NA			NA		10/12/2005
(696) Henderson Rd	0.61	230	R				From: 41-697 Coleman Dr				NA			NA		10/12/2005
							To: US 58 Philpott Rd									



Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(697) Coleman Dr	0.60	20	R								NA			NA		08/13/2008
(697) Coleman Dr	1.40	70	R								NA			NA		10/12/2005
(697) Coleman Dr	1.80	210	R								NA			NA		10/12/2005
(698) Henrys Mill Rd	1.90	130	R								NA			NA		08/04/2008
(699)	0.40	560	R								NA			NA		08/13/2008
(699) Mt Caramel Rd	2.90	520	F	95%	1%	1%	0%	2%	0%	F	0.118	F	0.607	560	F	2008
(699) Wilkins Rd	3.00	400	F	95%	1%	1%	0%	2%	0%	C	0.106	F	0.544	430	F	2008
(700) McGees Mill Rd	0.30	590	F	94%	1%	2%	1%	2%	0%	C	0.109	F	0.581	640	F	2008
(701) Mill Pond Rd	1.90	120	R								NA			NA		08/13/2008
(702) Logan Rd	3.70	150	R								NA			NA		09/15/2005
(703) Sandy Beach Rd	0.83	220	R								NA			NA		08/11/2008
(703) Sandy Beach Rd	1.39	170	R								NA			NA		08/11/2008
(704) Black Walnut Church R	0.43	570	R								NA			NA		08/20/2008
(704) Old Cluster Springs Rd	3.23	500	F	98%	1%	1%	0%	0%	0%	F	0.117	F	0.543	530	F	2008
(704) Old Cluster Springs Rd	1.90	1300	F	98%	1%	1%	0%	0%	0%	C	0.107	F	0.58	1400	F	2008
(705) Link Puryear Rd	2.40	220	R								NA			NA		08/20/2008
(706) Bold Springs Rd	0.50	360	R								NA			NA		08/20/2008
(706) Bold Springs Rd	0.90	320	R								NA			NA		08/20/2008
(706) Bold Springs Rd	3.70	430	R								NA			NA		08/20/2008
(707) Paradise Rd	0.60	250	R								NA			NA		08/13/2008
(707) Paradise Rd	2.07	340	R								NA			NA		08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(708) Cedar Grove Rd	0.08	340	R									NA		NA		08/20/2008
						From: 41-658 Cluster Springs Rd										
(708) Cedar Grove Rd	2.80	270	R									NA		NA		08/20/2008
						To: 41-687 Fire Tower Trail										
(708) Cedar Grove Rd	1.00	490	R									NA		NA		08/20/2008
						From: 41-809 German Creek Rd										
						To: US 58 Philpott Rd										
(709) Blanes Mill Lane	0.80	30	R									NA		NA		07/30/2008
						From: Dead End										
						To: 41-708 Cedar Grove Rd										
(710) Bethel Hill Rd	2.10	70	R									NA		NA		08/20/2008
						From: North Carolina State Line										
						To: 41-711 Harmony Rd										
(711) Alton Post Office Rd	3.83	370	F	92%	2%	1%	1%	5%	0%	F	0.129	F	0.561	390	F	2008
						From: 41-699 Mt Caramel Rd										
(711) Harmony Rd	4.10	240	F	92%	2%	1%	1%	5%	0%	C	0.112	F	0.724	260	F	2008
						From: 41-655 Blane Rd										
(711) Harmony Rd	0.20	270	F	92%	2%	1%	1%	5%	0%	F	0.115	F	0.62	290	F	2008
						From: 41-710 Bethel Hill Rd										
(711) Denniston Rd	2.79	190	F	92%	2%	1%	1%	5%	0%	F	0.111	F	0.52	210	F	2008
						From: 41-707 Paradise Rd										
						To: US 501 Huell Matthews Hwy										
(712) Williamson Rd	2.32	70	R									NA		NA		08/13/2008
						From: SR 119 Calvary Rd										
						To: 41-696 Henderson Rd										
(713) Turner Trail	0.70	50	R									NA		NA		08/13/2008
						From: Dead End										
						To: 41-711 Harmony Rd										
(714) Woodsdale Rd	1.30	370	R									NA		NA		08/13/2008
						From: North Carolina State Line										
						To: 41-711 Harmony Rd										
(715) Williams Rd	1.15	70	R									NA		NA		09/07/2005
						From: Dead End										
						To: US 360 E, James D Hagood Hwy										
(715) Williams Rd	0.50	100	R									NA		NA		09/07/2005
						From: US 360 W, James D Hagood Hwy										
						To: 41-716 Dryburg Rd										
(716) Rodgers Chapel Rd	3.03	1300	F	93%	1%	1%	3%	3%	0%	C	0.103	F	0.511	1400	F	2008
						From: SR 129 Old Halifax Rd										
						To: US 360; 41-821										
(716) Wolf Trap Rd	2.50	490	F	97%	1%	1%	0%	0%	0%	C	0.109	F	0.679	520	F	2008
						From: US 360; 41-821 James D Hagood Hwy										
(716)	2.20	290	R									NA		NA		08/06/2008
						From: 41-727 North Nichols Ferry Trail										
(716) Mosely Ferry Trail	5.10	30	R									NA		NA		08/06/2008
						From: 41-726 Coleman Rd										
(716) Dryburg Rd	4.15	150	F	95%	1%	2%	1%	1%	0%	F	0.127	F	0.619	160	F	2008
						From: SR 344										
						To: SR 344 McDonald Rd										
(716) Dryburg Rd	1.45	300	F	95%	1%	2%	1%	1%	0%	F	0.093	F	0.619	320	F	2008
						From: 41-803 Allen Trail										
(716) Dryburg Rd	1.78	500	F	95%	1%	2%	1%	1%	0%	C	0.097	F	0.612	540	F	2008
						From: 41-721 Ashcake Creek Rd										
(716) Mosely Ferry Rd	0.95	900	F	93%	1%	2%	1%	3%	0%	C	0.093	F	0.622	960	F	2008
						From: US 360 James D Hagood Hwy										
						To: SCL Clover										

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Clover</b>																
(716) Mosely Ferry Rd	0.17	950	F	93%	1%	2%	1%	3%	0%	F	0.097	F	0.529	1000	F	2008
						SCL Clover										
						SR 92; 41-1004, S Main St										
<b>Halifax County</b>																
(717) Hazelwood Mill Trail	0.25	60	R								NA			NA		08/04/2008
						41-716 Dryburg Rd										
						Dead End										
(718) Snow Hill Rd	2.50	80	R								NA			NA		08/13/2008
						41-707 Paradise Rd										
						41-658 Cluster Springs Rd										
(719) Allens Mill Rd	3.70	30	R								NA			NA		08/06/2008
						SR 344										
						41-716 Dryburg Rd										
<b>Town of Scottsburg</b>																
(720) Green Level Rd	0.46	390	R								NA			NA		08/06/2008
						SR 344; 41-724										
						ECL Scottsburg										
<b>Halifax County</b>																
(720) Green Level Rd	0.70	350	R								NA			NA		07/29/2002
						ECL Scottsburg										
						41-827 Lee Syd Moore Rd										
(720) Green Level Rd	4.60	130	R								NA			NA		08/06/2008
						41-721 Ashe Cake Creek Rd; Piney Creek Rd										
(720) Guill Town Rd	0.70	120	R								NA			NA		08/04/2008
						41-722 Heath Rd										
(720) Guill Town Rd	1.10	140	R								NA			NA		08/04/2008
						US 360; SR 92										
(721) Piney Creek Rd	0.25	160	R								NA			NA		08/06/2008
						US 360 James D Hagood Hwy										
(721) Piney Creek Rd	1.42	100	R								NA			NA		08/04/2008
						0.25 MW US 360										
(721) Piney Creek Rd	0.79	100	R								NA			NA		08/04/2008
						41-722 Heath Rd										
(721) Ashe Cake Creek Rd	1.10	70	R								NA			NA		08/04/2008
						41-720 Guill Town Rd; Green Level Rd										
(721) Ashe Cake Creek Rd	0.60	70	R								NA			NA		08/04/2008
						1.10 MW 41-720										
						41-716 Dryburg Rd										
(722) Heath Rd	1.10	40	R								NA			NA		08/06/2008
						41-721 Piney Creek Rd										
						41-720 Guill Town Rd										
(723) Brad Smith Trail	1.50	60	R								NA			NA		09/01/2005
						Dead End										
						41-603 Hunting Creek Rd										
(724) Drybridge Rd	0.15	190	R								NA			NA		08/06/2008
						SR 344 N, Scottsburg Rd										
(724) Drybridge Rd	1.54	50	R								NA			NA		08/06/2008
						41-878 John B Scott Trail										
						NCL Scottsburg										
<b>Town of Scottsburg</b>																
(724) Drybridge Rd	0.36	50	R								NA			NA		08/06/2008
						NCL Scottsburg										
(724) Drybridge Rd	0.17	70	R								NA			NA		08/06/2008
						0.36 MS of NCL										
						SR 344 S; 41-720										

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(725) Charlie Lawson Rd	0.29	90	R													08/25/2008
(726) Coleman Rd	2.30	250	R													08/06/2008
(727) North Nichols Ferry Trail	1.00	70	R													08/06/2008
(728) Sams Trail	0.45	80	R													07/30/2008
(729) Bellevue Rd	2.72	1500	F	98%	1%	0%	0%	0%	0%	C	0.095	F	0.636	1600	F	2008
(729) Daniels Trail	0.77	270	R													09/19/2005
(730) Ramble Rd	4.48	370	R													09/19/2005
(730) Ramble Rd	0.16	110	R													09/19/2005
(731) Pools Mill Trail	0.30	40	R													08/13/2008
(732) Aarons Creek Rd	3.60	400	F	93%	1%	0%	2%	4%	0%	C	0.111	F	0.674	430	F	2008
(733) East Hitesburg Rd	1.80	60	R													08/13/2008
(733) East Hitesburg Rd	2.10	160	R													08/11/2008
(733) West Hitesburg Rd	0.80	60	R													08/25/2008
<b>Town of Virgilina</b>																
(734) Florence Ave	0.56	820	F	97%	1%	1%	1%	1%	0%	C	0.101	F	0.582	880	F	2008
<b>Halifax County</b>																
(734) Red Bank Rd	3.27	470	F	97%	1%	1%	1%	1%	0%	F	0.121	F	0.548	510	F	2008
(734) Red Bank Rd	0.17	230	R													08/11/2008
(734) Red Bank Rd	2.22	170	R													08/11/2008
(734) Red Bank Rd	1.11	80	R													08/11/2008
(734) Hogan Rd	0.70	100	R													08/11/2008
(735) Gills Mountain Rd	2.20	90	R													08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(736) Bowen Rd	2.20	70	R											NA		08/13/2008
(737) Hudson Rd	0.30	110	R											NA		08/13/2008
(737) Hudson Rd	2.10	90	R											NA		08/25/2008
(737) Hudson Rd	2.10	190	R											NA		08/25/2008
(738) Cemetery Rd	0.80	60	R											NA		08/25/2008
(738) Cemetery Rd	3.70	140	R											NA		08/25/2008
(738) Kingswood Rd	0.79	140	R											NA		08/25/2008
(738) Kingswood Rd	3.82	110	R											NA		08/25/2008
(739) T N Snow Rd	2.81	140	R											NA		07/30/2008
(740) Christie Rd	0.56	190	R											NA		10/03/2005
(740) Chistie Rd	0.26	290	R											NA		10/03/2005
(740) Wilson Rd	1.55	240	R											NA		10/03/2005
(740) Wilson Rd	2.75	170	R											NA		10/03/2005
(741) Lowery Rd	4.22	180	R											NA		08/25/2008
(741) Wallace Cole Rd	0.20	640	F	97%	1%	1%	1%	0%	0%	C	0.098	F	0.625	690	F	2008
(741)	0.22	530	R											NA		08/19/2008
(742) Alphonse Dairy Rd	1.29	670	R											NA		08/11/2008
(742) Alphonse Dairy Rd	0.90	150	R											NA		08/11/2008
(743) Ponderosa Rd	2.20	310	R											NA		09/22/2005
(744) Stewart Trail	0.86	60	R											NA		10/03/2005
(744) Stewart Trail	0.04	80	R											NA		10/03/2005
(744) Shady Grove Church Rd	2.71	220	R											NA		10/03/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(744) East Hyco Rd	3.71	550	F	98%	0%	1%	1%	0%	0%	F	0.094	F	0.575	590	F	2008
						From: 41-602 North Fork Church Rd										
						To: 41-658 N. Grady T Cole Mem Lane										
(744) East Hyco Rd	3.34	1800	F	98%	0%	1%	1%	0%	0%	C	0.113	F	0.553	1900	F	2008
						From: US 501 Huell Matthews Hwy										
(744) Riverdale Dr	0.13	270	R								NA			NA		09/08/2008
						From: 41-1405 Mem Dr										
(744) Riverdale Dr	0.41	320	R								NA			NA		09/08/2008
						To: US 58 Philpott Rd										
(745) Loftis Rd	1.20	390	R								NA			NA		08/19/2008
						From: 41-658 Cherry Hill Church Rd										
						To: 41-744 East Hyco Rd										
<b>Clover</b>																
(746) Mt Laurel Rd	0.48	830	F	94%	1%	1%	1%	3%	0%	C	0.106	F	0.611	880	F	2008
						From: SR 92; 41-1001 S Main st										
						To: WCL Clover										
<b>Halifax County</b>																
(746) Mt Laurel Rd	4.15	500	F	94%	1%	1%	1%	3%	0%	F	0.105	F	0.541	530	F	2008
						From: WCL Clover										
						To: 41-603 Hunting Creek Rd										
(746) Mt Laurel Rd	3.92	650	F	86%	1%	1%	2%	10%	0%	C	0.102	F	0.671	700	F	2008
						From: 41-616 Neals Corner Road										
(746) Mt Laurel Rd	0.38	670	F	94%	1%	1%	1%	3%	0%	F	0.108	F	0.711	710	F	2008
						From: Charlotte County Line										
(747) Flints Rock Rd	1.06	100	R								NA			NA		10/12/2005
						From: US 58 E, Philpott Rd										
(747) Solomon Rd	2.10	90	R								NA			NA		10/12/2005
						From: US 58 W, Philpott Rd										
						To: Dead End										
(748) Slick Rock Rd	2.50	100	R								NA			NA		07/28/2008
						From: 41-603 Volens Rd										
						To: 41-644										
(749) Woods Creek Lane	1.20	110	R								NA			NA		09/13/2005
						From: Dead End										
						To: SR 360 Bethel Rd										
(750) Long Branch Lane	0.90	90	R								NA			NA		09/13/2005
						From: SR 360 Bethel Rd										
						To: Dead End										
(751) Piney Grove Rd	1.80	270	R								NA			NA		10/12/2005
						From: 41-699 Wilkins Rd; Mt Caramel Rd										
(751) Piney Grove Rd	0.45	180	R								NA			NA		08/11/2008
						From: US 58 Philpott Rd										
(751) Storys Creek Rd	2.95	120	R								NA			NA		08/11/2008
						From: 41-798 Three M Lane										
(751) Storys Creek Rd	0.80	260	R								NA			NA		08/11/2008
						From: 41-692 Richardson Lane										
						To: 41-658 Melon Rd										
(752) Ham Tuck Trail	1.10	30	R								NA			NA		08/11/2008
						From: Dead End										
						To: 41-751 Storys Creek Rd										
(753) Beulah Rd	2.60	120	R								NA			NA		07/30/2008
						From: 41-667 Leda Rd										
(753) Beulah Rd	2.00	180	R								NA			NA		07/30/2008
						From: 41-899 Coleman Trail										
						To: SR 57 Chatham Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(754) Cora Watts Trail	0.65	30	R				From: 41-644 Stoney Ridge Rd				NA			NA		07/28/2008
							To: Dead End									
(755) Bradley Rd	0.20	130	R				From: 41-643 McKendree Church Rd				NA			NA		10/31/2005
							To: US 501, L P Bailey Mem Hwy									
(756) Cheerful Lane	0.55	70	R				From: SR 57 Chatham Rd				NA			NA		09/15/2005
							To: 41-882 Dixon Trail									
(756) Cheerful Lane	0.25	40	R				From: 41-882 Dixon Trail				NA			NA		07/28/2008
							To: 41-675 Ridgeway Rd									
(757) Beales Lane	1.70	60	R				From: Dead End				NA			NA		07/30/2008
							To: 41-786 Runaway Rd									
(757) Beales Lane	0.30	130	R				From: 41-786 Runaway Rd				NA			NA		07/30/2008
							To: 41-603 Cody Rd									
(758) Crossroads Trail	0.50	80	R				From: Dead End				NA			NA		07/28/2008
							To: 41-623 Mortons Ferry Rd									
(759) Horseshoe Trail	1.68	100	R				From: US 501 Huell Matthews Hwy				NA			NA		10/13/2005
							To: Dead End									
(760) Ferry Trail	0.50	60	R				From: SR 360 Bethel Rd				NA			NA		09/13/2005
							To: Dead End									
(761) Boxwood Rd	1.40	50	R				From: 41-621 Beaver Pond Rd				NA			NA		07/30/2008
							To: 41-851 Old Rd									
(761) Boxwood Rd	0.60	120	R				From: 41-851 Old Rd				NA			NA		08/29/2005
							To: US 501, L P Bailey Mem Hwy									
(762) Zion Hill Church Loop	0.30	100	R				From: SR 96 W, Virgilina Rd				NA			NA		10/03/2005
							To: 41-886 Watts Trail									
(762) Zion Hill Church Loop	0.30	60	R				From: 41-886 Watts Trail				NA			NA		10/03/2005
							To: SR 96 E, Virgilina Rd									
(763) Pine Ridge Trail	0.70	90	R				From: 41-677 Ridge Rd				NA			NA		10/24/2005
							To: Dead End									
(764) New Haven Rd	0.64	110	R				From: North Carolina State Line				NA			NA		10/12/2005
							To: 41-693 Pointer Rd									
(764) New Haven Rd	0.25	NA					From: 41-693 Pointer Rd				NA			NA		
							To: Dead End									
(765) Clinton Rd	1.19	20	R				From: Dead End				NA			NA		07/30/2008
							To: 1.19 ME Dead End									
(765) Clinton Rd	1.00	60	R				From: 1.19 ME Dead End				NA			NA		07/30/2008
							To: 41-603 Cody Rd									
(766) Waltman Rd	1.10	80	R				From: Dead End				NA			NA		07/30/2008
							To: 41-667 Leda Rd									
(767) Brandon Chapel Rd	0.55	180	R				From: Dead End				NA			NA		10/12/2005
							To: SR 119 Calvary Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(768) Hendricks Rd	0.75	80	R								NA		NA			10/13/2005
(769) New Bethel Rd	1.10	70	R								NA		NA			10/12/2005
(770) High Rock Trail	1.20	80	R								NA		NA			08/04/2008
(771) Deer Ridge Trail	0.80	80	R								NA		NA			08/06/2008
(772) Pierces Trail	1.15	60	R								NA		NA			07/30/2008
(773) Jeffress Trail	1.17	70	R								NA		NA			10/13/2005
(774) Peaks Trail	0.80	60	R								NA		NA			07/30/2008
(775) Newton Farm Rd	1.39	300	R								NA		NA			08/19/2008
(776) Wilborn Rd	2.65	40	R								NA		NA			08/13/2008
(777) Jennings Lane	1.30	140	R								NA		NA			07/28/2008
(778) Green Valley Rd	4.80	190	R								NA		NA			09/07/2005
(779) Hudson Dr	0.80	150	R								NA		NA			10/12/2005
(780) Blounts Crossing Trail	1.00	70	R								NA		NA			09/07/2005
(780) Lloyds Mill Rd	1.40	70	R								NA		NA			09/07/2005
(781) Deer View Trail	1.75	80	R								NA		NA			10/27/2005
(782)	2.25	160	R								NA		NA			08/06/2008
(783) Golf Course Rd	1.30	1000	F	99%	1%	0%	0%	0%	0%	C	0.117	F	0.647	1100	F	2008
(784) Mason Trail	1.70	50	R								NA		NA			07/28/2008
(785) Depot Lane	0.32	47	R								NA		NA			09/01/2005



Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(786) Runaway Rd	1.20	70	R				From: 41-649 Old Concord Rd					NA		NA		07/30/2008
							To: 41-757 Beales Lane									
(787) Fowler Trail	0.65	80	R				From: 41-703 Sandy Beach Rd					NA		NA		08/11/2008
							To: Dead End									
(788) St Mark Church Rd	0.40	60	R				From: Dead End					NA		NA		08/13/2008
							To: 41-711 Alton Post Office Rd									
(789) Lacks Town Rd	1.00	100	R				From: 41-746 Mt Laurel Rd					NA		NA		09/07/2005
							To: Dead End									
(790) Old Cedar Trail	1.30	30	R				From: Dead End					NA		NA		07/30/2008
							To: 41-609 West Store Rd									
(791) Leighwood Trail	0.39	270	R				From: SR 57 Chatham Rd					NA		NA		10/26/2005
							To: 41-840 Sweeney Trail									
(791) Leighwood Trail	0.60	190	R				From: 41-840 Sweeney Trail					NA		NA		10/26/2005
							To: 0.60 ME 41-840 Sweeney Trail									
(791) Leighwood Trail	0.60	120	R				From: 0.60 ME 41-840 Sweeney Trail					NA		NA		10/26/2005
							To: Dead End									
(792) Wade Pond Rd	1.95	140	R				From: 41-658 Melon Rd					NA		NA		08/11/2008
							To: Dead End									
(793) Duck Trail	0.44	60	R				From: SR 360 Mtn Rd					NA		NA		10/26/2005
							To: 0.44 MS SR 360									
(793) Duck Trail	0.36	46	R				From: 0.44 MS SR 360					NA		NA		10/26/2005
							To: Dead End									
(794) White Oak Forks Rd	0.26	200	R				From: 41-734 S. Red Bank Rd					NA		NA		08/25/2008
							To: 41-733 West Hitesburg Rd									
(794) White Oak Forks Rd	1.00	310	R				From: 41-733 West Hitesburg Rd					NA		NA		08/25/2008
							To: 41-601 Bucksheal Rd									
(795) Alchie Lane	1.40	230	R				From: Dead End					NA		NA		07/30/2008
							To: US 501, L P Bailey Mem Hwy									
(796) Dabney Warren Rd	1.50	60	R				From: North Carolina State Line					NA		NA		08/13/2008
							To: 41-711 Harmony Rd									
(797) Traynham Grove Rd	2.70	290	R				From: 41-711 Harmony Rd					NA		NA		08/13/2008
							To: 41-658 Cluster Springs Rd; Turbeville Rd									
(798) Three M Lane	0.90	30	R				From: Dead End					NA		NA		08/11/2008
							To: 41-751 Storys Creek Rd; Piney Grove Rd									
(799) Alex Lane	0.40	90	R				From: Dead End					NA		NA		07/28/2008
							To: 41-649									
(800) Three Fork Trail	0.50	80	R				From: Dead End					NA		NA		07/30/2008
							To: 41-607 Rodgers Chapel Rd									
(802) Myers Rd	0.40	150	R				From: 41-729 Bellevue Rd					NA		NA		08/11/2008
							To: 41-1301 Holly Court									

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(802) Myers Rd	0.75	130	R								NA			NA		08/11/2008
(803) Allen Trail	2.30	100	R								NA			NA		08/04/2008
(804) Stovall Trail	0.50	100	R								NA			NA		08/04/2008
(805) Boyds Ferry Trail	0.30	50	R								NA			NA		08/11/2008
(806) Walker Trail	0.31	60	R								NA			NA		08/06/2008
(807) Dunn Trail	0.80	50	R								NA			NA		08/04/2008
(808) McCulloch Lane	0.52	60	R								NA			NA		08/29/2005
(808) McCulloch Lane	0.48	70	R								NA			NA		08/29/2005
(809) German Creek Rd	1.90	220	R								NA			NA		08/20/2008
(810) Davmunds Trail	0.70	240	R								NA			NA		08/11/2008
(811) Matts Trail	0.90	60	R								NA			NA		09/01/2005
(812) Willie Moore Trail	0.20	60	R								NA			NA		10/26/2005
(812) Willie Moore Trail	0.01	50	R								NA			NA		10/26/2005
(813) Library Lane	0.20	30	R								NA			NA		09/08/2008
(814) Younger Rd	0.80	20	R								NA			NA		08/06/2008
(814) Younger Rd	0.50	70	R								NA			NA		08/06/2008
(815) Tinsley Trail	0.15	10	R								NA			NA		07/28/2008
(816) Petes Trail	0.80	40	R								NA			NA		07/30/2008
(817) Arthur Ware Trail	0.70	170	R								NA			NA		08/19/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(818) Covington Trail	0.50	20	R				From: 41-746 Mt Laurel Rd				NA			NA		07/30/2008
							To: Dead End									
(819) Jennys Ruff Trail	1.00	60	R				From: SR 40 Stage Coach Rd				NA			NA		07/28/2008
							To: Dead End									
(820) Jeremy Creek Rd	2.60	20	R				From: Pittsylvania County Line				NA			NA		08/11/2008
							To: 41-659 River Rd									
(821) Shady Lane	0.60	130	R				From: Dead End				NA			NA		08/06/2008
							To: US 360; 41-716									
(822) Jesses Lane	0.38	120	R				From: SR 40 Stage Coach Rd				NA			NA		07/28/2008
							To: Dead End									
(824) Wilkerson Rd	0.91	30	R				From: SR 49 WEST				NA			NA		08/13/2008
							To: SR 49 EAST									
(825) Wilkerson Trail	0.70	45	R				From: Dead End				NA			NA		08/20/2008
							To: 41-655 Blane Rd									
(826) Hendricks Rd	0.80	70	R				From: Dead End				NA			NA		08/06/2008
							To: 41-643; 41-814									
(827) Lee Syd Moore Rd	1.50	80	R				From: SR 344				NA			NA		08/06/2008
							To: 41-720 Green Level Rd									
(828) Bethel Trail	0.70	50	R				From: Dead End				NA			NA		08/06/2008
							To: 41-659 River Rd									
(829) Samuel Rd	0.30	20	R				From: Dead End				NA			NA		08/13/2008
							To: 41-693 Pointer Rd									
(829) Foster Rd	0.71	160	R				From: Dead End				NA			NA		10/12/2005
							To: SR 119 Calvary Rd									
(830) Clark Jordan Trail	0.40	70	R				From: Dead End				NA			NA		08/20/2008
							To: US 501 Huell Matthews Hwy									
(831) Carr	0.50	110	R				From: 41-615 Tucker Rd				NA			NA		08/04/2008
							To: Dead End									
(833) Meadville Trail	0.38	60	R				From: 41-642 Meadville Rd				NA			NA		08/04/2008
							To: Dead End									
(834) Luethels Lane	0.63	70	R				From: Dead End				NA			NA		07/28/2008
							To: 41-632 Hog Wallow Rd									
(835) Sawmill Trail	1.00	40	R				From: 41-753 Beulah Rd				NA			NA		07/30/2008
							To: Dead End									
(836) Scale Rd	1.00	47	R				From: US 58 Philpott Rd				NA			NA		08/11/2008
							To: Dead End									
(837) Billys Lane	1.00	100	R				From: 41-681 Union Church Rd				NA			NA		08/06/2008
							To: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(838) Lilborn Trail	0.75	110	R				From: 41-748 Slick Rock Rd				NA			NA		07/30/2008
							To: Dead End									
(839) Piney Ridge Rd	0.50	150	R				From: 41-645 Acorn Rd				NA			NA		07/28/2008
							To: Dead End									
(840) Sweeney Trail	0.70	100	R				From: Dead End				NA			NA		08/06/2008
							To: 41-791 Leighwood Trail									
(841) Garretts Trail	0.80	20	R				From: 41-746 Mt Laurel Rd				NA			NA		07/30/2008
							To: Dead End									
(842) Bessie Marion Trail	0.25	120	R				From: Dead End				NA			NA		08/06/2008
							To: 41-610 Murphy Grove Rd									
(843) Millstone Church Trail	0.52	90	R				From: US 501, L P Bailey Mem Hwy				NA			NA		08/29/2005
							To: Dead End									
(844) Tune Trail	0.60	30	R				From: SR 57 Chatham Rd				NA			NA		08/04/2008
							To: Dead End									
(845) Ed Mason Lane	0.30	60	R				From: Dead End				NA			NA		07/30/2008
							To: SR 57 Chatham Rd									
(846) Toms Trail	1.00	50	R				From: Dead End				NA			NA		07/30/2008
							To: 41-621 Newbill School Rd									
(847) Cherry St	0.06	390	R				From: US 501 Halifax Rd				NA			NA		09/22/2005
							To: 41-1313 First St									
(848) Fox Trail	0.63	80	R				From: Dead End				NA			NA		09/08/2008
							To: 41-682 Old Grubby Rd									
(849) Coon Trail	0.30	50	R				From: Dead End				NA			NA		08/04/2008
							To: 41-662 Birch Elmo Rd									
(850) Owen Walker Rd	0.62	50	R				From: Dead End				NA			NA		08/13/2008
							To: 41-711 Harmony Rd									
(851) Old Rd	0.22	20	R				From: US 501, L P Bailey Mem Hwy				NA			NA		08/19/2008
							To: 41-761 Boxwood Rd									
(852) Hunters Lane	0.82	100	R				From: 41-744 East Hycro Rd				NA			NA		08/19/2008
							To: Dead End									
(853) Covered Bridge Trail	0.50	110	R				From: US 58 Bill Tuck Hwy				NA			NA		09/19/2005
							To: Dead End									
(854) Belt Blvd	0.15	100	R				From: Dead End				NA			NA		10/31/2005
							To: 41-1410 Shepherds Gate Rd									
(854) Belt Blvd	0.09	70	R				From: 41-1410 Shepherds Gate Rd				NA			NA		10/31/2005
							To: Dead End; Gap									
(854) Cage Trail	1.20	570	R				From: US 360; Gap				NA			NA		08/06/2008
							To: 41-716 Rodgers Chapel Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(855) Fort Hill Trail	0.28	50	R				From: 41-600 Black Walnut Rd				NA			NA		07/30/2008
							To: Dead End									
(856) Quarles School Trail	0.60	40	R				From: 41-624 Coles Ferry Rd				NA			NA		07/28/2008
							To: Dead End									
(857) Maplewood Dr	0.33	110	R				From: US 58 Begin Loop				NA			NA		09/08/2008
							To: End Loop									
(858) Willow Trail	0.45	70	R				From: Dead End				NA			NA		08/19/2008
							To: 41-745 Loftis Rd									
(859) Farm Rd	0.60	310	R				From: 41-659 River Rd				NA			NA		10/27/2005
							To: Dead End									
(860) Cherry Hill Trail	0.50	70	R				From: Dead End				NA			NA		08/06/2008
							To: 41-659 River Rd									
(861) Browns Trail	0.80	40	R				From: Dead End				NA			NA		07/30/2008
							To: 41-616 Neals Corner Rd									
(862) Christie Circle	0.54	10	R				From: SR 96 Virgilina Rd				NA			NA		08/25/2008
							To: 41-740 Christie Rd									
(863) Comer Trail	0.48	50	R				From: Dead End				NA			NA		08/25/2008
							To: 41-740 Wilson Rd									
(864) Cousin Lane	1.60	60	R				From: 41-603 Cody Rd				NA			NA		07/30/2008
							To: Dead End									
(865) Whitt Loop	0.50	70	R				From: US 501 Huell Matthews Hwy				NA			NA		08/19/2008
							To: US 501									
(866) Woody Loop	0.40	20	R				From: US 501 Huell Matthews Hwy				NA			NA		08/20/2008
							To: US 501 Huell Matthews Hwy									
(867) Paul James Rd	0.65	120	R				From: Dead End				NA			NA		09/13/2005
							To: 41-610 Clays Mill Rd									
(868) Crute Lane	0.50	160	R				From: SR 360 Bethel Rd				NA			NA		08/04/2008
							To: Dead End									
(869) Bates Trail	0.15	60	R				From: Dead End				NA			NA		07/30/2008
							To: 41-641 Lower Liberty Rd									
(870) Terry Trail	0.35	70	R				From: Dead End				NA			NA		07/30/2008
							To: 41-628 Chestnut Rd									
(871) Buck Horace Trail	0.80	70	R				From: Dead End				NA			NA		08/29/2005
							To: 41-642 Liberty Rd									
(872) Carter Trail	0.99	47	R				From: 41-656 Hackberry Rd				NA			NA		08/11/2008
							To: Dead End									
(873) Conner Evans Trail	0.32	80	R				From: Dead End				NA			NA		08/13/2008
							To: 41-707 Paradise Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(874) Vaughn Lane	0.20	20	R								NA			NA		08/04/2008
(875) Moormans Lane	0.35	10	R								NA			NA		07/30/2008
(876) South Nichols Ferry Trail	0.65	30	R								NA			NA		08/11/2008
(877) Pine Lane	0.14	110	R								NA			NA		09/22/2005
(878) John B Scott Trail	0.65	140	R								NA			NA		08/06/2008
(879) Plywood Trail	0.75	340	R								NA			NA		08/06/2008
(880) Burns Trail	0.15	46	R								NA			NA		09/08/2008
(881) Country Store Rd	0.10	90	R								NA			NA		08/11/2008
(882) Dixon Trail	0.90	6	R								NA			NA		08/04/2008
(883) Meadow Dr	0.12	40	R								NA			NA		08/11/2008
(884) Powell Rd	0.11	210	R								NA			NA		09/22/2005
(884) Powell Rd	0.23	760	R								NA			NA		09/22/2005
(884) Powell Rd	0.17	1900	R								NA			NA		09/22/2005
(885) Florida Trail	0.50	60	R								NA			NA		08/25/2008
(886) Watts Trail	0.25	30	R								NA			NA		08/19/2008
(887) Mayo Loop	0.30	40	R								NA			NA		08/19/2008
(888) Easley Hill Trail	1.40	130	R								NA			NA		08/04/2008
(889) Griffin Trail	0.80	30	R								NA			NA		08/13/2008
(890) Phillips Trail	1.25	60	R								NA			NA		08/11/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(891) Pine Height Trail	0.20	510	R			From: SR 360 Mtn Rd					NA			NA		08/06/2008
(891) Pine Height Trail	0.25	280	R			To: 41-1501 Height Trail					NA			NA		08/06/2008
						From: Dead End										
(892) Chaffin Trail	0.65	60	R			To: 41-626 Howard P Johnson Hwy					NA			NA		08/04/2008
(893) James Trail	0.60	50	R			From: 41-613 Marions Trail					NA			NA		09/13/2005
						To: Dead End										
(894) Whitt Farm Trail	0.40	45	R			From: 41-744 Shady Grove Church Rd					NA			NA		08/25/2008
						To: Dead End										
(895) Old Roxboro Rd	0.93	190	R			From: Dead End					NA			NA		10/13/2005
						To: US 501 Huell Matthews Hwy										
(896) Reaves Loop	0.40	40	R			From: SR 96 W; 41-887					NA			NA		08/19/2008
						To: SR 96 E, Virgilina Rd										
(897) White Lane	0.35	150	R			From: Dead End					NA			NA		08/11/2008
						To: 41-658 Melon Rd										
(898) Paul Pry Trail	0.35	60	R			From: 41-676 Ashbury Church Rd					NA			NA		07/30/2008
						To: Dead End										
(899) Coleman Trail	1.10	50	R			From: 41-753 Beulah Rd					NA			NA		07/30/2008
						To: Dead End										
(901) Wild Turkey Run	0.80	60	R			From: SR 360 Mtn Rd					NA			NA		09/08/2008
						To: Dead End										
(902) Hunters Trail	0.70	50	R			From: Dead End					NA			NA		07/30/2008
						To: 41-739 T N Snow Rd										
(903) Halls Trail	0.70	120	R			From: Dead End					NA			NA		09/08/2008
						To: SR 360; 41-653										
(904) Dogwood Trail	0.30	30	R			From: US 501 Huell Matthews Hwy					NA			NA		08/19/2008
						To: Dead End										
(905) Jimmys Trail	1.15	30	R			From: US 501, L P Bailey Mem Hwy					NA			NA		07/30/2008
						To: Dead End										
(906) Moores Trail	0.30	20	R			From: 41-626 Clarkton Rd					NA			NA		07/28/2008
						To: Dead End										
(907) Thornton-Jim Trail	0.20	60	R			From: US 501, L P Bailey Mem Hwy					NA			NA		07/30/2008
						To: Dead End										
(908) Gilmore Trail	0.30	5	R			From: Dead End					NA			NA		08/13/2008
						To: 41-696 Henderson Rd										
(909) Boodie Trail	1.42	40	R			From: 41-706 Bold Springs Rd					NA			NA		08/20/2008
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(910) Hatcher Trail	0.45	30	R								NA		NA			08/06/2008
(911) Emergency Rd	0.20	20	R								NA		NA			08/13/2008
(912) Frog Pond Trail	0.60	20	R								NA		NA			07/28/2008
(913) John Puryear Trail	0.50	40	R								NA		NA			08/19/2008
(914) Easley Crossing Trail	1.35	70	R								NA		NA			09/13/2005
(915) White Oak Trail	0.77	60	R								NA		NA			07/30/2008
(916) Pitt Trail	0.48	50	R								NA		NA			08/04/2008
(917) Drive In Rd	0.23	160	R								NA		NA			07/28/2008
(918) Williams Trail	0.75	220	R								NA		NA			08/06/2008
(919) Eastover Dr	0.43	240	R								NA		NA			08/11/2008
(920) Faulkner Loop	0.45	20	R								NA		NA			06/25/2008
(921) Clements Trail	0.30	50	R								NA		NA			07/30/2008
(922) Landfill Lane	0.11	360	R								NA		NA			08/04/2008
(923) Barker Trail	0.75	20	R								NA		NA			08/13/2008
(924) Dr Lacy Trail	0.25	140	R								NA		NA			07/28/2008
(925) Carrington Trail	0.22	60	R								NA		NA			08/19/2008
(926) Carl Henderson Trail	0.60	20	R								NA		NA			08/04/2008
(927) Throckmorton Trail	0.80	80	R								NA		NA			08/06/2008
(928) Shelton Rd	0.40	60	R								NA		NA			08/25/2008



Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(929) Humps Trail	0.25	60	R											NA		08/11/2008
(930) Cassada Lane	0.41	70	R											NA		09/08/2008
(931) Industrial Park Rd	0.51	1300	R											NA		09/08/2008
(931) Industrial Park Rd	0.12	1200	R											NA		09/08/2008
(932) Laprade Manie Trail	0.55	80	R											NA		07/28/2008
(933) Wise Loftis Rd	1.10	30	R											NA		08/13/2008
(934) Weatherford Loop Rd	0.17	6	R											NA		08/06/2008
(935) Good Trail	0.30	140	R											NA		08/06/2008
(936) McNear Trail	0.71	40	R											NA		08/04/2008
(937) Cliborne Trail	0.44	70	R											NA		08/04/2008
(938) Mallard Lane	0.13	240	R											NA		09/08/2008
(939) Fulp Industrial Rd	0.93	570	R											NA		09/08/2008
(940) Fan Park Dr	0.25	120	R											NA		09/09/2008
(941) Indian Jim Trail	0.35	40	R											NA		07/28/2008
(942) Tuck Airport Rd	0.64	90	R											NA		08/06/2008
(943) Railroad Trail	0.08	20	R											NA		08/11/2008
(944) Fox Den Trail	0.25	80	R											NA		09/19/2005
(945) Hankins Loop Rd	0.32	20	R											NA		08/06/2008
(946)	0.55	NA												NA		

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(948) Talley Loop	0.29	70	R			From: 41-611 S. Hundley Rd					NA			NA		08/04/2008
						To: 41-611 N, Hundley Rd										
(949) Propst Trail	0.20	40	R			From: Dead End					NA			NA		08/19/2008
						To: 41-744 East Hyco Rd										
(950) Herbert Allen Trail	0.25	40	R			From: US 58 Bill Tuck Hwy					NA			NA		08/11/2008
						To: Dead End										
(951)	0.13	NA				From: US 58 E, Philpott Rd					NA			NA		
						To: 41-952										
(952)	0.80	NA				From: 41-951					NA			NA		
						To: End Loop										
(953) Robert Wilkins Trail	0.50	30	R			From: 41-738 Kingswood Rd					NA			NA		08/25/2008
						To: Dead End										
(954) Milner Lane	0.71	40	R			From: Dead End					NA			NA		09/01/2005
						To: 41-647 Leda Grove Rd										
(955) Hite Lane	0.21	50	R			From: Dead End					NA			NA		08/11/2008
						To: US 58 Bill Tuck Hwy										
(957) Ace Dr	0.49	110	R			From: 41-764 New Haven Rd					NA			NA		09/08/2008
						To: Dead End										
(959)	0.88	NA				From: 41-614 Love Shop Rd					NA			NA		
						To: Dead End										
(960) Elmer Barker Trail	0.43	40	R			From: Dead End					NA			NA		08/06/2008
						To: SR 344										
(963) Healey Lane	0.07	5	R			From: 41-957 Ace Dr					NA			NA		09/08/2008
						To: Dead End										
(964)	0.10	20	R			From: 41-957 Ace Dr					NA			NA		09/08/2008
						To: Dead End										
(965) John Logan Trail	0.41	40	R			From: 41-841 Garretts Trail					NA			NA		07/30/2008
						To: Dead End										
(980) Chaney Lane	0.04	1300	R			From: Dead End					NA			NA		08/04/2008
						To: 41-626; 41-937										
(985) New Haven Rd	0.21	30	R			From: 41-764 New Haven Rd					NA			NA		08/13/2008
						To: Dead End										
(990) Newman Dr	0.13	30	R			From: 41-706 Bold Springs Rd					NA			NA		08/20/2008
						To: Dead End										
<b>Clover</b>																
(1001) East Church St	0.08	180	R			From: SR 92; 41-746					NA			NA		08/04/2008
						To: 41-1003 North Gayle St										

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Clover</b>																	
(1002) Short St	0.09	590	F	93%	1%	1%	0%	5%	0%	C	0.112	F	0.685	630	F	2008	
						From: 41-746 Mt Laurel Rd											
						To: SR 92 S Main St											
(1003) North Gayle St	0.15	60	R								NA		NA			09/07/2005	
						From: Dead End											
(1003) North Gayle St	0.10	60	R								NA		NA			09/07/2005	
						From: 41-1001 East Church St											
						To: Dead End											
<b>Halifax County</b>																	
(1004) Coleman Ave	0.30	50	R								NA		NA			08/03/2008	
						From: Dead End											
						To: SCL Clover											
<b>Clover</b>																	
(1004) Coleman Ave	0.11	70	R								NA		NA			09/07/2005	
						From: SCL Clover											
						To: SR 92; 41-716											
(1005) Delaware St	0.23	70	R								NA		NA			09/07/2005	
						From: SCL Clover											
						To: 41-1002 Short St											
(1006) Tanyard Branch Trail	0.05	340	R								NA		NA			09/07/2004	
						From: Dead End											
						To: 41-746 Mt Laurel Rd											
<b>Halifax County</b>																	
(1030) Brook Run	0.51	330	R								NA		NA			09/19/2005	
						From: 41-783 Golf Course Rd											
						To: Cul-de-Sac											
(1035) Occoneechee Trail	0.52	120	R								NA		NA			09/27/2005	
						From: 41-1036 Lakeshore Dr											
						To: US 501 Occoneechee Trail											
(1036) Lakeshore Dr	0.41	120	R								NA		NA			09/27/2005	
						From: Cul-de-Sac											
						To: Cul-de-Sac											
(1040) Chestnut Creek Rd	0.31	49	R								NA		NA			10/26/2005	
						From: Cul-de-Sac											
						To: SR 57 Chatham Rd											
<b>Town of Halifax</b>																	
(1101) Mimosa Dr	0.08	110	R								NA		NA			10/18/2005	
						From: 41-1104 Pine Rd											
(1101) Mimosa Dr	0.15	200	R								NA		NA			10/18/2005	
						From: 41-1103 Oak Lane											
						To: SR 360 Mtn Rd											
(1102) Cedar Lane	0.06	47	R								NA		NA			10/18/2005	
						From: Dead End											
(1102) Cedar Lane	0.08	140	R								NA		NA			10/18/2005	
						From: 41-1104 Pine Rd											
(1102) Cedar Lane	0.23	390	R								NA		NA			10/18/2005	
						From: 41-1103 Oak Lane											
						To: SR 360 Mtn Rd											
(1103) Oak Lane	0.06	30	R								NA		NA			10/18/2005	
						From: Dead End											
(1103) Oak Lane	0.10	100	R								NA		NA			10/18/2005	
						From: 41-1101 Mimosa Dr											
(1103) Oak Lane	0.11	60	R								NA		NA			10/18/2005	
						From: 41-1102 Cedar Lane											
						To: 41-1116 Poplar Lane											

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(1104) Pine Rd	0.10	40	R								NA			NA		10/18/2005
(1104) Pine Rd	0.06	60	R								NA			NA		10/18/2005
(1104) Pine Rd	0.11	70	R								NA			NA		10/18/2005
(1105) Maple Ave	0.10	680	R								NA			NA		09/27/2005
(1105) Maple Ave	0.11	350	R								NA			NA		09/27/2005
(1105) Maple Ave	0.02	340	R								NA			NA		09/27/2005
(1105) Maple Ave	0.09	240	R								NA			NA		09/27/2005
(1105) Maple Ave	0.02	10	R								NA			NA		09/27/2005
(1106) Church St	0.08	210	R								NA			NA		09/08/2008
(1107) Elam St	0.12	70	R								NA			NA		09/27/2005
(1107) Elam St	0.03	200	R								NA			NA		09/27/2005
(1108) Craddock St	0.18	190	R								NA			NA		09/27/2005
(1109) Harding St	0.06	49	R								NA			NA		09/27/2005
(1110) Houston St	0.16	230	R								NA			NA		08/19/2008
(1111) Cemetery St	0.04	1000	R								NA			NA		08/11/2008
(1111) Cemetery St	0.06	120	R								NA			NA		09/27/2005
(1112) Hedderly St	0.22	90	R								NA			NA		09/27/2005
(1113) Lakeside Dr	0.03	140	R								NA			NA		09/27/2005
(1114) Lakeside Dr	0.05	120	R								NA			NA		09/27/2005
(1114) Lakeside Dr	0.08	40	R								NA			NA		09/27/2005
(1115) Buena Vista Dr	0.51	120	R								NA			NA		09/27/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(1116) Poplar Lane	0.11	40	R								NA		NA			10/18/2005
(1117) Ash St	0.06	30	R								NA		NA			10/18/2005
(1118) Snead Lane	0.13	170	R								NA		NA			09/27/2005
(1119) Canterbury Dr	0.73	310	R								NA		NA			09/27/2005
(1120) Green St	0.08	200	R								NA		NA			09/27/2005
<b>Halifax County</b>																
(1121) Ballou Trail	0.19	70	R								NA		NA			09/27/2005
<b>Town of Halifax</b>																
(1122) Mary Bethune St	0.05	490	R								NA		NA			08/11/2008
(1123) Back St	0.03	150	R								NA		NA			09/27/2005
(1124) Back St	0.22	140	R								NA		NA			09/27/2005
<b>Halifax County</b>																
(1130) Crews Trail	0.17	40	R								NA		NA			08/11/2008
<b>Town of Virginia</b>																
(1201) Tenth St	0.10	90	R								NA		NA			10/03/2005
(1201) Tenth St	0.13	60	R								NA		NA			10/03/2005
(1202) Ninth St	0.10	70	R								NA		NA			10/03/2005
(1202) Ninth St	0.09	60	R								NA		NA			10/03/2005
(1202) Ninth St	0.01	60	R								NA		NA			10/03/2005
(1202) Ninth St	0.11	60	R								NA		NA			07/06/2005
(1203) Eighth St	0.07	6	R								NA		NA			08/13/2008
(1203) Eighth St	0.36	140	R								NA		NA			10/03/2005
(1204) Sixth St	0.09	20	R								NA		NA			08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Virginia</b>																
(1205) Carolina St	0.16	110	R								NA			NA		08/13/2008
(1205) Carolina St	0.28	70	R								NA			NA		08/13/2008
(1206) Nevada St	0.10	10	R								NA			NA		08/13/2008
(1207) Alabama St	0.09	10	R								NA			NA		08/13/2008
(1208) Ohio St	0.10	50	R								NA			NA		10/03/2005
(1209) Colorado St	0.09	70	R								NA			NA		10/03/2005
(1209) Colorado St	0.10	40	R								NA			NA		10/03/2005
(1210) Tennessee St	0.09	10	R								NA			NA		08/13/2008
<b>Halifax County</b>																
(1220) Union Ave	0.20	80	R								NA			NA		08/13/2008
(1301) Holly Court	0.12	310	R								NA			NA		09/19/2005
(1301) Holly Court	0.20	160	R								NA			NA		09/19/2005
(1302) Quail Lane	0.13	70	R								NA			NA		09/19/2005
(1303) Highland Hills Dr	0.12	170	R								NA			NA		09/19/2005
(1303) Highland Hills Dr	0.14	80	R								NA			NA		09/19/2005
(1304) Edgewood Dr	0.09	260	R								NA			NA		08/06/2008
(1305) Hedgeway Dr	0.16	150	R								NA			NA		08/06/2008
(1306) White Oak Dr	0.04	500	R								NA			NA		09/22/2005
(1306) White Oak Dr	0.32	200	R								NA			NA		09/22/2005
(1307) Sycamore Rd	0.10	60	R								NA			NA		09/22/2005
(1307) Sycamore Rd	0.08	210	R								NA			NA		09/22/2005

Virginia Department of Transportation  
 Traffic Engineering Division  
 2008  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1308) West Oak Dr	1.03	270	R				From: 41-614 NORTH				NA			NA		09/19/2005
							To: 41-614 SOUTH									
(1309) Rosehill Dr	0.08	40	R				From: 41-884 Powell Rd				NA			NA		09/22/2005
							To: Dead End									
(1312) Red Oak Pl	0.06	60	R				From: 41-1305 Hedgeway Dr				NA			NA		08/06/2008
							To: Dead End									
(1313) First St	0.02	40	R				From: Dead End				NA			NA		09/22/2005
							To: 41-847 Cherry St									
(1313) First St	0.13	170	R				From: 41-847 Cherry St				NA			NA		09/22/2005
							To: Dead End									
(1314) Cheverly Dr	0.11	80	R				From: 41-1316 Alta Lane				NA			NA		09/22/2005
							To: 41-884 Powell Rd									
(1315) Valley Dr	0.16	180	R				From: Dead End				NA			NA		09/22/2005
							To: 41-1316 Alta Lane									
(1315) Valley Dr	0.13	370	R				From: 41-1316 Alta Lane				NA			NA		09/22/2005
							To: 41-884 Powell Rd									
(1316) Alta Lane	0.07	60	R				From: 41-1314 Cheverly Dr				NA			NA		09/22/2005
							To: 41-1315 Valley Dr									
(1317) Turkey Run Rd	0.36	80	R				From: Cul-de-Sac				NA			NA		08/11/2008
							To: 41-802 Myers Rd									
(1320) Laura Court	0.08	290	R				From: 41-716 Rodgers Chapel Rd				NA			NA		09/19/2005
							To: 41-1321 Fordland Dr									
(1320) Laura Court	0.07	60	R				From: 41-1321 Fordland Dr				NA			NA		09/19/2005
							To: Cul-de-Sac									
(1321) Fordland Dr	0.14	200	R				From: 41-1320 Laura Court				NA			NA		09/19/2005
							To: 41-1322 David St									
(1321) Fordland Dr	0.03	290	R				From: 41-1322 David St				NA			NA		09/19/2005
							To: 41-1324 Evergreen Trail									
(1321) Fordland Dr	0.11	210	R				From: 41-1324 Evergreen Trail				NA			NA		09/19/2005
							To: 41-1323 Greenway Lane									
(1322) David St	0.07	360	R				From: 41-716 Rodgers Chapel Rd				NA			NA		09/19/2005
							To: 41-1321 Fordland Dr									
(1323) Greenway Lane	0.09	230	R				From: 41-716; 41-729				NA			NA		09/19/2005
							To: 41-1321 Fordland Dr									
(1324) Evergreen Trail	0.37	160	R				From: 41-1321 Fordland Dr				NA			NA		09/19/2005
							To: Cul-de-Sac									
(1330) Wildflower Dr	0.08	410	R				From: 41-659 River Rd				NA			NA		10/27/2005
							To: 41-1331 S, Greenfield Rd									
(1330) Wildflower Dr	0.29	150	R				From: 41-1331 S, Greenfield Rd				NA			NA		10/27/2005
							To: 41-1331 N, Greenfield Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1331) Greenfield Rd	0.05	8	R								NA			NA		10/27/2005
(1331) Greenfield Rd	0.30	80	R								NA			NA		10/27/2005
(1331) Greenfield Rd	0.07	160	R								NA			NA		10/27/2005
(1331) Greenfield Rd	0.19	70	R								NA			NA		10/27/2005
(1332) Aster Place	0.06	80	R								NA			NA		10/27/2005
(1336) Westside Dr	0.13	200	R								NA			NA		10/27/2005
(1336) Westside Dr	0.21	660	R								NA			NA		10/27/2005
(1336) Westside Dr	0.06	620	R								NA			NA		10/27/2005
(1337) East Forest Trail	0.06	70	R								NA			NA		10/27/2005
(1337) East Forest Trail	0.05	50	R								NA			NA		10/27/2005
(1338) Lincoln Dr	0.33	310	R								NA			NA		10/27/2005
(1339) Cathy Sue Lane	0.13	100	R								NA			NA		10/27/2005
(1349) Sunshine Dr	0.27	330	R								NA			NA		09/27/2005
(1401) Seven Oaks Dr	0.08	90	R								NA			NA		10/18/2005
(1401) Seven Oaks Dr	0.08	190	R								NA			NA		10/18/2005
(1401) Seven Oaks Dr	0.08	460	R								NA			NA		10/18/2005
(1401) Seven Oaks Dr	0.17	530	R								NA			NA		10/18/2005
(1402) Cedar Court	0.05	30	R								NA			NA		10/18/2005
(1403) Elm Court	0.22	50	R								NA			NA		10/18/2005
(1403) Ratliff Dr	0.07	270	R								NA			NA		10/18/2005
(1403) Ratliff Dr	0.04	90	R								NA			NA		10/18/2005



Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1404) Pine Court	0.05	49	R			From: 41-1401 Seven Oaks Dr					NA		NA			10/18/2005
						To: Dead End										
(1405) Memorial Dr	0.34	150	R			From: Dead End					NA		NA			09/22/2005
						To: 41-744 Riverdale Dr										
(1406) Eanes Dr	0.08	50	R			From: Dead End					NA		NA			10/18/2005
						To: 41-1403 Ratliff Dr, Elm Court										
(1407) Watlington Dr	0.20	110	R			From: Dead End					NA		NA			08/11/2008
						To: 41-1406 Eanes Dr										
(1410) Shepherds Gate Rd	0.27	310	R			From: 41-854 Belt Blvd					NA		NA			09/22/2005
						To: US 360 James D Hagood Hwy										
(1501) Height Trail	0.14	160	R			From: 41-1502 Pine Trail					NA		NA			10/26/2005
						To: 41-891 Pine Height Trail										
(1502) Pine Trail	0.06	30	R			From: Cul-de-Sac					NA		NA			10/26/2005
						To: 41-1501 Height Trail										
(1502) Pine Trail	0.08	45	R			From: Dead End					NA		NA			10/26/2005
						To: Halifax High School										
(9180) High School Circle	0.88	1500	R			From: SR 129 Old Halifax Rd					NA		NA			09/19/2005
						To: Cul-de-Sac										
(9181) Clays Mill School Dr	0.12	320	R			From: Cul-de-Sac					NA		NA			09/13/2005
						To: 41-612 Clays Mill School Rd										
<b>Town of Virgilina</b>																
(9182) Virgilina School Rd	0.09	2	R			From: 41-1220 Union Ave					NA		NA			09/27/2005
						To: Cul-de-Sac										
<b>Halifax County</b>																
(9183) Meadville School Loop	0.10	230	R			From: SR 57 Chatham Rd					NA		NA			10/26/2005
						To: SR 57 Chatham Rd										
(9184) S of Dan School Rd	0.08	130	R			From: 41-658 Cherry Hill Church Rd					NA		NA			10/13/2005
						To: 41-658 Cherry Hill Church Rd										
(9185) School House Rd	0.16	130	R			From: Dead End					NA		NA			10/17/2005
						To: 41-658 Melon Rd										
(9187) Volens School Rd	0.06	2	R			From: US 501, L P Bailey Mem Hwy					NA		NA			09/15/2005
						To: US 501, L P Bailey Mem Hwy										
<b>Town of Halifax</b>																
(9188) Halifax Elementary Dr	0.05	220	R			From: Dead End					NA		NA			10/18/2005
						To: SR 360 Mtn Rd										
<b>Halifax County</b>																
(9189) Scottsburg School Trail	0.11	240	R			From: Dead End					NA		NA			09/13/2005
						To: SR 344 Scottsburg Rd										
(9509) Middle School Circle	0.43	1100	R			From: Dead End					NA		NA			09/22/2005
						To: 0.43 ME Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(9509) Middle School Circle	0.16	1500	R								NA		NA		09/22/2005	
From: 0.43 ME Dead End						To: US 501 Halifax Rd										
(9822) Sydnor Jennings Rd	0.06	200	R								NA		NA		09/15/2005	
From: US 501, L P Bailey Mem Hwy						To: US 501, L P Bailey Mem Hwy										
(9823) Cluster Springs School	0.09	870	R								NA		NA		10/13/2005	
From: US 501 Huell Matthews Hwy						To: 0.09 MN US 501										
(9823) Cluster Springs School	0.17	490	R								NA		NA		10/13/2005	
From: 41-9184, S of Dan School Rd						To: 41-678 Grubby Rd										
(9848) Sinai Elementary Dr	0.08	650	R								NA		NA		10/27/2005	
From: 41-678 Grubby Rd						To: 41-678 Grubby Rd										
(9949) Wilson Mem School Loo	0.06	250	R								NA		NA		10/25/2005	
From: 41-677 Wilson Mem Trail						To: 41-677 Wilson Mem Trail										
<b>Town of South Boston</b>																
(1) Railroad Ave	0.36	430	F	92%	0%	1%	7%	0%	0%	C	0.099	F	0.673	470	F	2008
From: Edmunds St						To: Summit Dr										
(1) Railroad Avenue	0.18	550	F	92%	0%	1%	7%	0%	0%	F	0.098	F	0.629	600	F	2008
From: Summit Dr						To: Seymour Dr										
(2) Riley Ave	0.16	840	F	98%	1%	1%	0%	0%	0%	C	0.102	F	0.526	910	F	2008
From: Seymour Dr						To: Vaughan St										
(3) Seymour Dr	0.11	640	F	92%	1%	2%	5%	0%	0%	C	0.099	F	0.546	690	F	2008
From: Vaughan St						To: Railroad Ave										
(4) Vaughan St	0.35	970	F	98%	1%	1%	0%	0%	0%	C	0.117	F	0.516	1100	F	2008
From: Railroad Ave						To: Pine Ave										
(5) Webster St	0.61	830	F	99%	0%	0%	0%	0%	0%	C	0.101	F	0.6	900	F	2008
From: Pine Ave						To: Wilborn Ave										
(6) Third St	0.14	390	F	97%	0%	2%	0%	0%	0%	C	0.107	F	0.512	420	F	2008
From: Wilborn Ave						To: US 501; Broad St										
(4700) Berry Hill Rd	1.13	1700	F	99%	0%	1%	0%	0%	0%	C	0.100	F	0.510	1900	F	2008
From: US 501; Broad St						To: WCL South Boston										
(4700) Berry Hill Rd	0.20	2400	F	99%	0%	1%	0%	0%	0%	F	0.093	F	0.530	2600	F	2008
From: WCL South Boston						To: Wilmoth Ave										
(4700) Edmunds St	0.06	2500	F	99%	0%	1%	0%	0%	0%	F	0.098	F	0.563	2700	F	2008
From: Wilmoth Ave						To: Summit Dr										
(4700) Edmunds St	0.45	1600	F	97%	0%	1%	1%	0%	0%	C	0.1	F	0.544	1800	F	2008
From: Summit Dr						To: Railroad Ave										
(4700) Edmunds St	0.54	1300	F	98%	0%	1%	0%	0%	0%	C	0.093	F	0.602	1400	F	2008
From: Railroad Ave						To: US 501; Wilborn Ave										
(4701) Marshall Ave	0.15	720	F	98%	1%	1%	0%	0%	0%	F	0.114	F	0.587	790	F	2008
From: US 501; Wilborn Ave						To: US 501 Wilborn Ave										
(4701) Marshall Ave	0.41	890	F	98%	1%	1%	0%	0%	0%	C	0.109	F	0.509	970	F	2008
From: US 501 Wilborn Ave						To: SR 29; North Main St										
From: SR 29; North Main St						To: Seymour Dr										
From: Seymour Dr						To: Fenton St										
From: Fenton St						To: Hodges St										

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of South Boston</b>																
(4702 130) Hamilton Blvd	0.37	3300	F	99%	0%	1%	0%	0%	0%	C	0.107	F		3600	F	2008
						From: SCL South Boston										
						To: Wilborn Ave										
(4702 130) Hamilton Blvd	0.70	5500	F	95%	1%	1%	0%	3%	0%	C	NA			6000	F	2008
						From: SR 129 North Main St										
						To: US 360 John Randolph Blvd										
(4702 130) Hamilton Blvd	1.26	5900	F	94%	1%	1%	1%	3%	0%	C	0.117	F		6500	F	2008
						From: North Main St										
						To: Cavalier Blvd										
(4704 130) College St	0.80	1200	F	99%	1%	0%	0%	0%	0%	C	0.094	F	0.508	1300	F	2008
						From: North Main St										
						To: Fenton St										
(4710 130) Jeffress St	0.20	780	F	98%	1%	1%	0%	0%	0%	C	0.111	F	0.546	850	F	2008
						From: Jeffress St										
						To: Marshall Ave										
(4710 130) Fenton St	0.19	580	F	99%	1%	0%	0%	0%	0%	C	0.094	F	0.619	630	F	2008
						From: Edmunds St										
						To: Seymour Dr										
(4713 130) Watkins Ave	0.61	2200	F	97%	0%	2%	0%	1%	0%	C	0.098	F	0.540	2400	F	2008
						From: Watkins Ave										
						To: Noblin Ave										
Carrington St		NA									NA			NA		
						From: Llewellyn Avenue										
						To: Washington Avenue										
College St		500	F								0.095	F		500	F	2008
						From: Wilborn Ave										
						To: Norwood Ave										
Greenway Dr		360	G								NA			360	G	2008
						From: Spring Avenue										
						To: Alderson Avenue										
Ridge St		220	F								0.138	F	0.581	220	F	2008
						From: Halifax Rd										
						To: Nottingham Dr										
Robin Hood Rd		430	G								NA			430	G	2008