

2007

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

53

Loudoun County
Town of Hamilton
Town of Hillsboro
Town of Leesburg
Town of Lovettsville
Town of Middleburg
Town of Purcellville
Town of Round Hill

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
							From: Clarke County Line									
7 Harry Flood Byrd Hwy	Loudoun County	0.89	24000	G	97%	1%	1%	0%	2%	0%	F	0.096	F	0.881	27000	G
							To: 53-760 Near Bluemont									
7 Harry Flood Byrd Hwy	Loudoun County	3.02	25000	A	97%	1%	1%	0%	2%	0%	C	0.112	A	0.783	29000	A
							From: Bus SR 7 West of Round Hill									
7 Harry Flood Byrd Hwy	Loudoun County	1.07	25000	G	97%	1%	1%	0%	2%	0%	F	0.102	F	0.885	28000	G
							To: Bus SR 7 West of Purcellville									
7 Harry Flood Byrd Hwy	Loudoun County	2.07	26000	G	97%	1%	1%	0%	2%	0%	F	0.105	F	0.895	30000	G
							From: WCL Purcellville									
7 Harry Flood Byrd Hwy	Town of Purcellville (Maint: 53)	0.94	26000	G	97%	1%	1%	0%	2%	0%	F	0.105	F	0.895	30000	G
							To: ECL Purcellville									
7 Harry Flood Byrd Hwy	Loudoun County	1.04	26000	G	97%	1%	1%	0%	2%	0%	F	0.105	F	0.895	30000	G
							From: SR 287 North of Purcellville									
7 Harry Flood Byrd Hwy	Loudoun County	2.07	39000	G	97%	1%	1%	0%	2%	0%	F	0.089	F	0.846	44000	G
							To: 53-704 Hamilton Station Rd									
7 Harry Flood Byrd Hwy	Loudoun County	2.37	39000	G	97%	1%	1%	0%	2%	0%	F	0.084	F	0.767	45000	G
							From: SR 9, Bus SR 7 Clarkes Gap									
7 Harry Flood Byrd Hwy	Loudoun County	2.38	59000	A	97%	0%	1%	1%	1%	0%	C	0.092	A	0.731	66000	A
							To: Bus SR 7; WCL Leesburg									
7 Market St West	Town of Leesburg (Maint: 53)	1.85	58000	G	97%	0%	1%	1%	1%	0%	F	0.081	F	0.842	65000	G
							From: US 15 King St									
7 15 Leesburg Bypass	Town of Leesburg (Maint: 53)	0.44	64000	F	96%	1%	1%	1%	1%	0%	C	0.085	F	0.803	69000	F
							From: SR 267									
7 15 Leesburg Bypass	Town of Leesburg (Maint: 53)	0.63	50000	F	96%	1%	1%	1%	2%	0%	C	0.076	F	0.514	54000	F
							To: Sycolin Rd									
7 15 Leesburg Bypass	Town of Leesburg (Maint: 53)	0.53	52000	F	95%	1%	1%	1%	2%	0%	C	0.076	F	0.515	56000	F
							To: US 15, BUS SR 7 Market St									
7 Market St East	Town of Leesburg (Maint: 53)	1.83	66000	G	97%	0%	1%	1%	1%	0%	F	0.072	F	0.57	71000	G
							From: ECL Leesburg									
7 Harry Flood Byrd Hwy	Loudoun County	2.41	62000	G	97%	0%	1%	1%	1%	0%	F	0.075	F	0.68	67000	G
							To: 53-641 Ashburn Rd									
7 Harry Flood Byrd Hwy	Loudoun County	2.96	83000	G	97%	0%	1%	1%	1%	0%	F	0.074	F	0.567	90000	G
							To: SR 28 Sully Rd									
7 Harry Flood Byrd Hwy	Loudoun County	4.07	73000	G	97%	0%	1%	1%	1%	0%	F	0.074	F	0.566	79000	G
							To: Fairfax County Line									
Bus							From: SR 7 West of Leesburg									
7 Market St	Loudoun County	0.09	16000	G	99%	0%	1%	0%	0%	0%	F	0.096	F	0.787	17000	G
							To: WCL Leesburg									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 7 Market St	From: WCL Leesburg Town of Leesburg	0.12	16000	G	99%	0%	1%	0%	0%	0%	F	0.096	F	0.787	17000	G
	To: Fairview St															
Bus 7 Market St	From: Fairview St Town of Leesburg	0.25	13000	G	99%	0%	1%	0%	0%	0%	C	0.092	F	0.764	15000	G
	To: 253-4206 Loudoun St															
Bus 7 Market St	From: 253-4206 Loudoun St Town of Leesburg	0.27	9800	G	99%	0%	1%	0%	0%	0%	F	0.095	F	0.745	11000	G
	To: 253-4205 Ayr St															
Bus 7 Market St	From: 253-4205 Ayr St Town of Leesburg	0.36	10000	G	99%	0%	1%	0%	0%	0%	F	0.092	F	0.675	11000	G
	To: Bus US 15															
Bus 7 Market St	From: Bus US 15 Town of Leesburg	0.09	13000	G	98%	0%	1%	0%	0%	0%	F	0.079	F	0.523	14000	G
	To: Church St															
Bus 7 Market St	From: Church St Town of Leesburg	0.23	10000	G	98%	0%	1%	0%	0%	0%	C	0.077	F	0.550	11000	G
	To: 253-4206 Loudoun St															
Bus 7 Market St	From: 253-4206 Loudoun St Town of Leesburg	0.27	21000	G	98%	0%	1%	0%	0%	0%	F	0.085	F	0.514	23000	G
	To: 253-4200 Catoctin Circle															
Bus 7 Market St	From: 253-4200 Catoctin Circle Town of Leesburg	0.71	37000	G	98%	0%	1%	0%	0%	0%	F	0.074	F	0.544	40000	G
	To: US 15; SR 7															
Bus 7 Loudoun Street West	From: SR 7 West Of Round Hill Loudoun County	0.31	2300	G	96%	1%	1%	1%	1%	0%	F	0.092	F	0.642	2300	G
	To: WCL Round Hill															
Bus 7 Loudoun St	From: WCL Round Hill Town of Round Hill (Maint: 53)	0.32	2300	N	96%	1%	1%	1%	1%	0%	N	0.092	N	0.642	2300	N
	To: 53-719 Main St															
Bus 7 Loudoun St	From: 53-719 Main St Town of Round Hill (Maint: 53)	0.25	2300	N	96%	1%	1%	1%	1%	0%	N	0.092	N	0.642	2300	N
	To: ECL Round Hill															
Bus 7 Loudoun Street East	From: ECL Round Hill Loudoun County	0.24	2300	N								NA		NA		
	To: SR 7 Between Round Hill and Purcellville															
Bus 7 Loudoun Street East	From: SR 7 Between Round Hill and Purcellville Loudoun County	1.66	11000	G	96%	1%	1%	1%	1%	0%	C	0.093	F	0.595	12000	G
	To: WCL Purcellville															
Bus 7 Main St	From: WCL Purcellville Town of Purcellville (Maint: 53)	2.06	11000	N	96%	1%	1%	1%	1%	0%	N	0.093	N	0.595	12000	N
	To: SR 287 Berlin Tpke															
Bus 7 Colonial Highway	From: SR 287 Berlin Tpke Town of Purcellville (Maint: 53)	0.07	12000	N	96%	1%	1%	1%	1%	0%	N	0.116	N	0.616	12000	N
	To: ECL Purcellville															
Bus 7 Colonial Highway	From: ECL Purcellville Loudoun County	1.00	12000	G	96%	1%	1%	1%	1%	0%	F	0.116	F	0.616	12000	G
	To: WCL Hamilton															

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 7 West Colonial Hwy	From: WCL Hamilton Town of Hamilton (Maint: 53)	0.96	12000	N	96%	1%	1%	1%	1%	0%	N	0.116	N	0.616	12000	N
Bus 7 Colonial Highway	From: ECL Hamilton Loudoun County To: SR 7, SR 9 Clarkes Gap	2.41	12000	N	96%	1%	1%	1%	1%	0%	N	0.116	N	0.616	12000	N
9 Charles Town Pike	From: West Virginia State Line Loudoun County To: 53-671 Harpers Ferry Rd	3.10	13000	G	96%	1%	1%	1%	1%	0%	F	0.09	F	0.978	13000	G
9 Charles Town Pike	From: 53-671 Harpers Ferry Rd Loudoun County To: WCL Hillsboro	1.80	17000	G	96%	1%	1%	1%	1%	0%	F	0.085	F	0.897	17000	G
9 Charles Town Pike	From: WCL Hillsboro Town of Hillsboro (Maint: 53) To: ECL Hillsboro	0.41	17000	N	96%	1%	1%	1%	1%	0%	N	0.085	N	0.897	17000	N
9 Charles Town Pike	From: ECL Hillsboro Loudoun County To: 53-690 Hillsboro Rd	0.27	17000	N	96%	1%	1%	1%	1%	0%	N	0.085	N	0.897	17000	N
9 Charles Town Pike	From: 53-690 Hillsboro Rd Loudoun County To: SR 287 Berlin Tpke	2.19	16000	G	96%	1%	1%	1%	1%	0%	C	0.08	F	0.791	16000	G
9 Charles Town Pike	From: SR 287 Berlin Tpke Loudoun County To: 53-704 Hamilton Station Rd	3.10	19000	G	96%	1%	1%	1%	1%	0%	F	0.078	F	0.729	19000	G
9 Charles Town Pike	From: 53-704 Hamilton Station Rd Loudoun County To: SR 7 Clarkes Gap	2.21	24000	G	96%	1%	1%	1%	1%	0%	F	0.078	F	0.736	24000	G
15 James Monroe Hwy	From: Prince William County Line Loudoun County To: US 50 John Mosby Hwy	2.58	18000	G	90%	1%	2%	2%	6%	0%	C	0.09	F	0.654	18000	G
15 James Monroe Hwy	From: US 50 John Mosby Hwy Loudoun County To: 53-704 Church Rd	7.82	14000	G	88%	1%	3%	2%	7%	0%	C	0.082	F	0.591	14000	G
15 James Monroe Hwy	From: 53-704 Church Rd Loudoun County To: SCL Leesburg	1.25	18000	G	90%	1%	2%	1%	5%	0%	C	0.082	F	0.610	18000	G
15 King St	From: SCL Leesburg Town of Leesburg To: 253-4209 Evergreen Mill Rd	1.09	19000	G	91%	1%	2%	2%	5%	0%	C	0.079	F	0.595	21000	G
15 King St	From: 253-4209 Evergreen Mill Rd Town of Leesburg To: SR 7, Bus US 15	0.38	36000	G	91%	1%	2%	2%	5%	0%	F	0.082	F	0.61	39000	G
15 7 Leesburg Bypass	From: SR 7, Bus US 15 Town of Leesburg (Maint: 53) To: SR 267	0.44	64000	F	96%	1%	1%	1%	1%	0%	C	0.085	F	0.803	69000	F
15 7 Leesburg Bypass	From: SR 267 Town of Leesburg (Maint: 53) To: Sycolin Rd	0.63	50000	F	96%	1%	1%	1%	2%	0%	C	0.076	F	0.514	54000	F
15 7 Leesburg Bypass	From: Sycolin Rd Town of Leesburg (Maint: 53) To: SR 7 Market Street East	0.53	52000	F	95%	1%	1%	1%	2%	0%	C	0.076	F	0.515	56000	F

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
15 Leesburg Bypass	Town of Leesburg	0.75	53000	G	95%	1%	1%	1%	3%	0%	F	0.078	F	0.627	55000	G
15 Leesburg Bypass	Town of Leesburg	1.18	31000	G	95%	1%	1%	1%	3%	0%	F	0.080	F	0.634	33000	G
15 Leesburg Bypass	Loudoun County	0.59	23000	G	95%	1%	1%	1%	3%	0%	F	0.079	F	0.687	24000	G
15 James Monroe Hwy	Loudoun County	5.56	21000	A	95%	1%	1%	1%	3%	0%	C	0.096	A	0.635	22000	A
15 James Monroe Hwy	Loudoun County	4.41	18000	G	95%	1%	1%	1%	3%	0%	F	0.083	F	0.696	19000	G
Bus 15 King St	Town of Leesburg	0.56	28000	G	97%	1%	1%	0%	1%	0%	C	0.096	F	0.612	31000	G
Bus 15 King St	Town of Leesburg	0.08	13000	G	97%	1%	1%	0%	1%	0%	F	0.092	F	0.553	15000	G
Bus 15 King St	Town of Leesburg	0.40	12000	G	97%	1%	1%	0%	1%	0%	F	0.087	F	0.511	13000	G
Bus 15 King St	Town of Leesburg	0.23	11000	G	98%	1%	1%	0%	0%	0%	F	0.082	F	0.549	12000	G
Bus 15 King St	Town of Leesburg	0.87	10000	G	98%	1%	1%	0%	0%	0%	F	0.091	F	0.532	11000	G
Bus 15 James Monroe Highway	Loudoun County	0.78	4700	A	98%	1%	1%	0%	0%	0%	C	0.172	A	0.51	5100	A
17 50 John S Mosby Hwy	Fauquier County (Maint: 53)	1.11	14000	G	96%	1%	1%	0%	2%	0%	C	0.095	F	0.723	15000	G
28 Sully Rd	Loudoun County	0.66	113000	G	97%	0%	1%	1%	1%	0%	F	0.09	F	0.582	122000	G
28 Sully Rd	Loudoun County	2.75	113000	G	97%	0%	1%	1%	1%	0%	F	0.085	F	0.502	123000	G
28 Sully Rd	Loudoun County	3.16	44000	G	97%	0%	1%	1%	1%	0%	F	0.075	F	0.698	48000	G
50 17 John S Mosby Hwy	Fauquier County (Maint: 53)	1.11	14000	G	96%	1%	1%	0%	2%	0%	C	0.095	F	0.723	15000	G

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
50 John S Mosby Hwy	From: US 17 Winchester Rd, Paris															
	Fauquier County (Maint: 53)	5.71	6500	G	86%	1%	1%	1%	11%	0%	F	0.091	F	0.825	6700	G
	To: Loudoun County Line															
50 John S Mosby Hwy	From: Fauquier County Line															
	Loudoun County	0.08	8900	G	97%	0%	1%	0%	1%	0%	C	0.091	F	0.78	9100	G
	To: 30-623 E, Rokeby Rd															
50 John S Mosby Hwy	From: Loudoun County	0.52	9000	G	97%	0%	1%	0%	1%	0%	F	0.091	F	0.781	9200	G
	To: Fauquier County Line															
	From: Loudoun County Line															
50 John S Mosby Hwy	From: Fauquier County (Maint: 53)	2.10	9600	G	97%	0%	1%	0%	1%	0%	C	0.093	F	0.787	9900	G
	To: 53-611 Saint Louis Rd															
50 John S Mosby Hwy	From: Fauquier County (Maint: 53)	2.03	10000	G	97%	0%	1%	0%	1%	0%	F	0.09	F	0.752	11000	G
	To: Loudoun County Line															
	From: Fauquier County Line															
50 John S Mosby Hwy	From: Loudoun County	0.63	13000	G	97%	0%	1%	0%	1%	0%	F	0.091	F	0.774	13000	G
	To: WCL Middleburg															
50 Washington St W	From: Town of Middleburg (Maint: 53)	0.61	13000	G	97%	0%	1%	0%	1%	0%	C	0.094	F	0.775	13000	G
	To: W 53-626 The Plains Rd															
50 Washington St	From: Town of Middleburg (Maint: 53)	0.65	12000	G	97%	0%	1%	0%	1%	0%	F	0.09	F	0.727	13000	G
	To: ECL Middleburg															
50 John S Mosby Hwy	From: Loudoun County	5.89	11000	G	97%	1%	1%	0%	1%	0%	C	0.09	F	0.753	12000	G
	To: US 15 Near Aldie															
50 John S Mosby Hwy	From: Loudoun County	5.75	20000	G	95%	1%	2%	1%	2%	0%	C	0.085	F	0.884	21000	G
	To: 53-827 Pinebrook Rd															
50 John S Mosby Hwy	From: Loudoun County	0.51	37000	G	95%	1%	2%	1%	2%	0%	F	0.089	F	0.778	37000	G
	To: 53-606 Old Ox Rd															
50 John S Mosby Hwy	From: Loudoun County	2.75	39000	G	95%	1%	2%	1%	2%	0%	F	0.082	F	0.69	40000	G
	To: Fairfax County Line															
209 Innovation Ave	From: Loudoun County	0.88	3700	G	97%	0%	1%	1%	1%	0%	C	0.100	F	0.669	4100	G
	To: Entrance to C.I.T.															
East 267 Dulles Greenway	From: Town of Leesburg (Maint: TOL)	0.69	17000	N	98%	0%	0%	0%	0%	0%	N	0.167	N		18000	N
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		36000	N	98%	0%	1%	0%	1%	0%	N	NA			39000	N
East 267 Dulles Greenway	From: Loudoun County (Maint: TOL)	4.79	17000	F	98%	0%	0%	0%	0%	0%	F	0.167	F		18000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		36000	F	98%	0%	1%	0%	1%	0%	F	0.094	F	0.839	39000	F
	To: 53-659 Belmont Ridge Rd															

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 267 Dulles Greenway	From: 53-659 Belmont Ridge Rd															
	Loudoun County (Maint: TOL)	1.06	17000	G	98%	0%	0%	0%	0%	F	0.177	F		20000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		34000	G	98%	0%	1%	0%	1%	F	0.104	F	0.869	40000	G	
East 267 Dulles Greenway	To: 53-901 Claiborne Pkwy															
	Loudoun County (Maint: TOL)	1.79	19000	G	98%	0%	0%	0%	0%	F	0.194	F		23000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		38000	G	98%	0%	1%	0%	1%	F	0.112	F	0.882	45000	G	
East 267 Dulles Greenway	To: 53-772 Ashburn Village Blvd															
	Loudoun County (Maint: TOL)	1.40	22000	G	98%	0%	0%	0%	0%	F	0.189	F		26000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	G	98%	0%	1%	0%	1%	F	NA			49000	G	
East 267 Dulles Greenway	To: 53-1950 Loudoun County Pkwy															
	Loudoun County (Maint: TOL)	1.08	26000	G	98%	0%	0%	0%	0%	F	0.191	F		31000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		49000	G	98%	0%	1%	0%	1%	F	0.109	F	0.894	58000	G	
East 267 Dulles Greenway	To: 53-606 Old Ox Rd															
	Loudoun County (Maint: TOL)	1.72	25000	G	98%	0%	0%	0%	0%	F	0.182	F		29000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000	G	98%	0%	1%	0%	1%	F	0.109	F	0.895	54000	G	
East 267 Dulles Toll Rd	To: SR 28 Sully Rd															
	Loudoun County (Maint: 29)	1.23	40000	G	98%	0%	0%	0%	0%	F	0.126	F		47000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		89000	G	98%	0%	1%	0%	1%	F	0.092	F	0.717	106000	G	
West 267 Dulles Greenway	To: Fairfax County Line															
	From: US 15 Leesburg Bypass															
	Town of Leesburg (Maint: TOL)	0.70	19000	F	98%	0%	1%	0%	1%	F	0.149	F		20000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		36000	N	98%	0%	1%	0%	1%	N	NA			39000	N	
West 267 Dulles Greenway	To: SCL Leesburg															
	Loudoun County (Maint: TOL)	4.87	19000	F	98%	0%	1%	0%	1%	F	0.149	F		20000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		36000	F	98%	0%	1%	0%	1%	F	0.094	F	0.839	39000	F	
West 267 Dulles Greenway	To: 53-659 Belmont Ridge Rd															
	Loudoun County (Maint: TOL)	0.87	17000	G	98%	0%	1%	0%	1%	F	0.146	F		20000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		34000	G	98%	0%	1%	0%	1%	F	0.104	F	0.869	40000	G	
West 267 Dulles Greenway	To: 53-901 Claiborne Pkwy															
	Loudoun County (Maint: TOL)	1.82	19000	G	98%	0%	1%	0%	1%	F	0.165	F		22000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		38000	G	98%	0%	1%	0%	1%	F	0.112	F	0.882	45000	G	
West 267 Dulles Greenway	To: 53-772 Ashburn Village Blvd															
	Loudoun County (Maint: TOL)	1.32	20000	G	98%	0%	1%	0%	1%	F	0.161	F		24000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	G	98%	0%	1%	0%	1%	F	NA			49000	G	
	To: 53-1950 Loudoun County Pkwy															

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 267 Dulles Greenway	From: 53-1950 Loudoun County Pkwy Loudoun County (Maint: TOL)	1.24	23000	G	98%	0%	1%	0%	1%	0%	F	0.167	F	28000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		49000	G	98%	0%	1%	0%	1%	0%	F	0.109	F	58000	G	
West 267 Dulles Greenway	From: 53-606 Old Ox Rd Loudoun County (Maint: TOL)	1.75	21000	G	98%	0%	1%	0%	1%	0%	F	0.158	F	25000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		46000	G	98%	0%	1%	0%	1%	0%	F	0.109	F	54000	G	
West 267 Dulles Toll Rd	From: SR 28 Sully Rd Loudoun County (Maint: 29)	1.24	49000	G	98%	0%	1%	0%	1%	0%	F	0.124	F	59000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		89000	G	98%	0%	1%	0%	1%	0%	F	0.092	F	106000	G	
287 Berlin Tpke	From: BUS SR 7 Town of Purcellville (Maint: 53)	0.55	5400	N	94%	2%	2%	1%	1%	0%	N	0.108	N	5600	N	
287 Berlin Tpke	From: NCL Purcellville Loudoun County	3.21	5400	G	94%	2%	2%	1%	1%	0%	C	0.108	F	5600	G	
287 Berlin Tpke	From: SR 9 Charles Town Pike Loudoun County	2.37	9000	G	93%	2%	2%	2%	1%	0%	F	0.09	F	9200	G	
287 Berlin Tpke	From: 53-693 Morrisonville Rd; Ash George Rd Loudoun County	3.37	7600	G	93%	2%	2%	2%	1%	0%	C	0.085	F	7700	G	
287 Berlin Tpke	From: SCL Lovettsville Town of Lovettsville (Maint: 53)	1.42	7600	N	93%	2%	2%	2%	1%	0%	N	0.085	N	7700	N	
287 Berlin Tpke	From: NCL Lovettsville Loudoun County	1.75	5100	G	93%	2%	2%	2%	1%	0%	F	0.089	F	5200	G	
340 Jefferson Pike	From: Maryland State Line Loudoun County	0.57	25000	G	90%	1%	1%	1%	8%	0%	F	0.082	F	24000	G	
90004 Dulles Access Rd	From: Washington Dulles International Airport Loudoun County (Maint: US)	0.71	NA									NA		NA		
	To: Fairfax County Line															

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(F819)	0.36	NA														
(F820)	0.01	NA														
(F821)	0.40	NA														
(F822)	0.36	NA														
(F823)	0.13	NA														
(F824)	0.29	NA														
(F825)	0.04	NA														
(F826)	0.03	NA														
Town of Leesburg																
(F826)	0.06	NA														
(F929)	0.25	NA														
Loudoun County																
(F961) Osburn Rd	0.41	NA														
(F962) Hirst Rd	1.75	NA														
(F1000)	0.29	NA														
(601 ₂₁) Blue Ridge Mountain Rd	1.12	2000	G	98%	1%	1%	0%	0%	0%	C	0.144	F	0.793	2000	G	2007
(601 ₂₁) Raven Rocks Rd	0.11	370	N	94%	3%	2%	0%	0%	0%	N	0.104	N	0.564	380	N	2007
(9614 ₂₉)	0.05	210	R											NA		1991
(600) New Rd	0.45	350	R											NA		05/16/2005
(600) New Rd	0.90	480	F	95%	2%	3%	0%	0%	0%	C	0.190	F	0.924	480	F	2007
(600) New Rd	0.10	1100	R											NA		05/16/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(600) Lenah Rd	2.00	650	R											NA		03/01/2002
(601) Raven Rocks Rd	0.40	140	R											NA		1999
(602) Russell Rd	0.44	210	R											NA		02/01/2002
(603) Brockman Lane	0.13	320	R											NA		04/21/2005
(603) Brockman Lane	0.16	860	R											NA		1999
(604) Alcott Way	0.21	40	R											NA		1999
(604) Alcott Way	0.21	180	R											NA		02/16/2005
(604) Sugarland Rd	0.25	9800	G	99%	0%	0%	0%	0%	0%	C	0.107	F	0.636	11000	G	2007
(605) Rock Hill Rd	0.60	2100	R											NA		04/05/2005
(606) Old Ox Rd	0.81	30000	G	92%	2%	2%	2%	2%	0%	F	0.098	F	0.685	31000	G	2007
(606) Old Ox Rd	1.98	21000	G	92%	2%	2%	2%	2%	0%	F	0.095	F	0.736	22000	G	2007
(606) Old Ox Rd	3.03	24000	G	92%	2%	2%	2%	2%	0%	C	0.092	F	0.620	24000	G	2007
(606) Old Ox Rd	2.12	37000	G	92%	2%	2%	2%	2%	0%	F	0.088	F	0.650	38000	G	2007
(606) Old Ox Rd	1.09	33000	G	97%	0%	1%	1%	0%	0%	C	0.088	F	0.507	37000	G	2007
(606) Old Ox Rd	0.03	41000	G	97%	0%	1%	1%	0%	0%	F	0.086	N	0.515	43000	G	2007
(607) Smith Switch Rd	3.36	890	R											NA		01/25/2005
(607) Presidential Dr	0.35	330	R											NA		1999
(608) Foxhill Rd	0.49	120	R											NA		1999
(609) Pleasant Valley Rd	0.56	2300	G	96%	1%	2%	1%	1%	0%	C	0.086	F	0.801	2300	G	2007
(609) Pleasant Valley Rd	0.65	3300	R											NA		01/06/2005
(610) Ruritan Rd	0.40	400	R											NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Fauquier County																
(611) New Ford Rd	0.10	4200	G	94%	1%	US 50 John S Mosby Hwy				C	0.107	F	0.594	4300	G	2007
						Loudoun County Line										
Loudoun County																
(611) Saint Louis Rd	1.45	4200	N	94%	1%	Fauquier County Line				N	0.107	N	0.594	4300	N	2007
(611) Saint Louis Rd	2.22	3200	G	94%	1%	53-743 Millville Welbourne Rds				F	0.109	F	0.58	3300	G	2007
(611) Saint Louis Rd	2.31	2900	G	94%	1%	53-626 Foxcroft Rd				F	0.101	F	0.562	2900	G	2007
(611) Saint Louis Rd	1.36	2900	G	94%	1%	53-630 Unison JEB Stuart Rds				F	0.099	F	0.506	3000	G	2007
(611) Telegraph Springs Rd	0.61	320	R			53-734 Snickersville Tpke West										05/17/2005
						53-734 Snickersville Tpke East										
(611) Telegraph Springs Rd	1.73	250	R			53-730 Colchester Rd										05/17/2005
(611) Telegraph Springs Rd	0.28	530	R			53-622 N, Shoemaker Sch Rd										05/17/2005
(611) Telegraph Springs Rd	0.24	600	R			0.28 MN 53-622 N										05/17/2005
(611) Telegraph Springs Rd	0.80	770	R			53-794 Guinea Bridge Rd										05/17/2005
(611) Telegraph Springs Rd	1.28	1900	R			53-725 W, Bolyn Rd										04/25/2005
						SCL Purcellville										
Town of Purcellville																
(611) Telegraph Springs Rd	0.46	1900	N			SCL Purcellville										04/25/2005
(611) 20th St	0.34	1100	R			53-1610, A St										1999
(611) 20th St	0.34	1500	R			53-1608, E St										1992
(611) Hatcher Ave	0.58	4500	G	96%	1%	BUS SR 7 W, Main St				C	0.088	F	0.557	4600	G	2007
						BUS SR 7 E, Main St										
						NCL Purcellville										
Loudoun County																
(611) Purcellville Rd	0.89	1300	R			NCL Purcellville; SR 7										04/25/2005
(611) Purcellville Rd	0.40	600	R			53-711 Allder School Rd										04/25/2005
(611) Purcellville Rd	1.60	440	R			0.40 MN 53-711										04/25/2005
(611) Purcellville Rd	0.51	390	R			2.00 MN 53-711										04/25/2005
(611) Purcellville Rd	1.53	310	R			SR 9 Charles Town Pike										04/25/2005
(611) Purcellville Rd	0.25	210	R			53-697 South Nixon Rd										04/25/2005
(611) Purcellville Rd	0.53	240	R			53-697 North Legard Farm Rd										04/25/2005
(611) Purcellville Rd	0.91	290	R			0.53 MN 53-697										04/25/2005
						1.44 MN 53-697										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(611) Purcellville Rd	0.09	110	R				1.44 MN	53-697				NA		NA		04/25/2005
								53-693 Morrisonville Rd								
(612) Tail Race Rd	3.21	180	R					US 50 John S Mosby Hwy				NA		NA		05/16/2005
								US 15 Monroe Hwy								
(613) Ticonderoga Rd	1.80	910	R					53-659 Gum Springs Rd				NA		NA		01/06/2005
								53-620 Braddock Rd								
(614) Beaver Meador Rd	1.60	760	R					53-606 Old Ox Rd				NA		NA		01/20/2005
								Dulles Airport								
(615) Old Carolina Rd	0.20	890	R					Prince William County Line				NA		NA		05/16/2005
								53-764 Buchannon Gap Rd				NA		NA		05/16/2005
(615) Old Carolina Rd	1.03	840	R					US 15 Monroe Hwy				NA		NA		05/16/2005
								53-620 Braddock Rd				NA		NA		01/10/2005
(616) Goshen Rd	1.92	740	R					1.92 MN 53-620				NA		NA		03/01/2002
(616) Goshen Rd	0.23	450	R					US 50 John S Mosby Hwy				NA		NA		01/10/2005
(616) Fleetwood Rd	0.07	590	R					0.07 MN US 50				NA		NA		1999
(616) Fleetwood Rd	2.43	380	R					53-621 Evergreen Mills Rd				NA		NA		1999
(617) Red Hill Rd	1.95	700	R					53-860 Watson Rd				NA		NA		01/20/2005
(617) Red Hill Rd	0.05	820	R					1.95 MN 53-860				NA		NA		01/20/2005
								53-621 Evergreen Mills Rd								
Fauquier County																
(618) Snake Den Rd	0.27	70	R					US 50 John S Mosby Hwy				NA		NA		03/02/2002
								Loudoun County Line								
Loudoun County																
(618) Snake Den Rd	0.63	70	N					Fauquier County Line				NA		NA		03/02/2002
								Dead End								
Fauquier County																
(619) Trappe Rd	0.20	490	R					US 50 John S Mosby Hwy				NA		NA		1999
								Loudoun County Line								
Loudoun County																
(619) Trappe Rd	2.10	490	N					Fauquier County Line				NA		NA		1999
								53-743 Millville Rd				NA		NA		05/19/2005
(619) Trappe Rd	3.00	280	R					53-765 Ridgeside Rd				NA		NA		05/19/2005
(619) Trappe Rd	1.30	170	R					53-719 Airmont Rd				NA		NA		05/19/2005
								53-705 Braddock; Lightridge Farm Rd				NA		NA		03/01/2002
(620) Braddock Rd	0.50	310	R					53-616 Goshen Rd				NA		NA		03/01/2002
(620) Braddock Rd	1.80	190	R					53-659 Gum Spring Rd				NA		NA		03/01/2002

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(620) Braddock Rd	2.98	4100	G	98%	0%	From: 53-659 Gum Spring Rd To: Fairfax County Line				C	0.119	F	0.788	4200	G	2007
(621) Bull Run Post Office Rd	0.28	570	R			From: Fairfax County Line To: 0.28 MN Fairfax County Line					NA			NA		01/06/2005
(621) Bull Run Post Office Rd	1.73	1700	R			From: 53-620 E, Braddock Rd To: 53-620 W, Braddock Rd					NA			NA		01/06/2005
(621) Elk Lick Rd	2.14	6300	R			From: US 50 E, John S Mosby Hwy To: US 50 W, John S Mosby Hwy					NA			NA		01/06/2005
(621) Vance Rd	0.05	190	R			From: 0.05 MN US 50 To: Dulles Airport					NA			NA		1999
(621) Evergreen Mills Rd	0.69	12000	G	92%	2%	2%	3%	1%	0%	F	0.104	F	0.736	12000	G	2007
(621) Evergreen Mills Rd	0.49	12000	G	92%	2%	2%	3%	1%	0%	F	0.104	F	0.69	12000	G	2007
(621) Evergreen Mills Rd	0.41	18000	G	92%	2%	2%	3%	1%	0%	F	0.093	F	0.645	18000	G	2007
(621) Evergreen Mills Rd	2.88	8600	G	92%	2%	2%	3%	1%	0%	F	0.114	F	0.708	8800	G	2007
(621) Evergreen Mills Rd	2.74	10000	G	92%	2%	2%	3%	1%	0%	C	0.116	F	0.785	10000	G	2007
(621) Evergreen Mills Rd	2.04	9300	G	92%	2%	2%	3%	1%	0%	F	0.105	F	0.765	9600	G	2007
(621) Evergreen Mills Rd	0.65	9500	G	92%	2%	2%	3%	1%	0%	F	0.103	F	0.759	9700	G	2007
(621) Evergreen Mills Rd	1.54	9800	G	92%	2%	2%	3%	1%	0%	F	0.103	F	0.730	10000	G	2007
(622) Shoemaker Sch Rd	1.54	290	R			From: 53-690 Silcott Springs Rd To: 53-611 N, Telegraph Springs Rd					NA			NA		05/17/2005
(622) Greggsville Rd	1.90	170	R			From: 53-611 S, Telegraph Springs Rd To: 53-728 North Fork Rd					NA			NA		05/17/2005
(622) Greggsville Rd	1.00	220	R			From: 53-630 JEB Stuart Rd To: Prince William County Line					NA			NA		05/17/2005
Fauquier County																
(623) Willisville Rd	0.03	850	G	97%	1%	From: US 50 John S Mosby Hwy To: Loudoun County Line				C	0.107	F	0.547	870	G	2007
(623) Willisville Rd	1.61	850	N	97%	1%	From: Fauquier County Line To: 53-743 Welbourne Rd				N	0.107	N	0.547	870	N	2007
(623) Willisville Rd	1.50	440	R			From: 1.50 MN 53-743 To: 53-626 Bloomfield Rd					NA			NA		05/17/2005
(624) Peach Orchard Lane	1.90	70	F	85%	1%	From: Prince William County Line To: 53-600 New Rd				C	0.2	F	0.667	70	F	2007

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(625) Mount Hope Rd	0.10	60	R								NA			NA		02/02/2002
						From: Dead End										
(625) Waxpool Rd	2.26	10000	G	97%	1%	1%	0%	0%	0%	C	0.096	F	0.591	10000	G	2007
						To: 53-659 S, Belmont Ridge Rd										
(625) Waxpool Rd	1.54	10000	G	97%	1%	1%	0%	0%	0%	F	0.095	F	0.617	10000	G	2007
						From: 53-643 Shellhorn Rd										
(625) Waxpool Rd	0.61	52000	G	97%	1%	1%	0%	0%	0%	F	0.086	F	0.701	53000	G	2007
						To: 53-640 Farmwell Rd										
(625) Waxpool Rd	1.37	52000	N	97%	1%	1%	0%	0%	0%	N	0.086	N	0.701	53000	N	2007
						From: 53-1950 Loudoun County Pkwy										
(625) Waxpool Rd	0.30	26000	G	98%	1%	1%	0%	0%	0%	C	0.091	F	0.522	28000	G	2007
						To: SR 28 Sully Rd										
(625) Church Rd	0.60	24000	G	98%	1%	1%	0%	0%	0%	F	0.085	F	0.547	26000	G	2007
						From: 53-859 Ruritan Circle, 53-868 Davis Dr										
(625) Church Rd	1.21	11000	G	98%	1%	1%	0%	0%	0%	C	0.088	F	0.549	12000	G	2007
						To: 53-637 Cascades Pkwy										
(625) Church Rd	0.27	10000	F	99%	0%	1%	0%	0%	0%	C	0.096	F	0.534	11000	F	2007
						From: 53-846 Sterling Blvd N										
(625) Church Rd	0.33	70	G	98%	1%	1%	0%	0%	0%	F	0.12	F	0.667	80	G	2007
						To: 53-1516 W, Oak Tree Lane										
(625) Church Rd	0.26	10000	G	98%	1%	1%	0%	0%	0%	F	0.099	F	0.543	11000	G	2007
						From: 53-1516 E, Elm Tree Lane										
						To: 53-604 Alcott Way										
(626) The Plains Rd	0.10	2400	G	97%	1%	1%	1%	1%	0%	C	0.112	F	0.726	2400	G	2007
						From: Fauquier County Line										
						To: SCL Middleburg										
Town of Middleburg																
(626) The Plains Rd	0.21	2400	N	97%	1%	1%	1%	1%	0%	N	0.112	N	0.726	2400	N	2007
						From: SCL Middleburg										
(626) Foxcroft Rd	0.20	2000	R								NA			NA		1999
						To: US 50 John S Mosby Hwy										
						From: NCL Middleburg										
Loudoun County																
(626) Foxcroft Rd	4.62	910	R								NA			NA		05/19/2005
						From: NCL Middleburg										
(626) Foxcroft Rd	1.30	1300	R								NA			NA		05/19/2005
						To: 53-611 Saint Louis Rd										
						From: 53-630 E, Unison Rd										
(626) Bloomfield Rd	0.10	960	R								NA			NA		05/19/2005
						To: 53-630 W, Unison Rd										
(626) Bloomfield Rd	0.17	1100	R								NA			NA		05/19/2005
						From: 0.10 MN 53-630										
(626) Bloomfield Rd	0.56	60	R								NA			NA		03/02/2002
						To: 53-736 Furr Rd										
(626) Bloomfield Rd	0.59	350	R								NA			NA		05/19/2005
						From: 0.56 MW 53-736										
(626) Bloomfield Rd	0.85	230	R								NA			NA		05/19/2005
						To: 53-623 Willisville Rd										
						From: 53-719 E, Airmont Rd										
(626) Foggy Bottom Rd	1.04	160	R								NA			NA		05/19/2005
						To: 53-719 W, Airmont Rd										
(626) Foggy Bottom Rd	0.97	310	R								NA			NA		05/19/2005
						From: 53-739 Austin Grove Rd										
						To: 53-765 Ridgeside Rd										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(626) Foggy Bottom Rd	1.01	480	R				From: 53-765 Ridgeside Rd				NA			NA		02/02/2002
(626) Foggy Bottom Rd	1.30	840	R				From: 53-759 Hollow Oak Rd				NA			NA		05/12/2005
(627) Parsons Rd	1.30	100	R				From: 53-734 Snickersville Rd				NA			NA		03/02/2002
(627) Parsons Rd	1.30	100	R				From: Fauquier County Line				NA			NA		03/02/2002
(627) Carters Farm Lane	0.70	700	R				From: US 50 W, John S Mosby Hwy				NA			NA		05/18/2005
(627) Carters Farm Lane	0.70	700	R				From: US 50 E, John S Mosby Hwy				NA			NA		05/18/2005
(627) Carters Farm Lane	2.60	170	R				From: 53-838 Oakham Rd				NA			NA		05/18/2005
(627) Carters Farm Lane	2.60	170	R				From: 53-734 Snickersville Tpke				NA			NA		05/18/2005
(628) Fred Warren Lane	0.45	10	R				From: Fauquier County Line; 30-628 Logans Mill Rd				NA			NA		02/02/2002
(628) Fred Warren Lane	0.45	10	R				From: Dead End				NA			NA		02/02/2002
(629) Champe Ford Rd	2.10	230	R				From: Fauquier County Line				NA			NA		05/16/2005
(629) Cobb House Rd	1.00	340	R				From: US 50 E, John S Mosby Hwy				NA			NA		05/16/2005
(629) Cobb House Rd	1.00	340	R				From: US 50 W, John S Mosby Hwy				NA			NA		05/16/2005
(630) Quaker Lane	1.70	200	R				From: 53-734 Snickersville Tpke				NA			NA		05/16/2005
(630) Unison Rd	0.94	130	R				From: 53-743 Welbourne Rd				NA			NA		05/17/2005
(630) Unison Rd	0.94	130	R				From: 53-790 Newlin Mill Rd				NA			NA		05/17/2005
(630) Unison Rd	0.36	410	R				From: 0.94 ME 53-790				NA			NA		05/17/2005
(630) Unison Rd	0.20	480	R				From: 53-626 W, Bloomfield Rd				NA			NA		05/17/2005
(630) Unison Rd	0.20	480	R				From: 53-626 E, Foxcroft Rd				NA			NA		05/17/2005
(630) Unison Rd	1.50	390	R				From: 53-700 Woodtrail Rd				NA			NA		05/17/2005
(630) Unison Rd	0.45	420	R				From: 53-611 Saint Louis Rd				NA			NA		05/17/2005
(630) Jeb Stuart Rd	1.35	430	R				From: 53-746 Beaverdam Br Rd				NA			NA		05/17/2005
(630) Jeb Stuart Rd	0.10	170	R				From: 53-734 W, Snickersville Tpke				NA			NA		05/17/2005
(630) Jeb Stuart Rd	0.20	370	R				From: 53-730 Colchester Rd				NA			NA		05/17/2005
(630) Jeb Stuart Rd	0.30	210	R				From: 53-622 Greggsville Rd				NA			NA		05/17/2005
(630) Jeb Stuart Rd	1.00	250	R				From: 53-734 E, Snickersville Tpke				NA			NA		05/17/2005
(631) New Mountain Rd	0.30	390	R				From: 53-764 Buchannon Gap Rd				NA			NA		05/16/2005
(631) New Mountain Rd	1.70	710	R				From: 53-780 Mossridge Rd				NA			NA		05/16/2005
(631) New Mountain Rd	1.70	710	R				From: US 50 John S Mosby Hwy				NA			NA		05/16/2005
(632) Aldie Dam Rd	1.80	130	R				From: Dead End				NA			NA		02/02/2002
(632) Aldie Dam Rd	1.80	130	R				From: US 50 John S Mosby Hwy				NA			NA		02/02/2002

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(633) Sally Mill Rd	0.20	30	R								NA			NA		02/02/2002
						From: Dead End										
(633) Sally Mill Rd	0.70	230	R								NA			NA		05/16/2005
						From: 53-858 Potts Mill Rd										
						To: US 50 John S Mosby Hwy										
(634) Moran Rd	1.02	7800	G	91%	1%	2%	5%	1%	0%	C	0.113	F	0.772	8500	G	2007
						From: 53-789 Lockridge Rd										
(634) Moran Rd	0.53	870	G	91%	1%	2%	5%	1%	0%	F	0.111	F	0.526	950	G	2007
						From: 53-875 Powers Ct										
						To: 53-625 Waxpool Rd										
(635) Douglas Ct	0.19	210	R								NA			NA		1999
						From: 53-606 Old Ox Rd										
						To: Cul-de-Sac										
(636) Shaw Rd	0.20	30	R								NA			NA		1999
						From: Dead End										
(636) Shaw Rd	0.95	14000	R								NA			NA		01/25/2005
						From: 53-606 Old Ox Rd										
(636) Shaw Rd	0.62	9800	R								NA			NA		01/25/2005
						From: 53-846 Sterling Blvd										
(636) Shaw Rd	0.40	8900	R								NA			NA		01/25/2005
						From: 53-775 Green Rd										
(636) Shaw Rd	0.11	7800	R								NA			NA		1999
						From: 53-625 Church Rd										
						To: SR 28 Sully Rd										
(637) Cascades Pkwy	1.19	27000	G	98%	0%	1%	0%	0%	0%	C	0.093	F	0.549	30000	G	2007
						From: 53-625 Church Rd										
(637) Potomac View Rd	0.95	8300	G	98%	0%	1%	0%	0%	0%	F	0.094	F	0.549	9000	G	2007
						From: 53-1794 Cascades Pkwy										
(637) Potomac View Rd	0.89	13000	G	98%	1%	1%	0%	0%	0%	F	0.084	F	0.525	14000	G	2007
						From: SR 7 Harry Byrd Hwy										
(637) Potomac View Rd	0.28	8200	G	98%	1%	1%	0%	0%	0%	F	0.094	F	0.527	9000	G	2007
						From: 53-839 Jefferson Dr; 53-1701 Sugarland Run Dr										
(637) Potomac View Rd	0.91	9800	G	98%	1%	1%	0%	0%	0%	C	0.117	F	0.638	11000	G	2007
						From: 53-1702 Willow Place										
						To: 53-1582 Algonkian Pkwy										
(638) Maries Rd	1.27	480	R								NA			NA		04/05/2005
						From: 53-637 Cascades Pkwy										
(638)	0.61	720	R								NA			NA		1999
						From: 53-843										
(638)	0.04	1100	R								NA			NA		01/06/2005
						From: 0.61 MW 53-843										
						To: SR 28 Sully Rd										
(639) Willard Rd	0.60	310	R								NA			NA		1999
						From: US 50 John S Mosby Hwy										
						To: Dulles Airport										
(640) Farmwell Rd	0.56	28000	G	98%	1%	1%	0%	1%	0%	F	0.089	F	0.643	30000	G	2007
						From: 53-641 Ashburn Rd										
(640) Farmwell Rd	0.80	39000	G	98%	1%	1%	0%	1%	0%	C	0.086	F	0.711	43000	G	2007
						From: Ashburn Village Blvd										
						To: 53-607 Smith Switch Rd										
(641)	0.15	2000	R								NA			NA		01/25/2005
						From: 53-625 Waxpool Rd										
						To: 53-643 Shellhorn Rd										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(641) Ashburn Rd	1.04	7500	G	98%	1%	1%	0%	0%	0%	F	0.120	F	0.556	7700	G	2007
						From: 53-643 Shellhorn Rd										
(641) Ashburn Rd	0.76	11000	G	98%	1%	1%	0%	0%	0%	F	0.103	F	0.585	11000	G	2007
						From: 53-640 Farmwell Rd; 53-900										
(641) Ashburn Rd	0.32	15000	G	98%	1%	1%	0%	0%	0%	F	0.117	F	0.673	15000	G	2007
						From: 53-677 Partlow										
(641) Ashburn Rd	1.87	19000	G	98%	1%	1%	0%	0%	0%	C	0.096	F	0.525	19000	G	2007
						From: 53-647 Stubble Rd										
						To: SR 7 Harry F Byrd Hwy										
(642) Hearford Lane	0.40	10	R								NA			NA		03/02/2002
						From: Dead End										
(642) Hay Rd	1.80	2800	R								NA			NA		01/20/2005
						From: 53-659 Belmont Ridge Rd										
(642) Jenkins Lane	0.20	240	R								NA			NA		1999
						From: 53-641 Ashburn Rd										
						To: Dead End										
(643) Shellhorn Rd	1.74	3000	G	92%	3%	3%	2%	1%	0%	F	0.096	F		3000	G	2007
						From: 53-1950 Loudoun County Pkwy										
(643) Shellhorn Rd	0.20	4600	G	92%	3%	3%	2%	1%	0%	F	0.141	F	0.682	4700	G	2007
						From: 53-625 E, Waxpool Rd										
						To: 53-625 W, Waxpool Rd										
(643) Sycolin Rd	0.84	2500	G	92%	3%	3%	2%	1%	0%	F	0.126	F	0.748	2600	G	2007
						From: 53-641 Ashburn Rd										
						To: 53-659 Belmont Ridge Rd										
(643) Sycolin Rd	1.62	3200	G	92%	3%	3%	2%	1%	0%	F	0.142	F	0.804	3300	G	2007
						From: 0.84 MNW 53-659										
						To: 0.59 MNW 53-648										
(643) Sycolin Rd	0.27	2500	G	92%	3%	3%	2%	1%	0%	F	0.124	F	0.777	2600	G	2007
						From: 0.59 MN 53-648										
						To: 53-653 S, Shreve Mill Rd										
(643) Sycolin Rd	1.20	3700	G	92%	3%	3%	2%	1%	0%	C	0.132	F	0.797	3800	G	2007
						From: SCL Leesburg										
						To: Dead End										
(644) Little Spring Rd	0.05	30	R								NA			NA		1999
						From: Dead End										
						To: US 15 James Monroe Hwy										
(645) Croson Lane	1.00	100	R								NA			NA		03/02/2002
						From: Dead End										
						To: 53-772 Ryan Rd										
(646) Alford Rd	0.40	50	R								NA			NA		03/02/2002
						From: Dead End										
						To: 53-659 Belmont Ridge Rd										
(647) Stubble Rd	0.56	1400	G	98%	1%	1%	0%	0%	0%	C	0.115	F	0.543	1400	G	2007
						From: 53-641 Ashburn Rd										
						To: Dead End										
(648) Gulick Mill Rd	1.41	80	R								NA			NA		03/02/2002
						From: Dead End										
						To: 53-643 Sycolin Rd										
(649) Hogeland Mill Rd	0.40	50	R								NA			NA		1999
						From: 53-621 Evergreen Mills Rd										
						To: Dead End										
(650) Oatlands Rd	3.80	610	R								NA			NA		05/16/2005
						From: 53-734 Snickersville Rd										
						To: US 15 S, James Monroe Hwy										
(650) Oatlands Mill Rd	1.35	330	R								NA			NA		05/16/2005
						From: US 15 MID; James Monroe Hwy										
						To: 53-771 The Woods Rd										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(650) Gleedsville Rd	0.55	490	R								NA			NA		05/16/2005
(650) Gleedsville Rd	0.44	310	R								NA			NA		05/16/2005
(650) Gleedsville Rd	2.36	1100	R								NA			NA		01/20/2005
(651) Gap Rd	0.80	260	R								NA			NA		05/16/2005
(651) Hogback Mountain Rd	2.00	340	R								NA			NA		05/16/2005
(652) Gant Rd	0.60	30	R								NA			NA		03/02/2002
(653) Cochran Mill Rd; Shreve	1.20	280	G	61%	3%	6%	23%	8%	0%	F	0.149	F	0.552	290	G	2007
(653) Cochran Mill Rd	0.60	270	G	61%	3%	6%	23%	8%	0%	F	0.137	F	0.667	280	G	2007
(653) Cochran Mill Rd	1.70	260	G	61%	3%	6%	23%	8%	0%	F	0.160	F	0.517	270	G	2007
(653) Cochran Mill Rd	0.10	1200	G	61%	3%	6%	23%	8%	0%	F	0.137	F	0.51	1200	G	2007
(653) Cochran Mill Rd	0.90	2700	G	61%	3%	6%	23%	8%	0%	C	0.103	F	0.504	2700	G	2007
(655) Whites Ferry Rd	1.30	1700	R								NA			NA		1999
(656) Hibler Rd	1.50	150	R								NA			NA		03/02/2002
(657) Spinks Ferry Rd	1.50	380	R								NA			NA		04/27/2005
(657) Spinks Ferry Rd	1.10	280	R								NA			NA		04/27/2005
(657) Spinks Ferry Rd	0.80	220	R								NA			NA		04/27/2005
(657) Spinks Ferry Rd	0.90	70	R								NA			NA		03/02/2002
(658) Evans Pond Rd	1.50	670	R								NA			NA		04/27/2005
(658) Saint Clair Lane	1.90	510	R								NA			NA		04/27/2005
(659) Gum Spring Rd	2.60	11000	G	88%	1%	2%	7%	1%	0%	F	0.100	F	0.836	12000	G	2007
(659) Gum Spring Rd	1.72	11000	G	88%	1%	2%	7%	1%	0%	F	0.099	F	0.811	11000	G	2007

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(659) Gum Spring Rd	2.02	13000	G	88%	1%	2%	7%	1%	0%	C	0.092	F	0.784	13000	G	2007
						From: 53-620 Braddock Rd										
(659) Gum Spring Rd	1.06	7600	G	88%	1%	2%	7%	1%	0%	F	0.080	F	0.574	7800	G	2007
						From: US 50 John S Mosby Hwy										
(659) Belmont Ridge Rd	2.34	10000	G	88%	1%	2%	7%	1%	0%	F	0.088	F	0.643	11000	G	2007
						From: 53-621 E, Evergreen Mills Rd										
(659) Belmont Ridge Rd	1.69	9900	G	88%	1%	2%	7%	1%	0%	F	0.082	F	0.521	10000	G	2007
						From: 53-772 Ryan Rd										
(659) Belmont Ridge Rd	1.80	9100	G	88%	1%	2%	7%	1%	0%	F	0.084	F	0.555	9300	G	2007
						From: 53-625 N, Waxpool Rd										
(659) Belmont Ridge Rd	0.35	15000	G	91%	2%	2%	4%	1%	0%	F	0.099	F	0.65	15000	G	2007
						From: SR 267 Dulles Greenway										
(659) Belmont Ridge Rd	0.47	18000	G	91%	2%	2%	4%	1%	0%	F	0.083	F	0.703	19000	G	2007
						From: 53-900 Ashburn Farm										
(659) Belmont Ridge Rd	1.66	18000	G	91%	2%	2%	4%	1%	0%	C	0.085	F	0.623	18000	G	2007
						From: 53-642 N, Hearford Lane										
(659) Belmont Ridge Rd	0.99	15000	G	91%	2%	2%	4%	1%	0%	F	0.09	F	0.656	15000	G	2007
						From: 53-2150 Gloucester Pkwy										
(659) Belmont Ridge Rd	0.43	NA									NA			NA		
						From: SR 7 Harry Byrd Hwy										
(659) Belmont Ridge Rd	0.45	NA									NA			NA		
						From: 53-2401 Riverside Pkwy										
						To: Cul-de-Sac										
(660) Nolands Ferry Rd	0.90	140	R								NA			NA		03/02/2002
						From: 53-662 Lost Corner Rd										
						To: Dead End										
(661) Montresor Rd	3.10	250	R								NA			NA		04/27/2005
						From: 53-662 W, Stumptown Rd										
(661) Limestone School Rd	2.20	520	R								NA			NA		04/27/2005
						From: US 15 N, James Monroe Hwy										
(661) Limestone School Rd	1.10	470	R								NA			NA		04/27/2005
						From: US 15 S, James Monroe Hwy										
(661) Spinks Ferry Rd	0.20	270	R								NA			NA		04/27/2005
						From: 53-656 Hibler Rd										
(661) Chapel Lane	1.30	150	R								NA			NA		04/27/2005
						From: 53-657 W, Spinks Ferry Rd										
						To: 53-657 E, Spinks Ferry Rd										
(662) Loudoun Orchard Rd	0.45	410	R								NA			NA		05/25/2005
						From: 53-662 E, Lucketts Rd										
(662) Loudoun Orchard Rd	0.85	340	R								NA			NA		05/25/2005
						From: 53-797 Mount Gilead Rd										
(662) Loudoun Orchard Rd	0.40	320	R								NA			NA		05/25/2005
						From: 53-608 Foxhill Rd										
(662) Loudoun Orchard Rd	0.60	300	R								NA			NA		05/25/2005
						From: 0.85 ME 53-608										
(662) Canby Rd	1.10	160	R								NA			NA		05/25/2005
						From: 53-729 Shelburne Glebe Rd										
(662) Canby Rd	0.50	190	R								NA			NA		04/27/2005
						From: 53-704 Harmony Church Rd										
(662) Canby Rd	0.30	270	R								NA			NA		04/27/2005
						From: 53-820 Thomas Mill Rd										
						To: 53-707 Digges Valley Rd										
						From: 53-795 Surreyfield Way										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(662) Canby Rd	0.81	60	R								NA			NA		02/02/2002
(662) Canby Rd	0.49	450	R								NA			NA		04/27/2005
(662) Simpson Circle	1.02	1100	R								NA			NA		04/27/2005
(662) Clarks Gap Rd	2.40	3600	G	96%	1%	1%	1%	0%	0%	C	0.105	F	0.786	3700	G	2007
(662)	0.75	2200	R								NA			NA		04/27/2005
(662) Clover Hill Rd	1.20	240	R								NA			NA		04/27/2005
(662) Clover Hill Rd	1.40	700	R								NA			NA		04/27/2005
(662) Stumptown Rd	3.02	1500	R								NA			NA		04/27/2005
(662) Stumptown Rd	0.54	1300	R								NA			NA		04/27/2005
(662) Stumptown Rd	0.16	370	R								NA			NA		1999
(662) Lucketts Rd	2.00	1100	R								NA			NA		04/27/2005
(662) Lost Corner Rd	2.00	600	R								NA			NA		04/27/2005
(663) Tollhouse Rd	0.69	130	R								NA			NA		03/02/2002
(663) Tollhouse Rd	0.21	120	R								NA			NA		04/28/2005
(663) Wenner Rd	0.94	570	R								NA			NA		04/28/2005
(663) Quarter Branch Rd	0.40	360	R								NA			NA		04/28/2005
(663) Quarter Branch Rd	1.70	260	R								NA			NA		04/28/2005
(663) Downey Mill Rd	0.90	280	R								NA			NA		04/28/2005
(663) Downey Mill Rd	0.60	220	R								NA			NA		04/28/2005
(663) Downey Mill Rd	1.40	140	R								NA			NA		04/28/2005
(663) Downey Mill Rd	0.07	80	R								NA			NA		02/02/2002
(663) Downey Mill Rd	0.01	670	R								NA			NA		04/28/2005
(663) Taylorstown Rd	0.21	1000	G	96%	1%	1%	1%	0%	0%	C	0.103	F	0.848	1100	G	2007
(663) Taylorstown Rd	0.23	800	R								NA			NA		04/28/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(663) Taylorstown Rd	0.38	830	R								NA		NA			04/28/2005
(663) Taylorstown Rd	1.32	850	R								NA		NA			04/28/2005
(663) Taylorstown Rd	2.75	980	R								NA		NA			04/28/2005
(664) Wilt Store Rd	1.80	280	R								NA		NA			04/28/2005
(665) High St/Butchers Row	0.52	2500	G	93%	1%	2%	3%	2%	0%	F	0.108	F	0.687	2500	G	2007
(665) Loyalty Rd	1.73	1200	G	93%	1%	2%	3%	2%	0%	C	0.102	F	0.613	1300	G	2007
(665) Loyalty Rd	3.50	440	G	93%	1%	2%	3%	2%	0%	F	0.127	F	0.691	450	G	2007
(665) Furnace Mountain Rd	2.40	140	R								NA		NA			03/02/2002
(666) Browns Lane	1.20	410	R								NA		NA			02/02/2002
(667) Yakey Lane	1.11	120	R								NA		NA			03/02/2002
(668) Taylorstown Rd	1.91	950	G	96%	1%	1%	1%	1%	0%	C	0.113	F	0.653	970	G	2007
(668) Ropp Lane	1.30	390	R								NA		NA			03/02/2002
(669) Tankerville Rd	0.89	150	R								NA		NA			04/28/2005
(669) Tankerville Rd	0.03	90	R								NA		NA			03/02/2002
(670) Folly Lane	1.20	300	R								NA		NA			03/02/2002
(671) Harpers Ferry Rd	1.44	4300	G	92%	1%	2%	3%	2%	0%	C	0.085	F	0.764	4400	G	2007
(671) Harpers Ferry Rd	1.84	3900	G	94%	1%	2%	2%	2%	0%	C	0.087	F	0.791	4000	G	2007
(671) Harpers Ferry Rd	3.48	4000	G	94%	1%	2%	2%	2%	0%	F	0.084	F	0.85	4100	G	2007
(671) Harpers Ferry Rd	0.79	4100	G	94%	1%	2%	2%	2%	0%	F	0.091	F	0.642	4200	G	2007
Town of Lovettsville																
(672) Lovettsville Rd	0.08	2700	G	94%	1%	3%	1%	1%	0%	C	0.086	F	0.614	2700	G	2007

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(672) Lovettsville Rd	3.03	2700	N	94%	1%	From: ECL Lovettsville				N	0.086	N	0.614	2700	N	2007
(672) Lovettsville Rd	2.64	1800	G	94%	1%	From: 53-667 Yakey; 53-668 E. Ropp Lane				F	0.1	F	0.768	1800	G	2007
						To: US 15 James Monroe Hwy										
(673) Evan Rd	0.50	120	R			From: 53-680 Axline Rd							NA	NA		05/02/2005
(673) Evan Rd	0.70	180	R			From: 53-675 Fry Farm Rd							NA	NA		05/02/2005
						To: 53-690 Mountain Rd										
(673) Irish Corner Rd	0.30	670	G	95%	2%	2%	0%	1%	0%	F	0.114	F	0.531	680	G	2007
(673) Irish Corner Rd	0.32	840	G	95%	2%	2%	0%	1%	0%	C	0.096	F	0.597	870	G	2007
						From: 53-853 Long Lane										
(673) Irish Corner Rd/Broad	1.53	1600	G	95%	2%	2%	0%	1%	0%	F	0.085	F	0.579	1700	G	2007
						From: 53-852 Georges Mill Rd										
						To: WCL Lovettsville										
Town of Lovettsville																
(673) Irish Corner Rd/Broad	0.30	1600	N	95%	2%	2%	0%	1%	0%	N	0.085	N	0.579	1700	N	2007
						From: WCL Lovettsville										
(673) Broad Way East	0.22	3800	G	95%	1%	2%	1%	1%	0%	C	0.103	F	0.632	3900	G	2007
						From: SR 287 Berlin Tpke										
(673) Broad Way East	0.07	3400	G	95%	1%	2%	1%	1%	0%	F	0.108	F	0.710	3500	G	2007
						From: 53-796 Loudoun St										
(673) Broad Way East	0.25	4300	G	95%	1%	2%	1%	1%	0%	F	0.097	F	0.67	4400	G	2007
						From: 53-1503 Locust St										
						To: 53-672 SCL Lovettsville										
Loudoun County																
(673) Milltown Rd	2.05	320	R			From: 53-672 SCL Lovettsville							NA	NA		05/02/2005
						To: 53-681 S. Orrison Rd										
(673) Featherbed Lane	2.70	110	R			From: 53-665 N, Loyalty Rd							NA	NA		05/02/2005
						To: 53-665 S, Loyalty Rd										
(673) Bald Hill Rd	2.00	220	R			From: 53-663 Taylorsville Rd							NA	NA		05/02/2005
						To: Dead End										
(674) Dutchmans Creek Rd	1.40	90	R			From: 53-663 Tollhouse Rd							NA	NA		03/02/2002
						To: 53-854 Purcell Rd										
(674) Dutchmans Creek Rd	0.41	290	R			From: 0.52 MS 53-854							NA	NA		04/28/2005
						To: 53-673 Irish Corner Rd										
(674) Dutchmans Creek Rd	0.52	80	R			From: 53-673 Evan Rd							NA	NA		03/02/2002
						To: WCL Lovettsville										
(674) Dutchmans Creek Rd	0.10	110	R			From: 53-673 Irish Corner Rd							NA	NA		04/28/2005
						To: 53-673 Evan Rd										
(675) Fry Farm Rd	1.07	100	R			From: WCL Lovettsville							NA	NA		05/02/2005
						To: WCL Lovettsville										
Town of Lovettsville																
(675) Fry Farm Rd	0.10	440	R			From: WCL Lovettsville							NA	NA		1999
						To: 53-1648 Milhoven Dr										
(675) Church St S	0.18	430	R			From: 53-1644 Fox Meadow Dr							NA	NA		1999
						To: 53-1644 Fox Meadow Dr										
(675) Church St S	0.10	580	R			From: SR 287 Berlin Tpke							NA	NA		1999
						To: SR 287 Berlin Tpke										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(676) Lutheran Church Rd	0.80	210	R			From: 53-680 Axline Rd						NA		NA		05/02/2005
(676) Lutheran Church Rd	0.40	300	R			To: SR 287 Berlin Tpke						NA		NA		05/02/2005
(676) Everhart Rd	0.20	210	R			From: 53-678 Lutheran Church Rd						NA		NA		03/02/2002
						To: Dead End										
(677) Partlow Rd	0.24	830	R			From: 53-1849 Preddy Ct						NA		NA		02/07/2005
						To: 53-641 Ashburn Rd										
(678) Lutheran Church Rd	0.60	300	R			From: 53-682 Rodeffer Rd						NA		NA		1999
						To: 53-676 Everhart Rd										
(679) Woodland Rd	0.26	70	R			From: 53-1902						NA		NA		1999
(679) Woodland Rd	0.15	180	R			From: 53-889 Cedar Lane						NA		NA		1999
(679) Woodland Rd	0.13	260	R			To: Ashgrove Court						NA		NA		1999
(679) Woodland Rd	0.19	300	R			From: Stonetree Court						NA		NA		1999
						To: 53-637 Cascades Pkwy										
(680) Axline Rd	0.40	210	R			From: 53-682 Householder Rd						NA		NA		05/02/2005
(680) Axline Rd	0.50	200	R			To: 53-676 Lutheran Church Rd						NA		NA		05/02/2005
(680) Axline Rd	0.45	130	R			From: 53-673 Elvan Rd						NA		NA		05/02/2005
(680) Axline Rd	0.95	250	R			To: 53-850 Picnic Woods Rd						NA		NA		05/02/2005
						From: 53-690 Mountain Rd										
(681) Milltown Rd	3.37	1200	R			From: 53-698 Old Wheatland Rd						NA		NA		1999
(681) Milltown Rd	0.88	1100	R			To: 53-682 S, Compher Rd						NA		NA		1999
(681)	0.70	140	R			From: 53-673 Featherbed Rd						NA		NA		03/02/2002
						To: 53-673 Featherbed Lane; Milltown Rd										
(681)	0.57	60	R			From: Dead End						NA		NA		03/02/2002
						To: 53-663										
(682) Britain Rd	0.15	260	R			From: 53-690 Mountain Rd						NA		NA		05/02/2005
(682) Britain Rd	0.85	250	R			To: 0.15 MS 53-690						NA		NA		1999
(682) Householder Rd	1.19	NA				From: 53-850 S, Picnic Woods Rd						NA		NA		
						To: 53-850 N, Picnic Woods Rd.										
(682) Householder Rd	0.46	720	R			From: 53-680 Axline Rd						NA		NA		05/02/2005
						To: SR 287 N, Berlin Tpke										
(682) Rodeffer Rd	0.40	360	R			From: SR 287 S, Berlin Tpke						NA		NA		05/02/2005
						To: 53-678 Lutheran Church Rd										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(682) Rodeffer Rd	1.50	220	R											NA		05/02/2005
(682) Compher Rd	0.10	40	R											NA		03/02/2002
(683) Branchriver Rd	0.07	180	R											NA		05/04/2005
(683) Branchriver Rd	1.00	90	R											NA		1999
(684) Snider Lane	0.20	150	R											NA		02/02/2002
(685) Arnold Lane	1.00	20	R											NA		03/02/2002
(686) Sawmill Rd	1.00	70	R											NA		02/02/2002
(687) Sagle Rd	2.40	270	R											NA		05/04/2005
(688) Simmons Rd	0.65	80	R											NA		03/02/2002
(689) Creamer Lane	0.80	200	R											NA		03/02/2002
(690) Silcott Springs Rd	2.87	3800	G	93%	1%	3%	2%	1%	0%	C	0.094	F	0.506	3900	G	2007
(690) Silcott Springs Rd/32nd	2.08	4600	G	93%	1%	3%	2%	1%	0%	F	0.090	F	0.521	4700	G	2007
Town of Purcellville																
(690) Silcott Springs Rd/32nd	0.53	4600	N	93%	1%	3%	2%	1%	0%	N	0.090	N	0.521	4700	N	2007
(690) 23rd St; Hillsboro Rd	0.10	1800	R											NA		1999
(690) Hillsboro Rd	0.58	5300	G	96%	1%	2%	1%	1%	0%	F	0.088	F	0.505	5400	G	2007
Loudoun County																
(690) Hillsboro Rd	1.47	4700	G	96%	1%	2%	1%	1%	0%	F	0.104	F	0.745	4800	G	2007
(690) Hillsboro Rd	2.62	3800	G	96%	1%	2%	1%	1%	0%	C	0.108	F	0.759	3900	G	2007
(690) Hillsboro Rd	0.32	3700	G	96%	1%	2%	1%	1%	0%	F	0.102	F	0.778	3800	G	2007
(690) Mountain Rd	1.74	1300	G	94%	1%	2%	2%	1%	0%	F	0.114	F	0.787	1300	G	2007
(690) Mountain Rd	1.51	790	G	94%	1%	2%	2%	1%	0%	C	0.117	F	0.733	810	G	2007

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(690) Mountain Rd	0.94	690	G	94%	1%	From: 53-693 Morrisonville Rd				F	0.112	F	0.526	710	G	2007
(690) Mountain Rd	2.87	500	G	94%	1%	From: 53-682 Britain Rd				F	0.11	F	0.533	510	G	2007
(691) Rehobeth Church Rd	0.80	200	R			From: 53-673 Irish Corner Rd								NA		05/03/2005
(691) Bolington Rd	0.05	440	R			From: 53-692 E, Rickard Rd								NA		05/03/2005
(691) Bolington Rd	1.21	230	R			From: 53-692 W, Rickard Rd								NA		05/03/2005
(691) Bolington Rd	1.39	120	R			From: SR 287 Berlin Tpke								NA		05/03/2005
(692) Rickard Rd	0.80	170	R			From: 53-850 Picnic Woods Rd								NA		05/03/2005
(692) Rickard Rd	0.40	380	R			From: 53-693 Morrisonville Rd								NA		05/03/2005
(692) Bolington Rd	1.40	210	R			From: SR 287 Berlin Tpke								NA		05/03/2005
(692) Rocky Lane	0.30	80	R			From: 53-691 W, Bolington Rd 53-691 E, Rehobeth Ch Rd								NA		03/02/2002
(693) Morrisonville Rd	1.65	240	R			From: 53-681 N, Milltown Rd 53-681 S, Milltown Rd								NA		05/03/2005
(693) Morrisonville Rd	1.50	810	R			From: Dead End								NA		05/03/2005
(693) Ash George Rd	1.35	250	R			From: 53-690 Mountain Rd								NA		05/03/2005
(694) John Wolford Rd	0.81	120	R			From: 53-850 Woods Rd								NA		03/02/2002
(694) John Wolford Rd	2.35	230	R			From: SR 287 Berlin Tpke								NA		03/02/2002
(694) John Wolford Rd	0.45	330	R			From: 53-693 George Rd								NA		05/03/2005
(694) The Narrows Rd	0.40	190	R			From: 53-681 Milltown Rd								NA		02/02/2002
(695) Creek Lane	0.70	120	R			From: Dead End								NA		02/02/2002
(696) Polecat Hill Rd	1.30	140	R			From: 53-662 Clover Hill Rd								NA		03/02/2002
(697) Legard Farm Rd	0.90	160	R			From: Dead End								NA		05/09/2005
(697) Nixon Rd	0.20	200	R			From: 53-690 Mountain Rd								NA		05/09/2005
(697) Nixon Rd	0.80	270	R			From: 53-611 N, Purcellville Rd 53-611 S, Purcellville Rd								NA		05/09/2005
						From: 53-768 Beamertown Rd								NA		05/09/2005
						From: SR 287 Berlin Tpke										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(698) Old Wheatland Rd	2.95	330	R								NA			NA		05/03/2005
			From: SR 9 Charles Town Pike													
(698) Old Wheatland Rd	0.20	980	R								NA			NA		05/03/2005
			To: 53-681 Milltown Rd													
(698) Water St	0.20	470	R								NA			NA		05/03/2005
			From: 53-662 W, Clover Hill Rd													
			To: 53-662 E, Main St													
(698) Old Waterford Rd	1.80	650	R								NA			NA		05/03/2005
			From: 53-665 W, Butchers Row													
			To: 53-665 E, Loyalty Rd													
(698) Old Waterford Rd	1.80	890	R								NA			NA		05/03/2005
			From: 53-703 Hurley Lane													
(698) Old Waterford Rd	1.39	490	R								NA			NA		05/03/2005
			From: 53-755 Nestlewood Rd													
(698) Old Waterford Rd	0.31	540	R								NA			NA		05/03/2005
			From: 1.39 MS 53-755													
			To: NCL Leesburg													
(699) Dry Mill Rd	0.06	5600	G	98%	0%	1%	0%	0%	0%	C	0.218	F	0.949	5700	G	2007
			From: WCL Leesburg													
(699) Dry Mill Rd	0.65	4800	G	98%	0%	1%	0%	0%	0%	F	0.186	F	0.974	4900	G	2007
			From: 53-1015													
(699) Dry Mill Rd	2.04	2800	R								NA			NA		05/05/2005
			From: 53-820 Thomas Mill Rd													
			To: SR 7 Harry Byrd Hwy													
(700) Woodtrail Rd	0.40	180	R								NA			NA		05/19/2005
			From: 53-630 Unison Rd													
(700) Woodtrail Rd	2.10	220	R								NA			NA		05/19/2005
			From: 53-756 Poor House Lane													
			To: 53-719 Airmont Rd													
(701) Otley Rd	0.70	80	R								NA			NA		05/26/2005
			From: 53-735 Black Oak Rd													
			To: 53-690 Silcott Springs Rd													
(702) Koerner Lane	0.10	260	R								NA			NA		1999
			From: 53-690 Hillsboro Rd													
(702) Koerner Lane	0.40	90	R								NA			NA		1999
			From: 0.10 ME 53-690													
			To: Dead End													
(703) Hurley Lane	0.75	710	R								NA			NA		05/03/2005
			From: 53-662 Clarkes Gap Rd													
(703) Hurley Lane	0.65	250	R								NA			NA		05/03/2005
			From: 0.75 ME 53-662													
			To: 53-698 Old Waterford Rd													
(704) Harmony Church Rd	3.21	3600	G	96%	1%	2%	1%	1%	0%	C	0.126	F	0.851	3700	G	2007
			From: US 15 James Monroe Hwy													
(704) Harmony Church Rd	1.86	2800	G	96%	1%	2%	1%	1%	0%	F	0.122	F	0.792	2900	G	2007
			From: 53-725 Hughesville Rd													
(704) Harmony Church Rd	0.46	2900	G	96%	1%	2%	1%	1%	0%	F	0.126	F	0.813	3000	G	2007
			From: 53-707 Digges Valley Rd													
(704) Hamilton Station Rd	0.52	5100	G	96%	1%	2%	0%	0%	0%	F	0.098	F	0.836	5200	G	2007
			From: SR 7 BUS WEST													
			To: SR 7 BUS EAST													
(704) Hamilton Station Rd	0.47	2800	G	96%	1%	2%	0%	0%	0%	F	0.164	F	0.846	2900	G	2007
			From: Ramp to SR 7													
			To: 53-711 Piggott Bottom Rd													

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(704) Hamilton Station Rd	1.02	2200	G	96%	1%	2%	0%	0%	0%	C	0.23	F	0.859	2200	G	2007
						From: 53-711 Piggott Bottom Rd										
						To: SR 9 Charles Town Pike										
(704) Hamilton Station Rd	2.03	1200	G	96%	1%	2%	0%	0%	0%	F	0.113	F	0.517	1200	G	2007
						From: 53-662 Clarkes Gap Rd										
						To: US 15 James Madison Hwy										
(705) Braddock Rd	1.65	1300	R								NA			NA		01/10/2005
						From: 53-600 Lenah Rd, New Rd										
(705) Braddock Rd	0.62	240	R								NA			NA		1992
						From: Twin Pond Lane										
(705) Braddock Rd	1.13	270	R								NA			NA		1992
						From: 53-620 Braddock Rd										
(705) Lightridge Farm Rd	1.00	290	R								NA			NA		02/02/2002
						From: Randolph Lane										
(705) Lightridge Rd	1.80	280	R								NA			NA		02/02/2002
						From: Prince William County Line										
(706) Paynes Lane	0.10	320	R								NA			NA		03/02/2002
						From: Dead End										
						To: 53-704 S, Hamilton Station Rd										
(706) Irene Rd	0.70	490	R								NA			NA		05/05/2005
						From: 53-704 N, Hamilton Station Rd										
						To: 53-800 Meadowlark Dr										
(707) Digges Valley Rd	1.50	150	R								NA			NA		05/05/2005
						From: 53-704 Harmony Church Rd										
						To: 53-662 Canby Rd										
(708) Maryland Ave	0.23	70	R								NA			NA		05/10/2005
						From: 53-709 Ivandale Rd										
						To: 53-1102 Laycock St										
(709) Chappelle Hill Rd	0.80	150	R								NA			NA		03/02/2002
						From: 53-611 Telegraph Springs Rd										
						To: 53-722 S, Lincoln Rd										
(709) Sands Rd	1.15	230	R								NA			NA		04/25/2005
						From: 53-722 N, Lincoln Rd										
						To: 53-726 Taylor Rd										
(709) Sands Rd	0.75	1100	R								NA			NA		04/25/2005
						From: 53-710 Saint Paul St										
(709) Hughes St S	0.50	780	R								NA			NA		1999
						From: SCL Hamilton										
Town of Hamilton																
(709) Hughes St S	0.11	780	N								NA			NA		1999
						From: SCL Hamilton										
						To: SR 7 W, West Colonial										
(709) Ivandale Rd	0.16	1300	R								NA			NA		1999
						From: SR 7 E, West Colonial										
						To: NCL Hamilton										
Loudoun County																
(709) Ivandale Rd	0.06	1300	N								NA			NA		1999
						From: NCL Hamilton										
						To: 53-708 Maryland Ave										
(709) Ivandale Rd	1.20	570	R								NA			NA		1999
						From: 53-711 Piggott Bottom Rd										
						To: 53-709 Hughes St S										
(710) S Saint Paul St	0.46	1000	R								NA			NA		1999
						From: SCL Hamilton										
						To: SCL Hamilton										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Hamilton																
(710) S Saint Paul St	0.19	1000	N				SCL Hamilton					NA		NA		1999
							SR 7 BUS; West Colonial									
Loudoun County																
(711) Williams Gap Rd	2.10	220	R				SR 7 Harry Byrd Hwy					NA		NA		03/02/2002
(711) Williams Gap Rd	2.10	390	R				53-712 S, Scotland Heights Rd					NA		NA		04/25/2005
(711) Allder School Rd	1.20	420	R				53-719 S, Woodgrove Rd 53-719 N, Woodgrove Rd					NA		NA		04/25/2005
(711) Allder School Rd	0.10	250	R				53-716 W, Ketocin Church Rd					NA		NA		04/25/2005
(711) Allder School Rd	0.20	370	R				53-716 E, Short Hill Rd					NA		NA		03/02/2002
(711) Alder School Rd	0.30	420	R				0.20 ME 53-716 EAST					NA		NA		04/25/2005
(711) Allder School Rd	1.39	790	R				53-690 Hillsboro Rd					NA		NA		04/25/2005
(711) Allder School Rd	1.26	340	R				53-611 Purcellville Rd					NA		NA		04/25/2005
(711) Piggott Bottom Rd	1.40	400	R				SR 287 N, Berlin Tpke SR 287 S, Berlin Tpke					NA		NA		04/25/2005
(711) Piggott Bottom Rd	1.70	340	R				53-709 Ivandale Rd					NA		NA		04/25/2005
(712) Yatton Rd	0.30	45	R				Dead End					NA		NA		03/02/2002
(712) Yatton Rd	0.94	170	R				53-719 Airmont Rd					NA		NA		05/04/2005
(712) Yatton Rd	0.26	190	R				0.94 MN 53-719					NA		NA		05/04/2005
(712) Scotland Heights Rd	1.40	430	R				Bus SR 7 SR 7					NA		NA		05/04/2005
(712) Wilsons Gap Rd	0.55	20	R				53-711 S, Williams Gap Rd 53-711 N, Williams Gap Rd					NA		NA		03/02/2002
(713) Appalachian Trail Rd	0.60	140	R				Dead End					NA		NA		03/02/2002
(714) Shannondale Rd	1.30	70	R				53-719 Woodgrove Rd					NA		NA		03/02/2002
(715) Neer Lane	0.60	90	R				53-716 Edgegrove Rd					NA		NA		03/02/2002
(716) Osburn Rd	0.52	150	R				Dead End					NA		NA		03/02/2002
(716) Ketocin Church Rd	1.11	150	R				53-751 Cider Mill Rd					NA		NA		03/02/2002
(716) Ketocin Church Rd	2.40	420	R				53-720 Bell Rd					NA		NA		02/02/2002
(716) Ketocin Church Rd	1.11	150	R				FR 961					NA		NA		05/04/2005
(716) Ketocin Church Rd	2.40	420	R				53-711 W, Allder School Rd 53-711 E, Allder School Rd					NA		NA		05/04/2005
							53-719 N, Woodgrove Rd									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(716) Edgegrove Rd	1.40	120	R			From: 53-719 S. Woodgrove Rd					NA			NA		05/04/2005
(716) Edgegrove Rd	0.40	110	R			From: 53-714 Shanondale Rd					NA			NA		05/04/2005
						To: 53-751 Cider Mill Rd										
(717) Baker Mill Rd	0.50	20	R			From: Dead End					NA			NA		03/02/2002
						To: SR 287 Berlin Tpke										
(718) Ashbury Church Rd	1.56	340	R			From: 53-690 Hillsboro Rd					NA			NA		05/04/2005
						To: SCL Hillsboro										
Town of Hillsboro																
(718) Ashbury Church Rd	0.02	340	N			From: SCL Hillsboro					NA			NA		05/04/2005
						To: ECL Hillsboro										
Loudoun County																
(718) Ashbury Church Rd	0.02	340	N			From: ECL Hillsboro					NA			NA		05/04/2005
						To: 53-812 Gaver Mill Rd										
Fauquier County																
(719) Greengarden Rd	0.23	150	R			From: US 50 John S Mosby Hwy					NA			NA		03/02/2002
						To: Loudoun County Line										
Loudoun County																
(719) Greengarden Rd	1.91	150	N			From: Fauquier County Line					NA			NA		03/02/2002
						To: 53-743 Millville Rd										
(719) Greengarden Rd	2.29	660	G	94%	1%	2%	2%	1%	0%	F	0.116	F	0.508	670	G	2007
						From: 53-619 Trappe Rd										
(719) Airmont Rd	2.15	670	G	94%	1%	2%	2%	1%	0%	F	0.101	F	0.558	690	G	2007
						From: 53-736 Furr Rd										
(719) Airmont Rd	1.98	1100	G	94%	1%	2%	2%	1%	0%	F	0.099	F	0.532	1100	G	2007
						From: 53-700 Woodtrail Rd										
(719) Airmont Rd	0.12	1400	G	94%	1%	2%	2%	1%	0%	F	0.103	F	0.579	1400	G	2007
						From: 53-734 Snickersville Tpke										
(719) Airmont Rd	2.50	2000	G	94%	1%	2%	2%	1%	0%	F	0.096	F	0.641	2100	G	2007
						From: 53-712 Yatton Rd										
(719) New Cut Rd	0.84	2300	G	94%	1%	2%	2%	1%	0%	C	0.094	F	0.615	2400	G	2007
						To: SCL Round Hill										
Town of Round Hill																
(719) New Cut Rd	0.17	2300	N	94%	1%	2%	2%	1%	0%	N	0.094	N	0.615	2400	N	2007
						From: Bus SR 7, Loudoun St										
(719) Main St	0.38	3000	G	97%	0%	1%	0%	2%	0%	F	0.108	F	0.587	3100	G	2007
						From: 53-1308 Hampton Rd										
(719) Woodgrove Rd	0.06	1900	G	97%	0%	1%	0%	2%	0%	C	0.1	F	0.506	1900	G	2007
						To: NCL Round Hill										
Loudoun County																
(719) Woodgrove Rd	2.24	1200	F	96%	2%	2%	0%	0%	0%	C	0.14	F	0.614	1200	F	2007
						From: 53-761 Sunny Ridge Rd										
(719) Woodgrove Rd	2.11	950	G	97%	0%	1%	0%	2%	0%	F	0.093	F	0.617	980	G	2007
						From: 53-751 Cider Mill Rd										
(719) Stony Point Rd	1.29	470	G	97%	0%	1%	0%	2%	0%	F	0.128	F	0.583	480	G	2007
						To: SR 9 Charles Town Pike										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(720) Bell Rd	1.50	740	R			From: 53-719 Woodgrove Rd					NA			NA		05/04/2005
						To: Bus SR 7 Loudoun St East										
(721) Crooked Run Lane	0.15	190	R			From: 53-726 Taylor Rd					NA			NA		03/02/2002
						To: Dead End										
(722) Cockerill Rd	0.80	160	R			From: Dead End					NA			NA		03/02/2002
						To: 53-728 E, North Fork Rd										
(722) Lincoln Rd	2.89	1700	R			From: 53-728 W, North Fork Rd					NA			NA		05/26/2005
						To: 53-725 Hughesville Rd										
(722) Lincoln Rd	0.81	2500	R			From: 53-723 Foundry Rd					NA			NA		05/26/2005
						To: 53-1610; A Street E										
(722) Maple Ave S	0.30	2200	R			From: SCL Purcellville					NA			NA		1999
						To: SCL Purcellville										
Town of Purcellville																
(722) Maple Ave S	0.35	2200	N			From: Bus SR 7; W Main St					NA			NA		1999
						To: NCL Purcellville										
(722) Maple Ave N	0.55	4900	R			From: NCL Purcellville					NA			NA		01/12/2005
						To: NCL Purcellville										
Loudoun County																
(722) Maple Ave N	0.17	1200	R			From: FR 962; Gap Terminus					NA			NA		1999
						To: Dead End; Gap Terminus										
(722) Saint Francis Ct	0.60	9700	R			From: SR 287 Berlin Tpke					NA			NA		05/05/2005
						To: 53-725 Hughesville Rd										
(723) Foundry Rd	1.25	230	R			From: 53-722 Lincoln Rd					NA			NA		05/26/2005
						To: Dead End										
(724) Hertz Rd	0.11	49	R			From: 53-729 Shelburne Glebe Rd					NA			NA		03/02/2002
						To: 53-734 Snickersville Tpke										
(725) Paxson Rd	1.60	230	R			From: 53-719 Airmont Rd					NA			NA		05/25/2005
						To: 53-735 Black Oak Rd										
(725) Paxson Rd	1.30	130	R			From: 53-690 Silcott Springs Rd					NA			NA		05/25/2005
						To: Dead End; Gap Terminus										
(725) Paxson Rd	0.90	170	R			From: Dead End; Gap Terminus					NA			NA		05/25/2005
						To: 53-611 W, Telegraph Springs Rd										
(725) Bolyn Rd	0.30	130	R			From: 53-611 E, Telegraph Springs Rd					NA			NA		03/02/2002
						To: 53-722 Lincoln Rd										
(725) Hughesville Rd	0.80	260	R			From: 53-723 Foundry Rd					NA			NA		05/25/2005
						To: 53-722 Lincoln Rd										
(725) Hughesville Rd	0.90	210	R			From: 53-704 Harmony Church Rd					NA			NA		05/25/2005
						To: 53-723 Foundry Rd										
(725) Hughesville Rd	1.90	270	R			From: 53-704 Harmony Church Rd					NA			NA		05/25/2005
						To: 53-704 Harmony Church Rd										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(726) Taylor Rd	1.20	80	R								NA			NA		05/05/2005
(727) Forest Mills Rd	0.70	230	R								NA			NA		05/26/2005
(727) Forest Mills Rd	0.50	190	R								NA			NA		05/26/2005
(727) Forest Mills Rd	0.30	120	R								NA			NA		06/08/2005
(728) North Fork Rd	1.20	270	R								NA			NA		05/16/2005
(728) North Fork Rd	1.30	410	R								NA			NA		05/16/2005
(728) North Fork Rd	0.12	740	R								NA			NA		05/16/2005
(728) North Fork Rd	0.30	490	R								NA			NA		05/16/2005
(728) North Fork Rd	0.50	100	R								NA			NA		03/02/2002
(729) Shelburne Glebe Rd	1.07	150	R								NA			NA		03/02/2002
(729) Shelburne Glebe Rd	1.80	310	R								NA			NA		05/19/2005
(729) Shelburne Glebe Rd	1.81	390	R								NA			NA		05/19/2005
(729) Shelburne Glebe Rd	0.28	380	R								NA			NA		05/19/2005
(730) Colchester Rd	0.30	420	R								NA			NA		05/17/2005
(730) Colchester Rd	0.60	300	R								NA			NA		05/17/2005
(730) Colchester Rd	0.90	260	R								NA			NA		05/17/2005
(731) Hibbs Bridge Rd	1.40	130	R								NA			NA		05/18/2005
(731) Watermill Rd	2.10	590	R								NA			NA		05/18/2005
(732) Meetinghouse Lane	0.20	260	R								NA			NA		1999
(733) Turkey Roost Rd; Beave	1.60	310	R								NA			NA		05/16/2005
(733) Leith Lane	0.50	430	R								NA			NA		05/16/2005
(733) Mountville Rd	2.10	270	R								NA			NA		05/16/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(733) Lime Kiln Rd	0.90	510	G	97%	1%	2%	0%	0%	0%	F	0.129	F	0.817	520	G	2007
			From: 53-734 E. Snickersville Tpke													
			To: 53-763 Steptoe Hill Rd													
(733) Lime Kiln Rd	3.50	520	G	97%	1%	2%	0%	0%	0%	F	0.14	F	0.76	530	G	2007
			From: 3.50 ME 53-763													
(733) Lime Kiln Rd	1.13	1000	G	97%	1%	2%	0%	0%	0%	C	0.120	F	0.818	1000	G	2007
			From: 53-899 Pon Farr Ct													
			To: US 15 James Monroe Hwy													
(734) Snickersville Tpke	0.72	380	R								NA			NA		05/26/2005
			From: SR 7 Harry Byrd Hwy													
			To: 53-760 Clayton Hall Rd													
(734) Snickersville Tpke	0.65	2100	G	97%	1%	2%	0%	1%	0%	F	0.098	F	0.507	2100	G	2007
			From: 53-626 Foggy Bottom Rd													
(734) Snickersville Tpke	1.48	1100	G	97%	1%	2%	0%	1%	0%	F	0.104	F	0.614	1100	G	2007
			From: 53-725 Paxson Rd													
(734) Snickersville Tpke	1.02	1100	G	97%	1%	2%	0%	1%	0%	F	0.108	F	0.628	1200	G	2007
			From: 53-719 Airmont Rd													
(734) Snickersville Tpke	2.38	1200	G	97%	1%	2%	0%	1%	0%	F	0.100	F	0.714	1300	G	2007
			From: 53-611 Telegraph Springs Rd													
(734) Snickersville Tpke	3.52	1100	G	97%	1%	2%	0%	1%	0%	C	0.102	F	0.667	1100	G	2007
			From: 53-733 W. Mountville Rd													
(734) Snickersville Tpke	0.59	1700	G	97%	1%	2%	0%	1%	0%	F	0.101	F	0.739	1700	G	2007
			From: 53-733 E. Lime Kiln Rd													
(734) Snickersville Tpke	1.09	1400	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.631	1500	G	2007
			From: 53-748 Sam Fred Rd													
(734) Snickersville Tpke	3.55	1200	G	98%	1%	1%	0%	0%	0%	C	0.101	F	0.641	1200	G	2007
			From: US 50 John S Mosby Hwy													
(735) Black Oak Rd	1.80	40	R								NA			NA		05/26/2005
			From: 53-734 Snickersville Tpke													
			To: 53-725 Paxson Rd													
(736) Furr Rd	1.80	140	R								NA			NA		05/18/2005
			From: 53-626 Bloomfield Rd													
			To: 53-719 Airmont Rd													
(737) Piney Swamp Rd	0.82	50	R								NA			NA		03/02/2002
			From: 53-719 Greengarden Rd													
			To: Dead End													
(738) Hampton Rd	1.67	410	R								NA			NA		05/09/2005
			From: 53-711 Piggott Bottom Rd													
			To: SR 9 Charles Town Pike													
(739) Austin Grove Rd	1.40	150	R								NA			NA		05/19/2005
			From: 53-765 Ridgeside Rd													
			To: 53-626 Foggy Bottom Rd													
(740) Tutt Lane	0.87	30	R								NA			NA		03/02/2002
			From: Dead End													
(740) Tutt Lane	0.73	260	R								NA			NA		05/10/2005
			From: 0.87 ME Dead End													
			To: US 15 James Monroe Hwy													
(741) Markey Ct	0.07	1200	R								NA			NA		09/05/2002
			From: Cul-de-Sac													
			To: 53-634 Moran Rd													
(742) Poland Rd	1.88	5300	R								NA			NA		01/06/2005
			From: Fairfax County Line													
			To: US 50 John S Mosby Hwy													

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(743) Millville Rd	1.30	300	R								NA			NA		05/18/2005
(743) Millville Rd	1.20	610	G	97%	1%	2%	1%	0%	0%	C	0.120	F	0.529	620	G	2007
(743) Welbourne Rd	0.52	280	R								NA			NA		05/18/2005
(743) Welbourne Rd	1.70	360	R								NA			NA		05/18/2005
(743) Welbourne Rd	0.10	380	R								NA			NA		05/18/2005
(743) Millville Rd	2.20	260	R								NA			NA		03/02/2002
(744) Snake Hill Rd	0.20	170	R								NA			NA		05/18/2005
(744) Snake Hill Rd	1.00	190	R								NA			NA		05/18/2005
(744) Snake Hill Rd	0.60	280	R								NA			NA		05/18/2005
(744) Snake Hill Rd	0.70	250	R								NA			NA		05/18/2005
(745) Pot House Rd	0.90	100	R								NA			NA		05/18/2005
(745) Mountville Rd	0.80	230	R								NA			NA		1999
(746) Beaverdam Br Rd	1.60	220	R								NA			NA		05/18/2005
(747) Berryman Lane	0.45	100	R								NA			NA		03/02/2002
(748) Melmore Pl	0.31	270	R								NA			NA		1999
(748) Sam Fred Rd	3.40	780	R								NA			NA		05/16/2005
(749) Francis Mill Rd	0.70	9	R								NA			NA		03/02/2002
(750) Heskett Lane	1.40	200	R								NA			NA		03/02/2002
(751) Cider Mill Rd	1.50	620	R								NA			NA		05/04/2005
(752) Virts Lane	0.45	9	R								NA			NA		03/02/2002
(753) Railroad St	0.22	150	R								NA			NA		03/02/2002

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(754) Kirk Branch Rd	1.20	90	R													03/02/2002
(755) Nestlewood Rd	0.30	60	R													03/02/2002
(756) Poor House Lane	1.20	60	R													05/19/2005
(757) Wrights Lane	0.50	50	R													03/02/2002
(758) Stevens Rd	1.60	360	R													05/02/2005
(759) Hollow Oak Rd	0.50	80	R													05/19/2005
(760) Clayton Hall Rd	0.36	1700	G	97%	0%	2%	0%	0%	0%	C	0.093	F	0.536	1800	G	2007
(761) Sunny Ridge Rd	2.00	70	R													1999
(762) Lickey Mill Rd	0.40	110	R													03/02/2002
(762) Lickey Mill Rd	1.10	110	R													1999
(763) Steptoe Hill	1.10	140	R													1999
(764) Buchannon Gap Rd	0.45	120	R													1999
(764) Buchannon Gap Rd	0.70	200	R													05/19/2005
(765) Ridgeside Rd	0.50	190	R													05/19/2005
(765) Ridgeside Rd	1.90	160	R													05/19/2005
(766) Llangollen Rd	1.60	240	R													1999
(767) Leith Lane	1.00	90	R													03/02/2002
(768) Beamertown Rd	0.13	20	R													03/02/2002
(769) Woodburn Rd	0.20	970	R													05/26/2005
(769) Woodburn Rd	1.50	830	R													05/26/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(769) Woodburn Rd	0.33	310	R			From: 1.22 MN 53-1058					NA			NA		04/12/2005
(769) Woodburn Rd	0.37	640	R			From: 53-1016 Sydnor Hill Ct					NA			NA		04/12/2005
(770) Dunlop Mill Rd	0.80	90	R			From: 53-699 Dry Mill Rd					NA			NA		05/26/2005
(770) Dunlop Mill Rd						To: 53-797 Mount Gilead Rd										
(771) The Woods Rd	1.80	280	R			From: 53-704 Harmony Church Rd					NA			NA		04/14/2005
(771) The Woods Rd						To: 53-650 Gleedsville Rd										
(772) Ryan Rd	2.02	3600	R			From: 53-621 Evergreen Mills Rd					NA			NA		04/14/2005
(772) Ryan Rd	2.25	4600	G	90%	1%	From: 53-659 Belmont Ridge Rd				C	0.093	F	0.625	4700	G	2007
(772) Ryan Rd	1.94	4900	G	90%	1%	From: 53-645 Croson Lane				F	0.095	F	0.640	5000	G	2007
(772) Ryan Rd						To: 53-625 Waxpool Rd										
(773) River Creek Pkwy	0.44	14000	G	98%	1%	From: ECL Leesburg South				F	0.089	F	0.694	14000	G	2007
(773) River Creek Pkwy	1.18	6700	G	98%	1%	From: Fort Evans Rd				F	0.101	F	0.610	6800	G	2007
(773) Edwards Ferry	1.28	5200	G	98%	1%	From: Lake Ridge Place				C	0.107	F	0.648	5300	G	2007
(773) Edwards Ferry						To: ECL Leesburg North										
(774) Creighton Rd	1.10	50	R			From: 53-659 Belmont Ridge Rd					NA			NA		03/02/2002
(774) Creighton Rd						To: Dead End										
(775) Cedar Green Rd	1.25	8300	R			From: 53-606 Old Ox Rd					NA			NA		01/25/2005
(775) Cedar Green Rd	0.26	7400	R			From: SR 28 Sully Rd					NA			NA		01/25/2005
(775) Cedar Green Rd	0.50	6300	R			From: 53-636 Shaw Rd					NA			NA		01/25/2005
(775) Cedar Green Rd						To: 53-625 Church Rd										
(776) Landmark School Rd	0.51	1600	R			From: Fauquier County Line					NA			NA		05/26/2005
(776) Landmark School Rd						To: SCL Middleburg										
Town of Middleburg																
(776) Landmark School Rd	0.25	1600	N			From: SCL Middleburg					NA			NA		05/26/2005
(776) Landmark School Rd						To: US 50 John S Mosby Hwy										
Loudoun County																
(777) Tripleseven Rd	0.40	6000	R			From: 53-1795 Palisade Pkwy					NA			NA		04/07/2005
(777) Tripleseven Rd	0.28	4100	R			From: 53-1660 Westwick Ct					NA			NA		1999
(777) Tripleseven Rd	0.30	3500	R			From: 53-1629 Glade					NA			NA		1999
(777) Tripleseven Rd	0.14	630	R			From: 53-1626 Summer Breeze					NA			NA		1999
(777) Tripleseven Rd	0.18	500	R			From: 53-1627 Country					NA			NA		1999
(777) Tripleseven Rd						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(778) Cooksville Rd	0.30	150	R								NA			NA		03/02/2002
(779) Ebenezer Church Rd	1.50	120	R								NA			NA		05/19/2005
(779) Ebenezer Church Rd	1.00	160	R								NA			NA		05/19/2005
(780) Mossridge Rd	0.30	190	R								NA			NA		05/26/2005
(781) Catoctin Ridge	0.05	270	R								NA			NA		05/04/2005
(781) Catoctin Ridge	0.15	210	R								NA			NA		05/04/2005
(781) Catoctin Ridge	0.17	280	R								NA			NA		05/04/2005
(782) Tranquility Rd	1.80	960	R								NA			NA		05/05/2005
(783) Patrick St	0.10	300	R								NA			NA		05/10/2005
(784) Ward Hill Rd	0.40	80	R								NA			NA		05/25/2005
(785) Main St	0.15	410	R								NA			NA		05/10/2005
(786) Trinity Church Rd	0.30	90	R								NA			NA		03/02/2002
(787) Kidwell Rd	0.65	150	R								NA			NA		02/02/2002
(788) Hall Rd	0.15	40	R								NA			NA		1999
(788) Hall Rd	0.10	140	R								NA			NA		03/14/2005
(789) Lockridge Rd	1.14	830	R								NA			NA		02/02/2002
(790) Newlin Mill Rd	2.05	200	R								NA			NA		05/19/2005
(791) Lakefield Rd	0.60	170	R								NA			NA		02/02/2002
(792) Thomas Ave	0.19	440	R								NA			NA		02/07/2005
(792) Thomas Ave	0.04	530	R								NA			NA		02/07/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(793) Lake Dr	0.25	80	R				From: 53-792 Thomas Ave					NA		NA		1999
							To: Cul-de-Sac									
(794) Guinea Bridge Rd	0.13	50	R				From: Dead End					NA		NA		02/02/2002
							To: 53-611 Telegraph Springs Rd									
(795) Surreyfield Way	0.09	45	R				From: Cul-de-Sac					NA		NA		1999
							To: 53-662 Canby Rd									
Town of Lovettsville																
(796) Loudoun St S	0.66	1500	R				From: SR 287 Berlin Tpke					NA		NA		1999
							To: 53-673 Broadway East									
Loudoun County																
(797) Mount Gilead Rd	1.00	190	R				From: Dead End					NA		NA		03/02/2002
							To: 53-662 Loudoun Orchard Rd									
(797) Mount Gilead Rd	1.80	130	R				From: 53-770 Dunlop Mill Rd					NA		NA		03/02/2002
							To: 53-704 Harmony Church Rd									
(797) Mount Gilead Rd	1.00	340	R				From: 53-780 Mossridge Rd					NA		NA		05/25/2005
							To: Dead End									
(798) Bowmantown Rd	0.20	110	R				From: 53-663 Downey Mill Rd					NA		NA		03/02/2002
							To: Dead End									
(799) Booth Rd	0.50	280	R				From: 53-668 Taylorstown Rd					NA		NA		04/28/2005
							To: 53-668 Taylorstown Rd									
(800) Meadowlark Dr	0.03	90	R				From: Dead End					NA		NA		03/25/2002
							To: 53-706 Irene Rd									
(800) Meadowlark Dr	1.61	450	R				From: 53-662 Simpson Circle					NA		NA		05/04/2005
							To: 53-662 Simpson Circle									
(801) Hoysville Rd	0.21	20	R				From: 53-663 Downey Mill Rd					NA		NA		04/28/2005
							To: 53-668 Taylorstown Rd									
(802) Highland Circle	0.30	110	R				From: 53-662 S, Simpson Circle					NA		NA		05/04/2005
							To: 53-662 N, Simpson Circle									
(803) Forestgrove Rd	0.20	40	R				From: 53-769 Woodburn Rd					NA		NA		03/01/2002
							To: Dead End									
(804) Aldie Rd	0.25	330	R				From: 53-734 Snickersville Tpke					NA		NA		02/02/2002
							To: Dead End									
(805) Brockman Farm Lane	0.47	330	R				From: 53-1652 Lowes Island					NA		NA		03/02/2002
							To: Dead End									
(806) Janney St	0.10	60	R				From: 53-662 Second St					NA		NA		05/10/2005
							To: 53-665 High St									
(807) Sullivans Mill Rd	0.10	70	R				From: Fauquier County Line					NA		NA		05/25/2005
							To: 53-776 Landmark School Rd									
(808) Broad Run Dr	0.21	890	R				From: SR 7; SR 28					NA		NA		03/21/2005
							To: 53-809 Lakeside Dr									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(808) Broad Run Dr	0.39	790	R			From: 53-809 Lakeside Dr					NA		NA			03/21/2005
(808) Broad Run Dr	0.37	710	R			To: 53-810 Persimmon Lane					NA		NA			03/21/2005
(808) Broad Run Dr	0.23	690	R			From: 53-815 Dairy Lane					NA		NA			03/21/2005
						To: 53-818 Broad Run Dr										
(809) Lakeside Dr	0.10	1500	R			From: 53-808 Broad Run Dr					NA		NA			03/21/2005
(809) Lakeside Dr	0.13	260	R			To: 53-814 White Oak Dr					NA		NA			1999
						To: 53-813 Lakeside Dr										
(810) Persimmon Lane	0.09	70	R			From: Dead End					NA		NA			1999
(810) Persimmon Lane	0.10	410	R			To: 53-811 Youngs Cliff Rd					NA		NA			03/22/2005
(810) Persimmon Lane	0.08	710	R			From: 53-808 Broad Run Dr					NA		NA			03/22/2005
(810) Persimmon Lane	0.06	1100	R			To: 53-815 Dairy Lane					NA		NA			03/22/2005
(810) Persimmon Lane	0.02	1400	R			From: 53-814 W, White Oak Dr					NA		NA			03/22/2005
(810) Persimmon Lane	0.06	30	R			To: 53-814 E, Redrose Dr					NA		NA			1999
						To: Dead End										
(811) Youngs Cliff Rd	0.35	480	R			From: 53-810 Persimmon Lane					NA		NA			03/22/2005
(811) Youngs Cliff Rd	0.21	550	R			To: 53-815 Dairy Lane					NA		NA			03/22/2005
(811) Youngs Cliff Rd	1.70	430	R			From: 53-818 Broad Run Dr					NA		NA			1999
						To: Dead End										
(812) Gaver Mill Rd	0.27	440	R			From: 53-690 Hillsboro Rd					NA		NA			05/04/2005
(812) Gaver Mill Rd	0.10	140	R			To: 53-718 Ashbury Church Rd					NA		NA			1999
						To: SCL Hillsboro										
Town of Hillsboro																
(812) Gaver Mill Rd	0.10	140	N			From: SCL Hillsboro					NA		NA			1999
						To: SR 9 Charles Town Pike										
Loudoun County																
(813) Lakeside Dr	0.34	250	R			From: SR 7 Harry F Byrd Hwy					NA		NA			03/22/2005
						To: 53-809 Lakeside Dr										
(814) White Oak Dr	0.38	120	R			From: 53-809 Lakeside Dr					NA		NA			03/22/2005
(814) Redrose Dr	0.12	330	R			To: 53-810 W, Persimmon Lane					NA		NA			03/22/2005
						From: 53-810 E, Persimmon Dr					NA		NA			03/22/2005
(814) Redrose Dr	0.08	330	R			To: 53-816 Fellows St					NA		NA			03/22/2005
(814) Redrose Dr	0.18	80	R			From: 53-819 Mallard St					NA		NA			09/15/2002
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(815) Dairy Lane	0.12	620	R				From: 53-810 Persimmon Lane					NA		NA		03/22/2005
(815) Dairy Lane	0.10	240	R				To: 53-816 Fellows St					NA		NA		03/22/2005
(815) Dairy Lane	0.30	190	R				From: 53-819 Mallard St					NA		NA		03/22/2005
(815) Dairy Lane	0.10	570	R				To: 53-808 Broad Run Dr					NA		NA		03/22/2005
							From: 53-811 Youngs Cliff Rd									
(816) Fellows St	0.10	70	R				To: 53-815 Dairy Lane					NA		NA		03/22/2005
(816) Fellows St	0.01	130	R				From: 53-814 W, Redrose Dr					NA		NA		1999
							To: 53-814 E, Redrose Dr									
(817) Fulton Place	0.20	210	R				From: 53-662 Simpson Circle					NA		NA		05/09/2005
							To: 53-835 Peacock Circle									
(818) Broad Run Dr	0.10	220	R				From: 53-811 Youngs Cliff Dr					NA		NA		1999
							To: 53-808 Broad Run Dr									
(819) Mallard St	0.17	90	R				From: 53-815 Dairy Lane					NA		NA		03/22/2005
							To: 53-814 Redrose Dr									
(820) Thomas Mill Rd	1.65	830	R				From: 53-662 Canby Rd					NA		NA		05/25/2005
(820) Thomas Mill Rd	0.04	470	R				To: 1.65 ME 53-662					NA		NA		05/05/2005
							To: 53-699 Dry Mill Rd									
(821) Cedar Dr	0.58	520	R				From: SR 7 W, Harry F Byrd Hwy					NA		NA		02/07/2005
(821) Cedar Dr	0.15	970	R				To: 53-822 Leeland Orchard					NA		NA		02/07/2005
(821) Lakeland Dr	0.46	1400	R				From: 53-792 Thomas Ave					NA		NA		02/07/2005
							To: SR 7 E, Harry F Byrd Hwy									
(822) Leeland Orchard	0.03	20	R				From: 53-821					NA		NA		1999
							To: Dead End									
(823) Smith Circle	1.45	290	R				From: SR 7 W, Harry F Byrd Hwy					NA		NA		03/21/2005
							To: SR 7 E, Harry F Byrd Hwy									
(824) Oakgrove Rd	0.50	4800	R				From: 53-606 Old Ox Rd					NA		NA		03/14/2005
							To: 53-788 Hall Rd									
(825) Loudoun Heights Lane	0.25	60	R				From: Dead End					NA		NA		03/02/2002
							To: 53-671 Harpers Ferry Rd									
(826) Oak Lane	0.30	200	R				From: Dead End					NA		NA		1999
							To: 53-637 Potomac View Rd									
(827) Pinebrook Rd	0.90	400	R				From: Dead End					NA		NA		02/02/2002
							To: US 50 John S Mosby Hwy									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(828) Oliver	0.25	140	R			From: 53-781 Catoctin Ridge					NA		NA			05/04/2005
						To: 53-781 Catoctin Ridge										
(829) Island Ave	0.18	160	R			From: 53-823 Smith Circle					NA		NA			03/21/2005
						To: 53-830 Potomac Dr										
(830) Potomac Dr	0.11	30	R			From: Dead End					NA		NA			1999
						To: 53-829 Island Ave										
(830) Potomac Dr	0.16	70	R			From: 0.16 ME 53-829					NA		NA			03/21/2005
						To: 53-779 Ebenezer Church Rd										
(831) Yellow Schoolhouse Rd	1.45	230	R			From: 53-779 Ebenezer Church Rd					NA		NA			05/19/2005
						To: 53-734 Snickersville Tpke										
(831) Yellow Schoolhouse Rd	2.25	330	R			From: SR 7 Harry F Byrd Hwy					NA		NA			05/19/2005
						To: 53-779 Ebenezer Church Rd										
Fauquier County																
(832)	0.17	40	R			From: US 50 John S Mosby Hwy					NA		NA			1999
						To: Dead End										
Loudoun County																
(833) Turneysville Rd	0.08	110	R			From: Dead End					NA		NA			02/02/2002
						To: 53-671 Harpers Ferry Rd										
(834) Mountain View Dr	0.59	170	R			From: Dead End					NA		NA			1999
						To: 53-742 Poland Rd										
(835) Peacock Circle	0.10	60	R			From: Dead End					NA		NA			03/02/2002
						To: 53-817 Fulton Pl										
(836) Milton Ct	0.11	110	R			From: Dead End					NA		NA			02/02/2002
						To: 53-817 Fulton Pl										
(837) Dry Hollow Rd	0.30	46	R			From: US 15 King St					NA		NA			1999
						To: Balls Bluff Rd										
(838) Oakham Rd	0.50	40	R			From: US 50 John S Mosby Hwy					NA		NA			05/18/2005
						To: 53-627 Carters Farm Lane										
(839) Jefferson Dr	0.26	190	R			From: Dead End					NA		NA			1999
						To: 53-637 Potomac View Rd										
(840) Crouch St	0.10	30	R			From: Dead End					NA		NA			1999
						To: 53-839 Jefferson Dr										
(841) Oakland Green Rd	0.85	210	R			From: 53-727 Forest Mills Rd					NA		NA			05/26/2005
						To: 53-729 Shelburne Glebe Rd										
(842) Arcola Rd	0.59	340	R			From: 53-621 Evergreen Mills Rd					NA		NA			01/06/2005
						To: 53-606 Old Ox Rd										
(843)	0.33	30	R			From: Dead End					NA		NA			1999
						To: 53-638 Maries Rd										
(844) Thayer Rd	0.27	20	R			From: Dead End					NA		NA			1999
						To: 53-638 Maries Rd										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(845)	0.60	48	R								NA			NA		1999
(846) Sterling Blvd	1.03	31000	G	97%	1%	1%	1%	0%	0%	F	0.085	F	0.572	34000	G	2007
(846) Sterling Blvd	1.29	23000	G	97%	1%	1%	1%	0%	0%	C	0.09	F	0.603	25000	G	2007
(846) Sterling Blvd	1.02	23000	G	97%	1%	1%	1%	0%	0%	F	0.082	F	0.567	25000	G	2007
(846) Sterling Blvd	0.11	22000	G	97%	1%	1%	1%	0%	0%	F	0.081	F	0.532	24000	G	2007
(846) Cardinal Glen Circle	0.09	1600	R								NA			NA		1986
(846) Cardinal Glen Circle	0.24	790	R								NA			NA		1999
(846) Cardinal Glen Circle	0.09	700	R								NA			NA		1999
(846) Cardinal Glen Circle	0.34	920	R								NA			NA		1999
(846) Cardinal Glen Circle	0.10	520	R								NA			NA		1999
(846) Cardinal Glen Circle	0.05	540	R								NA			NA		1999
(846) Cardinal Glen Circle	0.06	910	R								NA			NA		1999
(846) Cardinal Glen Circle	0.06	800	R								NA			NA		1999
(847) Severn Way E	0.40	580	R								NA			NA		1999
(848) Holmes Mill Rd	0.90	49	R								NA			NA		03/02/2002
(849) Herndon Ct	0.12	110	R								NA			NA		1999
(850) Picnic Woods Rd	1.20	140	R								NA			NA		05/02/2005
(850) Picnic Woods Rd	1.00	250	R								NA			NA		05/02/2005
(851) Sally Ride	0.22	1400	R								NA			NA		09/15/2002
(852) Georges Mill Rd	0.10	310	R								NA			NA		1999
(852) Georges Mill Rd	1.20	2000	R								NA			NA		05/02/2005
(852) Georges Mill Rd	0.90	870	R								NA			NA		05/02/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(852) Georges Mill Rd	0.70	100	R			From: 53-758 N, Stevens Rd					NA			NA		03/02/2002
						To: Dead End										
(853) Long Lane	1.55	260	R			From: Dead End					NA			NA		03/02/2002
						To: 53-673 Irish Corner Rd										
(854) Purcell Rd	0.10	380	R			From: SR 287 Berlin Tpke					NA			NA		05/02/2005
						To: 0.10 MN SR 287										
(854) Purcell Rd	0.60	240	R			From: 53-674 Dutchmans Creek Rd					NA			NA		1999
						To: 53-674 Dutchmans Creek Rd										
Town of Lovettsville																
(855) Quarter Branch Rd	0.17	340	R			From: SR 287 Berlin Tpke					NA			NA		1999
						To: NCL Lovettsville										
Loudoun County																
(855) Quarter Branch Rd	0.33	550	R			From: NCL Lovettsville					NA			NA		04/28/2005
						To: 0.33 ME of NCL										
(855) Quarter Branch Rd	0.40	370	R			From: 53-663 Wenner Rd					NA			NA		04/28/2005
						To: 53-663 Quarter Branch Rd										
(856) Armistead Filler Lane	0.20	70	R			From: Dead End					NA			NA		03/02/2002
						To: Dulles Airport										
(857) Bears School Rd	0.82	40	R			From: 53-606 Old Ox Rd					NA			NA		01/20/2005
						To: 53-633 Sally Mill Rd										
(858) Potts Mill Rd	0.45	270	R			From: US 50 John S Mosby Hwy					NA			NA		05/18/2005
						To: 53-625 W, Church Rd										
(859) Ruritan Circle	0.28	510	R			From: 53-625 E, Church Rd					NA			NA		02/09/2005
						To: US 50 John S Mosby Hwy										
(860) Watson Rd	1.85	1700	R			From: 53-617 Red Hill Rd					NA			NA		01/12/2005
						To: 0.22 MN 53-617										
(860) Watson Rd	0.22	1500	R			From: 53-872 Lewis Ct					NA			NA		01/12/2005
						To: 0.10 MN 53-872										
(860) Watson Rd	0.70	1200	R			From: 53-871 Manor House Rd					NA			NA		04/14/2005
						To: 53-621 Evergreen Mills Rd										
(860) Watson Rd	0.65	1000	R			From: 53-621 Evergreen Mills Rd					NA			NA		04/14/2005
						To: 0.44 ME 53-621										
(861) Reservoir Rd	0.44	140	R			From: Dead End					NA			NA		1999
						To: Cul-de-Sac										
(862) Durham Ct	0.18	390	R			From: 53-653 Cochran Mill Rd					NA			NA		1999
						To: 53-653 Cochran Mill Rd										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(863) Highwater Rd	0.09	40	R				From: 53-719 Stony Point Rd				NA			NA		1999
							To: Dead End									
(864) Glenn Dr	0.54	8400	R				From: 53-868 Davis Dr				NA			NA		03/14/2005
							To: 53-890 Carpenter Dr									
(864) Glenn Dr	0.11	1900	R				From: 53-846 Sterling Blvd				NA			NA		1999
							To: Dead End									
(865) Acacia Dr	0.21	200	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-634 Moran Rd									
(866) Underwood Lane	0.31	1200	R				From: Dead End				NA			NA		1999
							To: 53-606 Old Ox Rd									
(867) Shepard Dr	0.25	3300	R				From: 53-864 Glenn Dr				NA			NA		03/14/2005
							To: 53-868 Davis Dr									
(868) Davis Dr	0.31	4400	R				From: 53-864 Glenn Dr				NA			NA		03/19/2005
							To: 53-890 Carpenter Dr									
(868) Davis Dr	0.06	5400	N				From: 53-846 Sterling Blvd				NA			NA		03/19/2005
							To: 53-846 Sterling Blvd									
(868) Davis Dr	0.11	5400	R				From: 53-867 Shepard Dr				NA			NA		03/19/2005
							To: 53-625 Church Rd									
(869) Bryant Ct	0.11	290	R				From: 53-775 Cedar Green Rd				NA			NA		1999
							To: Cul-de-Sac									
(870) Mullen Hill Rd	0.22	60	R				From: 53-673 S, Milltown Rd				NA			NA		04/25/2005
							To: 53-673 N, Milltown Rd									
(871) Manor House Rd	0.08	70	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-860 Watson Rd									
(872) Lewis Ct	0.15	80	R				From: 53-860 Watson Rd				NA			NA		1999
							To: Cul-de-Sac									
(873) Wade Dr	0.27	180	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-609 Pleasant Valley Rd									
(875) Powers Ct	0.13	150	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-634 Moran Rd									
(877) Racefield Lane	0.60	140	R				From: US 50 John S Mosby Hwy				NA			NA		1999
							To: Dead End									
(878) Glendale St	0.26	290	R				From: Dead End				NA			NA		1999
							To: 53-690 Silcott Springs Rd									
(879) Basswood Ct	0.23	170	R				From: Dead End				NA			NA		1999
							To: 53-878 Glendale St									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(885) Executive Dr	0.21	5200	R				From: 53-775 Cedar Green Rd				NA			NA		01/25/2005
(885) Executive Dr	0.21	920	R				From: 53-886 Lane Ct				NA			NA		1999
							To: Cul-de-Sac									
(886) Lane Ct	0.09	240	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-885 Executive Dr									
(889) Cedar Lane	0.16	210	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-679 Woodland Rd									
(890) Carpenter Dr	0.29	1700	R				From: 53-864 Glenn Dr				NA			NA		04/20/2005
							To: 53-868 Davis Dr									
(899) Pon Farr	0.06	30	R				From: 53-733 Lime Kiln Rd				NA			NA		09/05/2002
							To: Cul-de-Sac									
(900) Ashburn Farm	0.55	8300	G	97%	1%	1%	0%	1%	0%	F	0.101	F	0.568	8500	G	2007
(900) Ashburn Farm Pkwy	0.50	11000	G	97%	1%	1%	0%	1%	0%	F	0.095	F	0.549	11000	G	2007
							From: 53-1899 Hollyberry Ct									
(900) Ashburn Farm Pkwy	0.36	21000	G	97%	1%	1%	0%	1%	0%	F	0.1	F	0.572	21000	G	2007
							From: 53-901 Claiborne Pkwy									
(900) Ashburn Farm Pkwy	0.28	26000	G	97%	1%	1%	0%	1%	0%	C	0.104	F	0.572	26000	G	2007
							From: 53-1880 Windmill Dr									
(900) Ashburn Farm Pkwy	0.14	25000	G	97%	1%	1%	1%	0%	0%	C	0.106	F	0.578	26000	G	2007
							From: 53-1867 Stonecrop Pl									
(900) Ashburn Farm Pkwy	0.14	25000	G	97%	1%	1%	1%	0%	0%	F	0.096	F	0.603	26000	G	2007
							From: 53-1862 Summerwood Circle									
(900) Ashburn Farm Pkwy	0.13	25000	G	97%	1%	1%	1%	0%	0%	F	0.095	F	0.600	26000	G	2007
							From: 53-1850 W. Meadow Circle									
(900) Ashburn Farm Pkwy	0.13	27000	G	97%	1%	1%	1%	0%	0%	F	0.090	F	0.589	28000	G	2007
							From: 53-1850 E; 53-1862									
							To: 53-641; 53-640 Ashburn Farmwell									
(901) Claiborne Pkwy	0.59	NA					From: 53-2600				NA			NA		
							To: 53-625 Waxpool Rd									
(901) Claiborne Pkwy	0.45	NA					From: 53-2330				NA			NA		
							To: 53-642 Hay Rd									
(901) Claiborne Pkwy	1.70	16000	G	99%	0%	0%	1%	0%	0%	C	0.101	F	0.592	16000	G	2007
							From: Cul-de-Sac									
(950) Ariane Way	0.15	NA					From: Dead End				NA			NA		
							To: 53-606 Old Ox Rd									
(951) Falcon Pl	0.29	140	R				From: Cul-de-Sac				NA			NA		09/05/2002
							To: 53-950 Ariane Way									
(1001) Woodside Pl	0.73	520	R				From: 53-650 Gleedsville Rd				NA			NA		1999
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1002)	0.52	NA														
(1002)	0.18	50	R													1999
(1003)	Oatlands Chase Pl	0.42	210	R												1999
(1004)	Holiday Dr	0.13	910	R												1999
(1005)	Terminal Dr	0.23	2100	R												1994
(1007)		0.74	NA													
(1008)	Oak Bucket	0.10	110	R												04/20/2005
(1008)	Oak Bucket	0.16	100	R												04/20/2005
(1009)	Partridge	0.20	250	R												1999
(1009)	Partridge	0.16	330	R												1999
(1010)	Connemara Dr	0.05	70	R												1999
(1010)		0.18	760	R												1999
(1010)		0.06	790	R												1999
(1011)	Edenberry Ct	0.09	180	R												1999
(1012)	Tramore Ct	0.10	150	R												1999
(1013)		0.11	NA													
(1015)	Rt 1015	0.08	1800	R												1999
(1016)	Sydnor Hill Ct	0.24	210	R												1999
(1017)		0.25	120	R												1999
(1018)	Bridge View Ct	0.13	30	R												1999

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1020) Cabin Branch Dr	0.05	880	R				From: 53-637 Cascades Pkwy					NA		NA		1999
(1020) Cabin Branch Dr	0.05	660	R				To: 53-1021 Morning Way					NA		NA		02/09/2005
(1020) Cabin Branch Dr	0.06	550	R				From: 53-1022 Midday Lane					NA		NA		02/09/2005
(1020) Cabin Branch Dr	0.08	140	R				To: 53-1024 Branchwood Way					NA		NA		1999
							From: Cul-de-Sac									
(1021) Morning Way	0.08	190	R				To: Cul-de-Sac					NA		NA		1999
							From: 53-1020 Cabin Branch Dr									
(1022) Midday Lane	0.13	330	R				To: 53-1023 Evening Way					NA		NA		02/09/2005
							From: 53-1020 Cabin Branch Dr									
(1023) Evening Way	0.05	70	R				To: Cul-de-Sac					NA		NA		1999
(1023) Evening Way	0.04	80	R				From: 53-1022 Midday Lane					NA		NA		02/09/2005
							To: 53-1024 Branchwood Way									
(1024) Branchwood Way	0.05	90	R				From: Cul-de-Sac					NA		NA		1999
(1024) Branchwood Way	0.08	140	R				To: 53-1023 Evening Way					NA		NA		03/09/2005
							From: 53-1020 Cabin Branch Dr									
(1026) Oakbrook Ct	0.11	70	R				To: Cul-de-Sac					NA		NA		1999
							From: 53-637 Cascades Pkwy									
(1029)	0.36	NA					To: 53-606 Old Ox Rd					NA		NA		
							From: Cul-de-Sac									
(1030) Robin	0.61	180	R				To: 53-650 Gleedsville Rd					NA		NA		04/07/2005
							From: End Loop									
(1031) Barnwood Ct	0.11	40	R				To: Cul-de-Sac					NA		NA		09/05/2002
							From: 53-1030 Robin									
(1032) Twin Maple Lane	0.32	NA					To: Dead End					NA		NA		
							From: 53-655 Whites Ferry Rd									
(1033)	0.40	NA					To: Dead End					NA		NA		
							From: WCL Leesburg									
(1034)	0.22	NA					To: Dead End					NA		NA		
							From: WCL Leesburg									
(1035)	0.09	NA					To: Dead End					NA		NA		
							From: 53-1034									
(1036)	0.20	NA					To: 53-1053					NA		NA		
							From: 53-1038; 53-1037									
(1037) Business Ct	0.16	NA					To: Cul-de-Sac					NA		NA		
							From: 53-1036; 53-1038									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1038) Indian Creek Dr	0.32	NA					From: 53-1036; 53-1037				NA			NA		
							To: 53-1039 Republic Dr									
(1039) Republic Dr	0.07	NA					From: 53-1038 Indian Creek Dr				NA			NA		
							To: SR 28 Sully Rd; Holiday Dr									
(1040) Adams Green Lane	0.75	250		R			From: 53-748 Melmore Pl				NA			NA		1999
							To: 53-1041 Grasty Pl									
(1041) Grasty Pl	0.38	NA					From: 53-627 Parsons Rd				NA			NA		
							To: Cul-de-Sac									
(1042)	0.18	NA					From: Cul-de-Sac				NA			NA		
							To: 53-720 Bell Rd									
(1043)	0.46	NA					From: 53-720 Bell Rd				NA			NA		
							To: Cul-de-Sac									
(1044) Hannah Dr	0.82	90		R			From: 53-666 Browns Lane				NA			NA		08/27/2002
							To: 53-665 Loyalty Rd									
(1045) Lone Oak Pl	0.33	NA					From: 53-711 Piggott Bottom Rd				NA			NA		
							To: Cul-de-Sac									
(1046) Mosswood Dr	0.24	240		R			From: 53-711 Piggott Bottom Rd				NA			NA		05/10/2005
							To: 53-1045 Lone Oak Pl									
(1047) Highview Ct	0.16	48		R			From: 53-1044 Hannah Dr				NA			NA		08/27/2002
							To: Cul-de-Sac									
(1048) Flowing Pond Ct	0.10	20		R			From: 53-1044 Hannah Dr				NA			NA		08/27/2002
							To: Cul-de-Sac									
(1049) Thicket Ct	0.18	60		R			From: 53-1044 Hannah Dr				NA			NA		08/27/2002
							To: Cul-de-Sac									
(1050) George Washington Blv	0.76	NA					From: 53-1051 Research Pl				NA			NA		
							To: Dead End									
(1051) Research Pl	0.12	140		R			From: 53-1052 Riverside Pkwy				NA			NA		1999
							To: 53-1050 George Washington Blvd									
(1051) Research Pl	0.17	70		R			From: 53-1050 George Washington Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1052) Riverside Pkwy	0.15	180		R			From: 53-1051 Research Pl				NA			NA		1999
							To: 53-1050 George Washington Blvd									
(1052) Riverside Pkwy	1.34	NA					From: 53-2401 Riverside Pkwy				NA			NA		
							To: Cul-de-Sac									
(1053)	0.05	NA					From: 53-1036				NA			NA		
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1058)	0.34	NA					From: 53-769 Woodburn Rd				NA			NA		
							To: Cul-de-Sac									
(1059) Canterfield Ct	0.40	NA					From: 53-663 Wenner Rd				NA			NA		
							To: Cul-de-Sac									
(1060)	0.20	NA					From: Cul-de-Sac				NA			NA		
							To: SR 7 Harry F Byrd Hwy									
(1061) Russell Branch Pkwy	0.20	NA					From: Dead End				NA			NA		
							To: Dead End									
(1062)	0.12	NA					From: 53-625 Church Rd				NA			NA		
							To: Cul-de-Sac									
(1063)	0.14	NA					From: 53-1062				NA			NA		
							To: Cul-de-Sac									
(1070) Broderick Rd	0.46	9500	R				From: 53-634 Moran Rd				NA			NA		01/25/2005
							To: 53-1071 Prentice Dr									
(1070) Broderick Rd	0.46	9100	R				From: 53-625 Waxpool Rd				NA			NA		01/26/2005
							To: 53-789 Lockridge Rd									
(1071) Prentice Dr	0.53	4600	R				From: 53-1070 Broderick Rd				NA			NA		01/25/2005
							To: 53-634 Moran Rd									
(1072) Randolph Dr	0.63	4200	R				From: 53-1071				NA			NA		01/25/2005
							To: 53-606 Old Ox Rd									
(1075) Mercure Circle	0.93	610	R				From: 53-606 Old Ox Rd: 53-1075				NA			NA		04/20/2005
							To: 53-1075 S, Mercure Circle									
(1076) Quicksilver Dr	0.46	790	R				From: 53-1075 N, Mercure Circle				NA			NA		04/20/2005
							To: Cul-de-Sac									
(1080) Pintail Ct	0.25	NA					From: 53-622 Shoemaker Sch Rd				NA			NA		
							To: Cul-de-Sac									
(1081) Swan Ct	0.22	NA					From: 53-622 Shoemaker Sch Rd				NA			NA		
							To: Cul-de-Sac									
(1082) Wood Duck Ct	0.16	NA					From: 53-622 Shoemaker Sch Rd				NA			NA		
							To: 53-800 W, Meadowlark Dr									
(1090) Quail Creek Circle	0.84	170	R				From: 53-1091 Covey Ct				NA			NA		05/05/2005
							To: 53-800 E, Meadowlark Dr									
(1090) Quail Creek Circle	0.30	190	R				From: 53-1090 Quail Creek Circle				NA			NA		05/05/2005
							To: Cul-de-Sac									
(1091) Covey Ct	0.13	70	R				From: Taylorstown Rd				NA			NA		1999
							To: Cul-de-Sac									
(1092)	0.58	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1093)	0.50	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1092									
(1094)	0.16	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1093									
(1095)	0.12	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1093									
(1096)	0.28	NA					From: 53-1244				NA			NA		
							To: 53-621									
(1097)	0.40	NA					From: Cul-de-Sac				NA			NA		
							To: FR-819									
(1098)	0.43	NA					From: Dead End				NA			NA		
							To: 53-1032 Twin Maple Lane									
(1099) Belforest Ct	0.16	NA					From: 53-860 Watson Rd				NA			NA		
							To: Cul-de-Sac									
Town of Hamilton																
(1101) S Kerr St	0.10	600	R				From: Dead End				NA			NA		1999
							To: Bus SR 7, West Colonial Hwy									
(1102) N Laycock St	0.16	680	R				From: Bus SR 7, West Colonial Hwy				NA			NA		1999
							To: NCL Hamilton									
Loudoun County																
(1102) N Laycock St	0.06	680	N				From: NCL Hamilton				NA			NA		1999
							To: 53-708 Maryland Ave									
(1102) N Laycock St	0.07	320	R				From: 53-708 Maryland Ave				NA			NA		1999
							To: Dead End									
(1103)	0.12	220	R				From: 53-1109 SOUTH				NA			NA		1999
							To: 53-1109 NORTH									
(1103)	0.02	130	R				From: 53-1109 NORTH				NA			NA		1999
							To: SCL Hamilton									
Town of Hamilton																
(1103)	0.17	480	R				From: SCL Hamilton				NA			NA		1999
							To: Bus SR 7, West Colonial Hwy									
(1103) Rogers St	0.16	120	R				From: Bus SR 7, West Colonial Hwy				NA			NA		03/02/2002
							To: 53-1105 West Virginia Ave									
(1104) N Tavenner Lane	0.04	40	R				From: SR 7 BUS, West Colonial Hwy				NA			NA		1999
							To: Dead End									
Loudoun County																
(1105) West Virginia Ave	0.40	410	R				From: 53-1106, N Reid St				NA			NA		05/09/2005
							To: 53-1102, N Laycock St									
Town of Hamilton																
(1105) West Virginia Ave	0.12	90	R				From: 53-1102, N Laycock St				NA			NA		02/02/2002
							To: 53-1103 Rogers St									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1106) N Reid St	0.16	660	R								NA			NA		05/09/2005
(1107) Burke Circle	0.18	150	R								NA			NA		1999
Town of Hamilton																
(1107) S James St	0.10	120	R								NA			NA		1992
Loudoun County																
(1108) Curry Springs Pl	0.30	350	R								NA			NA		1999
(1109)	0.26	230	R								NA			NA		1999
Town of Hamilton																
(1110) Sydner St	0.11	330	R								NA			NA		1999
(1111) Orchard Circle	0.04	820	R								NA			NA		1999
Loudoun County																
(1111) Orchard Circle	0.15	820	N								NA			NA		1999
(1111) Orchard Circle	0.12	630	R								NA			NA		1999
(1111) Orchard Circle	0.14	790	R								NA			NA		1999
(1112) Peach Tree Ct	0.08	70	R								NA			NA		1999
(1113) Applewood Ct	0.15	140	R								NA			NA		1999
(1114)	0.03	40	R								NA			NA		09/05/2002
(1115) Madison Ave	0.94	830	R								NA			NA		05/09/2005
(1116) Bates Dr	0.29	120	R								NA			NA		1999
(1117) Evers Ct	0.18	140	R								NA			NA		1999
(1118)	0.11	60	R								NA			NA		1999
(1118)	0.19	70	R								NA			NA		1999

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1120) Winodee Way	0.23	440	R			From: 53-1121 Ridge Ct					NA			NA		05/09/2005
						To: 53-704 Hamilton Station Rd										
(1121) Ridge Ct	0.19	120	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1120 Winodee Way										
(1121) Ridge Ct	0.04	9	R			From: Dead End					NA			NA		1999
						To: Cul-de-Sac										
(1122) Adams Ct	0.05	30	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1115 Madison Ave										
(1123) Battle Peak Ct	0.38	NA				From: 53-709 Sands Rd					NA			NA		
						To: Cul-de-Sac										
(1125) Coloma Ct	0.14	270	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-846 Cardinal Glen Circle										
(1126) Woodowl Ct	0.04	90	R			From: 53-846 Cardinal Glen Circle					NA			NA		1999
						To: Cul-de-Sac										
(1127) Barnswallow Ct	0.19	270	R			From: 53-846 Cardinal Glen Circle					NA			NA		1999
						To: Cul-de-Sac										
(1128) Blackbird Ct	0.09	150	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-846 Cardinal Glen Circle										
(1129) Wren Ct	0.04	100	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-846 Cardinal Glen Circle										
(1130) Red Wing Ct	0.09	160	R			From: 53-846; 53-1131					NA			NA		1999
						To: Cul-de-Sac										
(1131) Blue Jay Ct	0.05	110	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-846; 53-1130										
(1132)	0.26	NA				From: Bus SR 7					NA			NA		
						To: Cul-de-Sac										
(1133)	0.18	NA				From: 53-1132					NA			NA		
						To: Cul-de-Sac										
(1136) Francis Farm Pl	0.33	NA				From: Cul-de-Sac					NA			NA		
						To: Bus SR 7, Colonial Hwy										
(1137) Audrey Ct	0.18	NA				From: 53-1136 Francis Farm Pl					NA			NA		
						To: Cul-de-Sac										
(1138) Hunts End Pl	0.38	NA				From: Cul-de-Sac					NA			NA		
						To: 53-729 Shelburne Glebe Rd										
(1139) Jodhpur Dr	0.32	NA				From: 53-729 Shelburne Glebe Rd					NA			NA		
						To: 53-1138 Hunts End Pl										
(1140)	0.07	310	R			From: 53-710 Saint Paul St					NA			NA		05/05/2005
						To: 53-1141 Coachman Dr										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1140)	0.18	80	R				From: 53-1141 Coachman Dr				NA			NA		1999
							To: Cul-de-Sac									
(1141) Coachman Dr	0.09	200	R				From: 53-709 Hughes St S				NA			NA		05/05/2005
(1141) Coachman Dr	0.10	510	R				From: 53-1142 Wadell Ct				NA			NA		05/05/2005
(1141) Coachman Dr	0.12	220	R				From: 53-1140				NA			NA		1999
							To: 53-1108 Curry Springs Pl									
(1142) Wadell Ct	0.18	70	R				From: 53-1141 Coachman Dr				NA			NA		1999
							To: Cul-de-Sac									
(1143) Piggott House Pl	0.56	NA					From: 53-722 Lincoln Rd				NA			NA		
							To: Cul-de-Sac									
(1144) Alberts Farm Dr	0.34	NA					From: 53-1145 Sayre Ct				NA			NA		
							To: 53-1143 Piggott House Pl									
(1145) Sayre Ct	0.24	NA					From: 53-1144 Alberts Farm Dr				NA			NA		
							To: Cul-de-Sac									
(1150) Innisbrook Circle	0.14	560	R				From: 53-782 S, Tranquility Rd				NA			NA		05/05/2005
(1150) Innisbrook Circle	0.23	410	R				From: 53-1155 Oakmont Way				NA			NA		05/05/2005
(1150) Innisbrook Circle	0.10	390	R				From: 53-1154 Lakewood				NA			NA		05/05/2005
(1150) Innisbrook Circle	0.15	350	R				From: 53-1153 Brookwood Way				NA			NA		05/05/2005
(1150) Innisbrook Circle	0.35	380	R				From: 53-1152				NA			NA		05/05/2005
(1150) Innisbrook Circle	0.23	260	R				From: 53-1151 Pinehurst Ct				NA			NA		05/05/2005
(1151) Pinehurst Ct	0.18	70	R				From: 53-1150 Innisbrook Circle				NA			NA		1999
							To: Cul-de-Sac									
(1152)	0.13	90	R				From: Cul-de-Sac				NA			NA		1999
(1152)	0.09	60	R				From: 53-1150 Innisbrook Circle				NA			NA		1999
							To: Cul-de-Sac									
(1153) Brookwood Way	0.22	40	R				From: Cul-de-Sac				NA			NA		08/27/2002
							To: 53-1150 Innisbrook Circle									
(1154) Lakewood Ct	0.23	90	R				From: 53-1150 Innisbrook Circle				NA			NA		1999
							To: Cul-de-Sac									
(1155) Oakmont Way	0.16	80	R				From: Dead End				NA			NA		1999
							To: 53-1150 Innisbrook Circle									
(1170) Raspberry Dr	1.22	NA					From: Dead End				NA			NA		
							To: US 15 James Monroe Hwy									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1185)	1.25	NA										NA		NA		
(1186)	0.26	NA										NA		NA		
(1187)	0.62	NA										NA		NA		
(1188)	0.24	NA										NA		NA		
Town of Middleburg																
(1201) Jay St	0.10	430	R									NA		NA		1999
(1201) Jay St	0.06	440	R									NA		NA		1992
(1202) Stonewall Ave; Marshall	0.05	80	R									NA		NA		1999
(1202) Stonewall Ave; Marshall	0.45	380	R									NA		NA		1999
(1202) Stonewall Ave; Marshall	0.17	620	R									NA		NA		05/05/2005
(1202) Stonewall Ave; Marshall	0.13	480	R									NA		NA		1999
(1202) Stonewall Ave; Marshall	0.08	480	R									NA		NA		1999
(1202) Stonewall Ave; Marshall	0.10	470	R									NA		NA		1999
(1202) Stonewall Ave; Marshall	0.02	100	R									NA		NA		1999
(1203) Pendleton St	0.08	740	R									NA		NA		1999
(1203) Pendleton St	0.05	880	R									NA		NA		1999
(1204) Federal St	0.19	1700	R									NA		NA		1999
(1204) Federal St	0.22	1400	R									NA		NA		1999
(1205) Liberty St	0.05	510	R									NA		NA		1999
(1205) Liberty St	0.06	380	R									NA		NA		1999
(1206) Locust St	0.19	280	R									NA		NA		1999
(1207) Chestnut St	0.20	230	R									NA		NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Middleburg																
(1208) Reed St	0.12	220	R			From: US 50 Washington St W					NA			NA		1999
						To: 53-1202 Stonewall Ave; Marshall St										
(1209) Pickering St	0.05	710	R			From: US 50 Washington St E					NA			NA		1999
						To: 53-1202 Stonewall Ave; Marshall St										
(1210) Hamilton St	0.10	390	R			From: 53-1204 Federal St					NA			NA		1999
						To: 53-1202 Stonewall Ave; Marshall St										
(1211) Walnut St	0.25	320	R			From: 53-1215 Sycamore St					NA			NA		1999
						To: 53-1208 Reed St										
(1212)	0.11	200	R			From: 53-1214 Blue Ridge Ave					NA			NA		1999
						To: 53-1202 Stonewall Ave; Marshall St										
(1213) Lincoln Rd	0.09	130	R			From: Dead End					NA			NA		1999
						To: 53-626 The Plains Rd										
(1214) Blue Ridge Ave	0.25	290	R			From: 53-1212					NA			NA		1999
						To: 53-1216 Walnut Ave										
(1215) Sycamore St	0.07	150	R			From: 53-1211 Walnut St					NA			NA		1999
						To: 53-1214 Blue Ridge Ave										
(1215) Sycamore St	0.09	120	R			From: 53-1202 Stonewall Ave; Marshall St					NA			NA		1999
						To: 53-1202 Stonewall Ave; Marshall St										
(1216) Walnut St	0.17	230	R			From: US 50 Washington St W					NA			NA		1999
						To: 53-1202 Stonewall Ave; Marshall St										
(1217) Chinn Lane	0.13	140	R			From: 53-1202 Stonewall Ave; Marshall St					NA			NA		1999
						To: Cul-de-Sac										
(1218)	0.13	250	R			From: US 50 Washington St W					NA			NA		1999
						To: Dead End										
Loudoun County																
(1220) Dover Rd	0.79	320	R			From: US 50 John S Mosby Hwy					NA			NA		1999
						To: Cul-de-Sac										
(1221) Mersey Rd	0.50	90	R			From: 53-1220 Dover Rd					NA			NA		1999
						To: Cul-de-Sac										
(1229) Newlin Ct	0.04	90	R			From: Cul-de-Sac					NA			NA		09/05/2002
						To: 53-790 Newlin Mill Rd										
(1230) Pelham Ct	0.19	90	R			From: 53-730 Colchester Rd					NA			NA		03/02/2002
						To: Cul-de-Sac										
(1231) Cardigan Pl	0.42	NA				From: Cul-de-Sac					NA			NA		
						To: 53-731 Watermill Rd										
(1232) Somerset Pl	0.23	NA				From: 53-1231 Cardigan Pl					NA			NA		
						To: Cul-de-Sac										
(1235)	0.20	NA				From: Cul-de-Sac					NA			NA		
						To: 53-705 Braddock Rd										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1235)	0.45	NA					From: 53-705 Braddock Rd				NA			NA		
							To: Cul-de-Sac									
(1237) Forest Glen Dr	0.47	NA					From: 53-1238 Woodwinds Dr				NA			NA		
							To: 53-860 Watson Rd									
(1238) Woodwinds Dr	0.51	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(1239) Shady Creek	0.07	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1238 Woodwinds Dr									
(1240) Rosefinch Circle	0.43	280	R				From: 53-663 S, Taylorstown Rd				NA			NA		04/28/2005
							To: 53-663 N; 53-673									
(1241) Woodstar Ct	0.20	60	R				From: Cul-de-Sac				NA			NA		08/27/2002
							To: 53-1240 Rosefinch Circle									
(1242)	0.24	NA					From: 53-2237				NA			NA		
							To: 53-1244									
(1243)	0.05	NA					From: 53-1242				NA			NA		
							To: 53-1246									
(1244)	0.19	NA					From: 53-1246				NA			NA		
							To: 53-1246									
(1245)	0.19	NA					From: 53-1246				NA			NA		
							To: 53-1246									
(1246)	0.77	NA					From: 53-1247				NA			NA		
							To: 53-1248									
(1247)	0.24	NA					From: FUTURE RTE. 2237				NA			NA		
							To: 53-1244									
(1248)	0.11	NA					From: Dead End				NA			NA		
							To: 53-1247									
(1250) Conklin Dr	0.34	100	R				From: 53-663 Taylorstown Rd				NA			NA		04/28/2005
							To: 53-1251 Barnhouse Pl									
(1251) Barnhouse Pl	0.41	280	R				From: 53-663 Taylorstown Rd				NA			NA		04/28/2005
							To: 53-1250 Conklin Dr									
(1251) Barnhouse Pl	0.16	70	R				From: Cul-de-Sac				NA			NA		1999
							To: Cul-de-Sac									
(1263) Center St	0.14	NA					From: 53-1267				NA			NA		
							To: 53-621 Elk Lick Rd									
(1263) Center St	0.43	NA					From: 53-1266				NA			NA		
							To: Cul-de-Sac									
(1264) Farmneck Ct	0.06	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1263 Center St									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1265) Chicama Dr	0.12	NA					From: 53-1263 Center St					NA		NA		
							To: 53-1273 Herring Creek									
(1266) Planting Field Dr	0.49	NA					From: 53-2237					NA		NA		
							To: 53-1267 Golf View Dr									
(1266) Planting Field Dr	0.57	NA					From: 53-2200 Tall Cedars Pkwy					NA		NA		
							To: Cul-de-Sac									09/04/2002
(1267) Golf View Dr	0.55	NA					From: 53-1266 Planting Field Dr					NA		NA		
							To: 53-621 Elk Lick Rd									
(1267) Golf View Dr	0.45	NA					From: Dead End					NA		NA		
							To: Cul-de-Sac									
(1268) Tisbury Ct	0.05	NA					From: 53-1266					NA		NA		
							To: 53-1267 Golf View Dr									
(1269) Maple Cross Rd	0.28	NA					From: 53-1274					NA		NA		
							To: Cul-de-Sac									
(1270) Lighthouse Pl	0.20	NA					From: 53-1266					NA		NA		
							To: 53-1267 Golf View Dr									
(1271) Upper Clubhouse Dr	0.30	NA					From: 53-1270 Lighthouse Pl					NA		NA		
							To: 53-1269 Maple Cross Rd									
(1272) Chilmark Dr	0.14	NA					From: 53-1270 Lighthouse Pl					NA		NA		
							To: Cul-de-Sac									
(1273) Herring Creek Dr	0.07	NA					From: 53-1266					NA		NA		
							To: Cul-de-Sac									
(1274)	0.21	NA					From: Cul-de-Sac					NA		NA		
							To: Cul-de-Sac									
(1280)	0.31	NA					From: 53-621 Elk Lick Rd					NA		NA		
							To: 53-1280									
(1281)	0.14	NA					From: Cul-de-Sac					NA		NA		
							To: 53-1280									
(1282)	0.17	NA					From: Cul-de-Sac					NA		NA		
							To: Cul-de-Sac									
Town of Round Hill																
(1301)	0.14	300	R				From: SCL Round Hill					NA		NA		1999
							To: Bus SR 7 Loudoun St									
(1301)	0.35	690	R				From: WCL Round Hill					NA		NA		1999
							To: 53-1301									
(1302) High St	0.15	460	R				From: 53-719 Main St					NA		NA		1999
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Round Hill																
(1303) Mulberry St	0.15	530	R			From: 53-719 Main St					NA		NA			1999
						To: 53-1304 N Bridge St										
(1304) N Bridge St	0.11	310	R			From: Bus SR 7 Loudoun St					NA		NA			1999
						To: 53-1303 Mulberry St										
(1304) N Bridge St	0.08	150	R			From: 53-1303 Mulberry St					NA		NA			1999
						To: Dead End										
(1305) Church St	0.11	130	R			From: Bus SR 7 Loudoun St					NA		NA			1999
						To: Dead End										
(1306) McCauley Lane	0.06	60	R			From: 53-1301					NA		NA			1999
						To: Dead End										
(1307) Cedar St	0.11	120	R			From: 53-1303 Mulberry St					NA		NA			1999
						To: Dead End										
Loudoun County																
(1308) Hampton Rd	0.08	780	R			From: 53-1310 Longstreet Ave					NA		NA			1999
						To: NCL Round Hill										
Town of Round Hill																
(1308) Hampton Rd	0.05	780	N			From: NCL Round Hill					NA		NA			1999
						To: 53-719										
(1309) Hill Circle	0.01	40	R			From: 53-1308 Hampton Rd					NA		NA			1999
						To: NCL Round Hill										
Loudoun County																
(1309) Hill Circle	0.02	40	N			From: NCL Round Hill					NA		NA			1999
						To: Dead End										
Town of Round Hill																
(1310) Longstreet Ave	0.08	530	R			From: 53-1312 Longstreet Ave					NA		NA			1999
						To: NCL Round Hill										
Loudoun County																
(1310) Longstreet Ave	0.11	530	N			From: NCL Round Hill					NA		NA			1999
						To: 53-1308 Hampton Rd										
(1310) Longstreet Ave	0.06	80	R			From: 53-1308 Hampton Rd					NA		NA			1999
						To: Dead End										
(1311) Pickett Rd	0.06	110	R			From: Dead End					NA		NA			1999
						To: 53-1313 Jackson Ave										
(1311) Pickett Rd	0.12	370	R			From: 53-1313 Jackson Ave					NA		NA			1999
						To: 53-1310 Longstreet Ave										
Town of Round Hill																
(1312) Longstreet Ave	0.05	510	R			From: 53-1301					NA		NA			1999
						To: 53-1310 Longstreet Ave										
Loudoun County																
(1313) Jackson Ave	0.35	410	R			From: 53-1311 Pickett Rd					NA		NA			1999
						To: Dead End										
(1314) Early Rd	0.14	190	R			From: 53-1311 Pickett Rd					NA		NA			1999
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Round Hill																
(1315) Mosby Ct	0.09	80	R			From: 53-1310 Longstreet Ave					NA			NA		1999
						To: Dead End										
Loudoun County																
(1319)	0.24	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1313 Jackson Ave										
(1324)	0.21	NA				From: 53-712 Scotland Heights Rd					NA			NA		
						To: Cul-de-Sac										
(1325) Paloma Circle	1.27	870	R			From: 53-720 Bell Rd					NA			NA		05/09/2005
						To: End Loop										
(1326) Malinda Ct	0.16	48	R			From: Cul-de-Sac					NA			NA		08/27/2002
						To: 53-1325 Paloma Circle										
(1330) Stoneleigh Dr	0.48	590	R			From: 53-1333 S, Turnberry Dr					NA			NA		05/09/2005
						To: 53-1332; 53-1333										
(1330) Stoneleigh Dr	0.41	1900	R			From: SR 7 Harry F Byrd Hwy					NA			NA		05/09/2005
						To: 53-1330 Stoneleigh Dr										
(1331) Prestwick Ct	0.25	60	R			From: Cul-de-Sac					NA			NA		08/27/2002
						To: Cul-de-Sac										
(1332) Dornoch Ct	0.08	50	R			From: Cul-de-Sac					NA			NA		08/23/2002
						To: 53-1330; 53-1333										
(1333) Turnberry Dr	0.27	580	R			From: 53-1330; 53-1332					NA			NA		05/09/2005
						To: 53-1334 S, Carnoustie Circle										
(1333) Turnberry Dr	0.84	680	R			From: 53-1330 S, Stoneleigh Dr					NA			NA		05/09/2005
						To: 53-1337 Clendenning Circle										
(1334) Carnoustie Circle	0.71	200	R			From: 53-1333 N, Turnberry Dr					NA			NA		05/09/2005
						To: 53-1333 S, Turnberry Dr										
(1335) Troon Ct	0.14	70	R			From: 53-1334 Carnoustie Circle					NA			NA		08/27/2002
						To: Cul-de-Sac										
(1336) Tate Ct	0.07	60	R			From: Cul-de-Sac					NA			NA		08/27/2002
						To: 53-1330 Stoneleigh Dr										
(1337) Clendenning Circle	0.42	NA				From: 53-1333 Turnberry Dr					NA			NA		
						To: 53-1333 Turnberry Dr										
(1338) Gidney Ct	0.09	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1333 Turnberry Dr										
(1339) Patience Ct	0.08	NA				From: 53-1337 Clendenning Circle					NA			NA		
						To: Cul-de-Sac										
(1340) Ashby Farm Circle	1.00	210	R			From: 53-719 W, Woodgrove Rd					NA			NA		05/04/2005
						To: 53-719 E, Woodgrove Rd										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1341) Folkstone Ct	0.15	230	R								NA			NA		1999
(1342)	0.59	NA									NA			NA		
(1343)	0.22	NA									NA			NA		
(1344)	0.17	NA									NA			NA		
(1345)	0.86	NA									NA			NA		
(1350) Millstone Dr	1.21	NA									NA			NA		
(1351) Grange Dr	0.43	NA									NA			NA		
(1352) Maize Ct	0.14	NA									NA			NA		
(1353) Sorgum CT	0.19	NA									NA			NA		
(1354) Flax Ct	0.15	NA									NA			NA		
(1360)	0.08	NA									NA			NA		
(1361)	0.12	NA									NA			NA		
(1362)	0.07	NA									NA			NA		
(1363)	0.05	NA									NA			NA		
(1394)	0.56	NA									NA			NA		
(1395)	0.15	NA									NA			NA		
(1397)	0.34	NA									NA			NA		
(1399) Stonebrook Court	0.10	NA									NA			NA		
(1400) Lee Rd	0.11	310	R								NA			NA		03/10/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1400) Lee Rd	0.15	310	R								NA			NA		03/10/2005
(1401)	1.06	9900	R								NA			NA		1999
(1401)	0.27	6000	G	98%	0%	1%	0%	1%	0%	F	0.094	F	0.545	6600	G	2007
(1401)	0.53	6900	G	98%	0%	1%	0%	1%	0%	C	0.105	F	0.527	7600	G	2007
(1402) Beech Rd	0.07	810	R								NA			NA		03/02/2005
(1402) Beech Rd	0.05	730	R								NA			NA		03/02/2005
(1402) Beech Rd	0.08	610	R								NA			NA		03/02/2005
(1402) Beech Rd	0.08	700	R								NA			NA		03/02/2005
(1402) Beech Rd	0.06	710	R								NA			NA		03/02/2005
(1402) Beech Rd	0.07	1300	R								NA			NA		03/02/2005
(1402) Beech Rd	0.06	1400	R								NA			NA		03/09/2005
(1402) Beech Rd	0.15	1500	R								NA			NA		03/09/2005
(1402) Beech Rd	0.05	2200	R								NA			NA		03/09/2005
(1402) Beech Rd	0.02	2500	R								NA			NA		03/09/2005
(1402) Beech Rd	0.60	3600	R								NA			NA		03/09/2005
(1402) Beech Rd	0.05	2200	R								NA			NA		03/09/2005
(1402) Beech Rd	0.05	1300	R								NA			NA		03/09/2005
(1402) Beech Rd	0.05	960	R								NA			NA		03/09/2005
(1402) Beech Rd	0.26	540	R								NA			NA		03/09/2005
(1402) Beech Rd	0.08	360	R								NA			NA		03/09/2005
(1402) Beech Rd	0.07	130	R								NA			NA		1999
(1403) York	0.16	290	R								NA			NA		02/09/2005
(1403) York	0.04	320	R								NA			NA		02/09/2005
(1404) Cypress Rd	0.16	410	R								NA			NA		02/17/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1404) Cypress Rd	0.06	360	R				From: 53-1405 Balsam Rd					NA		NA		02/17/2005
							To: 53-1402 Beech Rd									
(1405) Balsam Rd	0.06	180	R				From: 53-1404 Cypress Rd					NA		NA		02/17/2005
							To: 53-1406 Birch Ct									
(1405) Balsam Rd	0.07	340	R				From: 53-1406 Birch Ct					NA		NA		02/17/2005
							To: 53-1471 Alder Ave									
(1406) Birch Ct	0.10	140	R				From: Cul-de-Sac					NA		NA		1999
							To: 53-1405 Balsam Rd									
(1407) Hickory Rd	0.23	420	R				From: 53-1401 Holly Ave					NA		NA		02/17/2005
							To: 53-1402 Beech Rd									
(1408) Aspen Ave	0.24	570	R				From: 53-1401 Holly Ave					NA		NA		02/17/2005
							To: 53-1402 Beech Rd									
(1408) Aspen Ave	0.06	1700	R				From: 53-1402 Beech Rd					NA		NA		02/17/2005
							To: 53-1415 Ash Rd									
(1408) Aspen Ave	0.04	1800	R				From: 53-1415 Ash Rd					NA		NA		02/17/2005
							To: 53-625 Church Rd									
(1409) Sycamore Ct	0.23	360	R				From: 53-1401 Holly Ave					NA		NA		02/17/2005
							To: 53-1402 Beech Rd									
(1409) Sycamore Ct	0.04	60	R				From: 53-1402 Beech Rd					NA		NA		1999
							To: Cul-de-Sac									
(1410) Sequoia Ct	0.07	70	R				From: 53-1401 Holly Ave					NA		NA		1999
							To: Cul-de-Sac									
(1411) Joshua Ct	0.05	50	R				From: 53-1402 Beech Rd					NA		NA		1999
							To: Cul-de-Sac									
(1412) Fir Ct	0.06	70	R				From: 53-1402 Beech Rd					NA		NA		1999
							To: Cul-de-Sac									
(1413) Dogwood Ct	0.06	70	R				From: 53-1402 Beech Rd					NA		NA		1999
							To: Cul-de-Sac									
(1414) Larch Ct	0.05	50	R				From: Cul-de-Sac					NA		NA		1999
							To: 53-625 Church Rd									
(1415) Ash Rd	0.11	380	R				From: 53-1408 Aspen Ave					NA		NA		03/09/2005
							To: 53-1416 Ash Ct									
(1415) Ash Rd	0.19	430	R				From: 53-1416 Ash Ct					NA		NA		03/09/2005
							To: 53-1471 Alder Ave									
(1416) Ash Ct	0.05	40	R				From: 53-1415 Ash Rd					NA		NA		1999
							To: Cul-de-Sac									
(1417) Maple Ave	0.06	2500	R				From: 53-846 Sterling Blvd S					NA		NA		03/16/2005
							To: 53-1422 Alder Ave									
(1417) Maple Ave	0.08	1900	R				From: 53-1422 Alder Ave					NA		NA		03/16/2005
							To: 53-1423 Birch St									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1417) Maple Ave	0.17	1200	R				From: 53-1423 Birch St					NA		NA		03/16/2005
(1417) Maple Ave	0.23	870	R				To: 53-1418 Nettle Tree Rd					NA		NA		03/16/2005
(1417) Maple Ave	0.20	380	R				From: 53-1428 Greenthom Ave					NA		NA		03/16/2005
(1417) Maple Ave	0.07	210	R				To: 53-1430 Jasper Ct					NA		NA		1999
							From: Cul-de-Sac									
(1418) Nettle Tree Rd	0.13	640	R				To: 53-1429 Hoga St					NA		NA		03/16/2005
(1418) Nettle Tree Rd	0.04	560	R				From: 53-1428 Greenthom Ave					NA		NA		03/16/2005
(1418) Nettle Tree Rd	0.18	470	R				To: 53-1425 Dogwood St					NA		NA		03/16/2005
(1418) Nettle Tree Rd	0.04	1200	R				From: 53-1417 Maple Ave					NA		NA		03/16/2005
(1419) Poplar Rd	0.09	660	R				To: 53-1401 Maple Ave					NA		NA		1999
(1419) Poplar Rd	0.06	790	R				From: 53-1443 Roanoke Rd					NA		NA		03/16/2005
(1419) Poplar Rd	0.13	410	R				To: 53-1465 Buckingham Ct					NA		NA		03/16/2005
(1419) Poplar Rd	0.16	440	R				From: 53-1464 Poplar Ct					NA		NA		03/16/2005
(1419) Poplar Rd	0.08	2200	R				To: 53-846 Sterling Blvd S					NA		NA		03/16/2005
(1419) Poplar Rd	0.06	2100	R				From: 53-1422 Alder Ave					NA		NA		03/16/2005
(1419) Poplar Rd	0.03	2000	R				To: 53-1423 Birch St					NA		NA		03/16/2005
(1419) Poplar Rd	0.06	1900	R				From: 53-1424 Cypress Ct					NA		NA		03/16/2005
(1419) Poplar Rd	0.22	1800	R				To: 53-1425 Dogwood St					NA		NA		03/16/2005
(1419) Poplar Rd	0.05	1100	R				From: 53-1427 Filbert Ct					NA		NA		03/16/2005
(1419) Poplar Rd	0.08	410	R				To: 53-1428 Greenthom Ave					NA		NA		03/16/2005
(1419) Poplar Rd	0.08	250	R				From: 53-1429 Hoga St					NA		NA		03/16/2005
(1419) Poplar Rd	0.06	70	R				To: 53-1431 Ironwood Ct					NA		NA		1999
							From: Cul-de-Sac									
(1420) Redwood Rd	0.05	630	R				To: 53-1428 Greenthom Ave					NA		NA		1999
(1420) Redwood Rd	0.06	500	R				From: 53-1433 Hoga Rd					NA		NA		1999
(1420) Redwood Rd	0.13	140	R				To: 53-1434 Ironwood Ct					NA		NA		1999
							From: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1421) Sterling Blvd Frontage R	0.19	160	R				From: 53-1419 Poplar Rd					NA		NA		02/08/2005
							To: 53-1417 Maple Ave; Gap									
(1421) Sterling Blvd Frontage R	0.21	210	R				From: 53-1401 Holly Ave; Gap					NA		NA		02/08/2005
							To: 53-1402 Beech Rd									
(1421) Sterling Blvd Frontage R	0.36	180	R				From: 53-625 Church Rd					NA		NA		02/08/2005
							To: 53-1447 Laurel Ave									
(1421) Sterling Blvd Frontage R	0.15	250	R				From: 53-1451 Juniper Ave					NA		NA		02/08/2005
							To: 53-1468 Ivy Ave									
(1421) Sterling Blvd Frontage R	0.17	710	R				From: 53-1454 Frederick Dr					NA		NA		02/08/2005
							To: 53-1467 Erving Pl									
(1421) Sterling Blvd Frontage R	0.05	200	R				From: 53-1466 Dinwiddie St					NA		NA		02/08/2005
							To: 53-1466 Dinwiddie Sr									
(1421) Sterling Blvd Frontage R	0.05	230	R				From: 53-1455 Charlotte St					NA		NA		02/08/2005
							To: 53-1458 Brunswick St									
(1421) Sterling Blvd Frontage R	0.05	110	R				From: 53-1459 Amherst St					NA		NA		02/08/2005
							To: 53-1471 Amelia St									
(1421) Winchester Dr	0.22	290	R				From: 53-1419 Poplar Ave					NA		NA		02/08/2005
							To: 53-1417 Maple Ave									
(1422) Alder Ave	0.19	250	R				From: 53-1419 Poplar Ave					NA		NA		03/14/2005
							To: 53-1417 Maple Ave									
(1423) Birch St	0.16	310	R				From: 53-1419 Poplar Ave					NA		NA		03/14/2005
							To: 53-1417 Maple Ave									
(1424) Cypress St	0.10	140	R				From: 53-1419 Poplar Ave					NA		NA		1999
							To: Cul-de-Sac									
(1425) Dogwood St	0.12	210	R				From: 53-1419 Poplar Ave					NA		NA		03/14/2005
							To: 53-1426 Dogwood Ct									
(1425) Dogwood St	0.11	300	R				From: 53-1418 Nettle Tree Rd					NA		NA		03/14/2005
							To: 53-1425 Dogwood St									
(1426) Dogwood Ct	0.01	50	R				From: 53-1425 Dogwood St					NA		NA		1999
							To: Cul-de-Sac									
(1427) Filbert Ct	0.12	170	R				From: 53-1419 Poplar Ave					NA		NA		1999
							To: Cul-de-Sac									
(1428) Greenthorn Ave	0.49	3100	R				From: 53-846 Sterling Blvd S					NA		NA		03/14/2005
							To: 53-1434 Ironwood Rd									
(1428) Greenthorn Ave	0.06	1900	R				From: 53-1433 Hoga Rd					NA		NA		03/14/2005
							To: 53-1433 Hoga Rd									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1428) Greenthorn Ave	0.06	1100	R									NA		NA		03/14/2005
(1428) Greenthorn Ave	0.07	980	R									NA		NA		03/14/2005
(1428) Greenthorn Ave	0.06	870	R									NA		NA		03/14/2005
(1428) Greenthorn Ave	0.16	500	R									NA		NA		03/14/2005
(1428) Greenthorn Ave	0.06	340	R									NA		NA		03/14/2005
(1429) Hoga St	0.14	230	R									NA		NA		03/14/2005
(1430) Jasper Ct	0.04	80	R									NA		NA		1999
(1430) Jasper Ct	0.05	150	R									NA		NA		03/14/2005
(1431) Ironwood Ct	0.05	60	R									NA		NA		1999
(1432) Gum Ct	0.03	40	R									NA		NA		1999
(1433) Hoga Rd	0.23	270	R									NA		NA		1999
(1434) Ironwood Rd	0.38	370	R									NA		NA		03/14/2005
(1435) Staunton Ave	0.50	960	R									NA		NA		03/16/2005
(1436) Tazewell Rd	0.27	350	R									NA		NA		03/16/2005
(1437) Williamsburg Rd	0.60	1300	R									NA		NA		03/16/2005
(1438) Williamsburg Ct S	0.06	90	R									NA		NA		1999
(1438) Williamsburg Ct N	0.05	80	R									NA		NA		1999
(1439) Albemarle Rd	0.07	360	R									NA		NA		03/16/2005
(1439) Albemarle Rd	0.06	490	R									NA		NA		1999
(1440) Buckingham Rd	0.06	320	R									NA		NA		03/16/2005
(1440) Buckingham Rd	0.08	510	R									NA		NA		03/16/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1441) Culpeper Rd	0.17	840	R			From: 53-1437 Williamsburg Rd					NA			NA		03/16/2005
						To: 53-1435 Staunton Ave										
(1442) Dickenson Ave	0.24	1400	R			From: 53-1401 Maple Ave					NA			NA		02/17/2005
						To: 53-1435 Staunton Ave										
(1442) Dickenson Ave	0.46	2900	R			From: 53-1567 Tamarack Lane					NA			NA		1999
						To: 53-1535 Fillmore Ave										
(1442) Dickenson Ave	0.42	3500	R			From: 53-1419 Poplar Rd					NA			NA		1992
						To: 53-1445 Roanoke Ct										
(1443) Roanoke Rd	0.12	300	R			From: 53-1442 Dickenson Ave					NA			NA		1999
						To: Cul-de-Sac										
(1443) Roanoke Rd	0.05	190	R			From: Cul-de-Sac					NA			NA		02/17/2005
						To: 53-1442 Dickenson Ave										
(1443) Roanoke Rd	0.09	110	R			From: 53-1443 Roanoke Rd					NA			NA		1999
						To: Cul-de-Sac										
(1444) Dickenson Ct	0.05	60	R			From: 53-625 Church Rd					NA			NA		02/17/2005
						To: 53-1447 Laurel Ave										
(1446) Argonne Ave	0.22	1100	R			From: 53-1450 Kingsley Ave					NA			NA		02/17/2005
						To: 53-1451 Juniper Ave										
(1446) Argonne Ave	0.11	850	R			From: 53-1453 Gordon St					NA			NA		02/17/2005
						To: 53-1454 Frederick Dr, Gap										
(1446) Argonne Ave	0.09	410	R			From: 53-1455 Charlotte St, Gap					NA			NA		02/17/2005
						To: 53-1458 Brunswick St										
(1446) Argonne Ave	0.16	620	R			From: 53-1480 York Rd					NA			NA		02/17/2005
						To: 53-1421 Sterling Blvd Frontage Rd West										
(1447) Laurel Ave W	0.26	1900	R			From: 53-846 Sterling Blvd					NA			NA		02/17/2005
						To: 53-1516 Elm Tree										
(1447) Laurel Ave E	0.33	650	R			From: 53-1447 Laurel Ave E					NA			NA		02/17/2005
						To: 53-1449 Lynn Ct										
(1448) Croydon St	0.09	210	R			From: 53-1450 Kingsley Ave					NA			NA		02/17/2005
						To: Cul-de-Sac										
(1448) Croydon St	0.05	180	R			From: Cul-de-Sac					NA			NA		02/17/2005
						To: 53-1448 Croydon St										
(1448) Croydon St	0.04	60	R			From: 53-1448 Croydon St					NA			NA		1999
						To: 53-1448 Croydon St										
(1449) Lynn Ct	0.03	20	R			From: 53-1448 Croydon St					NA			NA		1999
						To: 53-1448 Croydon St										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1450) Kingsley Ave	0.07	150	R											NA		02/17/2005
(1451) Juniper Ave	0.06	650	R											NA		02/17/2005
(1451) Juniper Ave	0.05	650	R											NA		02/15/2005
(1451) Juniper Ave	0.07	710	R											NA		02/15/2005
(1451) Juniper Ave	0.06	760	R											NA		02/15/2005
(1451) Juniper Ave	0.06	670	R											NA		02/15/2005
(1451) Juniper Ave	0.06	330	R											NA		02/15/2005
(1451) Juniper Ave	0.07	440	R											NA		02/15/2005
(1451) Juniper Ave	0.04	390	R											NA		02/15/2005
(1451) Juniper Ave	0.24	770	R											NA		1999
(1451) Juniper Ave	0.05	320	R											NA		02/15/2005
(1451) Juniper Ave	0.07	420	R											NA		02/15/2005
(1451) Jupiter Ave	0.03	900	R											NA		02/15/2005
(1452) Brandon Ave	0.14	210	R											NA		03/15/2005
(1453) Gordon St	0.15	170	R											NA		1999
(1453) Gordon St	0.04	360	R											NA		03/15/2005
(1454) Frederick Dr	0.04	220	R											NA		03/15/2005
(1454) Frederick Dr	0.06	480	R											NA		03/15/2005
(1454) Frederick St	0.01	6900	G	98%	0%	1%	0%	0%	0%	F	0.103	F	0.573	7600	G	2007
(1454) E Frederick Dr	0.05	6900	G	98%	0%	1%	0%	0%	0%	F	0.103	F	0.573	7600	G	2007
(1454) Frederick Dr	0.12	6400	G	98%	0%	1%	0%	0%	0%	C	0.109	F	0.563	7000	G	2007
(1454) Frederick Dr	0.28	6300	G	98%	0%	1%	0%	0%	0%	F	0.106	F	0.583	6900	G	2007
(1454) Frederick Dr	0.15	6200	G	98%	0%	1%	0%	0%	0%	F	0.116	F	0.582	6800	G	2007

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Loudoun County																	
(1454) Frederick Dr	0.16	5600	G	98%	0%	1%	0%	0%	0%	F	0.119	F	0.6	6100	G	2007	
						From: 53-1925 Rabbitrun											
						To: 53-604; 53-625											
(1455) Charlotte St	0.05	690	R								NA			NA		02/15/2005	
						From: 53-1471 Amelia St											
(1455) Charlotte St	0.05	710	R								NA			NA		02/15/2005	
						From: 53-1458 Brunswick St											
(1455) Charlotte St	0.04	780	R								NA			NA		02/15/2005	
						From: 53-1472 Craig St											
(1455) Charlotte St	0.06	890	R								NA			NA		02/15/2005	
						From: 53-1421 Sterling Blvd											
						From: 53-846 Sterling Blvd											
(1455) Charlotte St	0.08	660	R								NA			NA		02/15/2005	
						From: 53-1446 Argonne Ave											
(1455) Charlotte St	0.08	500	R								NA			NA		02/15/2005	
						From: 53-1457 Brandon Ave											
(1455) Charlotte St	0.05	350	R								NA			NA		02/15/2005	
						From: 53-1460 Dupont St											
(1455) Charlotte St	0.06	280	R								NA			NA		02/15/2005	
						From: 53-1458 Brunswick St											
(1455) Charlotte St	0.19	240	R								NA			NA		02/15/2005	
						From: 53-1459 Amhurst St											
						From: 53-1456 Winchester Dr											
(1456) Sterling Blvd Frontage R	0.17	240	R								NA			NA		02/08/2005	
						From: 53-1437 Williamsburg Rd											
						From: 53-1435 Staunton Rd, Gap											
(1456) Sterling Blvd Frontage R	0.24	190	R								NA			NA		02/08/2005	
						From: 53-625 Church Rd, Gap											
(1456) Sterling Blvd Frontage R	0.19	230	R								NA			NA		02/08/2005	
						From: 53-1447 Laurel Ave											
(1456) Sterling Blvd Frontage R	0.25	320	R								NA			NA		1999	
						From: 53-1451 Juniper Ave											
						From: 53-1454, E Frederick Dr, Gap											
(1456) Sterling Blvd Frontage R	0.20	330	R								NA			NA		02/08/2005	
						From: 53-1455 Charlotte St, Gap											
(1456) Sterling Blvd Frontage R	0.05	140	R								NA			NA		02/08/2005	
						From: 53-1458 Brunswick St											
(1456) Winchester Dr	0.30	190	R								NA			NA		02/08/2005	
						From: 53-1459 Amhurst St											
(1456) Winchester Dr	0.06	120	R								NA			NA		02/08/2005	
						From: 53-1461 Leesburg Ct											
						From: 53-1455 Charlotte St											
(1457) Brandon Ave	0.10	140	R								NA			NA		02/08/2005	
						From: 53-1455 Charlotte St											
(1457) Brandon Ave	0.06	180	R								NA			NA		02/08/2005	
						From: 53-1460 Dupont St											
						From: 53-1458 Brunswick St											
(1458) Brunswick St	0.24	250	R								NA			NA		03/15/2005	
						From: 53-1455 Charlotte St											
(1458) Brunswick St	0.05	570	R								NA			NA		03/15/2005	
						From: 53-1472 Craig St											
						From: 53-1421 Sterling Blvd											
(1458) Brunswick St	0.05	460	R								NA			NA		03/15/2005	
						From: 53-846 Sterling Blvd											
						From: 53-1446 Argonne Ave											

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1458) Brunswick St	0.05	390	R			From: 53-1446 Argonne Ave					NA			NA		03/15/2005
(1458) Brunswick St	0.14	340	R			From: 53-1457 Brandon Ave					NA			NA		03/15/2005
(1459) Amhurst St	0.31	200	R			From: 53-1455 Charlotte St					NA			NA		1999
(1459) Amhurst St	0.12	150	R			From: 53-846 Sterling Blvd, Gap					NA			NA		1999
(1460) Dupont St	0.08	120	R			From: 53-1455 Charlotte St					NA			NA		02/10/2005
(1461) Leesburg Ct	0.03	10	R			From: Cul-de-Sac					NA			NA		1999
(1462) Maple Ave	0.50	3700	R			From: 53-1401 Holly Ave					NA			NA		02/16/2005
(1463) Garfield Rd	0.04	40	R			From: 53-1462 Maple Ave					NA			NA		1999
(1464) Poplar Ct	0.03	30	R			From: Cul-de-Sac					NA			NA		1999
(1465) Buckingham Ct	0.04	20	R			From: Cul-de-Sac					NA			NA		1999
(1466) Dinwiddie St	0.18	160	R			From: 53-1454 Frederick Dr					NA			NA		03/15/2005
(1467) Erving Pl	0.03	50	R			From: Cul-de-Sac					NA			NA		1999
(1468) Ivy Ave	0.07	70	R			From: 53-1471 Amelia St					NA			NA		02/15/2005
(1469) Derby Ave	0.09	470	R			From: 53-1480 York Rd					NA			NA		03/25/2005
(1469) Derby Ave	0.03	580	R			From: 53-1476 Vernon St					NA			NA		03/15/2005
(1469) Derby Ave	0.04	670	R			From: 53-1470 Derby Ct					NA			NA		03/15/2005
(1470) Derby Ct	0.07	90	R			From: Cul-de-Sac					NA			NA		1999
(1471) Alder Ave	0.15	700	R			From: 53-1401 Holly Ave					NA			NA		02/09/2005
(1471) Alder Ave	0.06	840	R			From: 53-1405 Balsam Rd					NA			NA		02/09/2005
(1471) Alder Ave	0.06	970	R			From: 53-1402 Beech Rd					NA			NA		02/09/2005
						To: 53-1415 Ash Rd										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1471) Alder Ave	0.06	870	R								NA			NA		02/09/2005
(1471) Alder Ave	0.12	800	R								NA			NA		02/09/2005
(1471) Alder Ave	0.07	710	R								NA			NA		02/09/2005
(1471) Amelia St	0.05	1700	R								NA			NA		02/09/2005
(1471) Amelia St	0.25	680	R								NA			NA		02/09/2005
(1471) Amelia St	0.14	580	R								NA			NA		02/09/2005
(1471)	0.06	630	R								NA			NA		02/09/2005
(1471)	0.05	610	R								NA			NA		02/09/2005
(1471)	0.06	570	R								NA			NA		02/09/2005
(1471)	0.05	560	R								NA			NA		02/09/2005
(1471)	0.17	410	R								NA			NA		02/09/2005
(1471)	0.30	400	R								NA			NA		02/09/2005
(1472) Craig St	0.18	280	R								NA			NA		02/15/2005
(1473) Grayson Pl	0.05	60	R								NA			NA		1999
(1474) Hanover Pl	0.04	50	R								NA			NA		1999
(1475) Upton St	0.13	280	R								NA			NA		03/15/2005
(1476) Vernon St	0.05	140	R								NA			NA		03/15/2005
(1476) Vernon St	0.12	230	R								NA			NA		03/15/2005
(1476) Vernon St	0.06	280	R								NA			NA		03/15/2005
(1476) Vernon St	0.14	350	R								NA			NA		03/15/2005
(1477) Vernon Ct	0.05	70	R								NA			NA		1999
(1478) Valery Ct	0.07	80	R								NA			NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1479) Watford Ct	0.10	140	R													1999
(1479) Watford St	0.15	270	R													03/15/2005
(1480) York Rd	0.12	2300	R													03/15/2005
(1480) York Rd	0.22	1600	R													03/15/2005
(1480) York Rd	0.17	450	R													03/15/2005
(1481) Belfort St	0.19	340	F	95%	1%	3%	0%	0%	0%	C	0.124	F	0.595	340	F	2007
(1482) Concord Ct	0.24	250	R													03/16/2005
(1483) Concord Ct South	0.07	560	R													04/20/2005
(1483) Concord Ct South	0.03	1000	R													04/20/2005
(1483) Concord Ct South	0.05	1500	R													04/20/2005
(1484) Colonial Ave	0.13	530	R													1986
(1484) Enterprise	0.44	2500	R													1992
(1484)	0.08	4100	R													1992
(1485) Brighton Ave	0.08	220	R													02/19/2005
(1485) Brighton Ave	0.07	170	R													02/19/2005
(1486) Brighton Ct	0.05	70	R													1999
(1487) Fillmore Ave	0.24	2100	R													1999
(1487) Fillmore Ave	0.06	1100	R													03/09/2005
(1487) Fillmore Ave	0.07	920	R													03/09/2005
(1487) Fillmore Ave	0.11	790	R													03/09/2005
(1487) Fillmore Ave	0.12	840	R													03/09/2005
(1487) Fillmore Ave	0.11	1100	R													03/09/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1487) Fillmore Ave	0.06	150	R											NA		1999
(1488) Garfield Rd	0.27	350	R											NA		02/16/2005
(1489) Harrison Rd	0.06	950	R											NA		02/16/2005
(1489) Harrison Rd	0.06	900	R											NA		02/16/2005
(1489) Harrison Rd	0.07	980	R											NA		1986
(1489) Harrison Rd	0.06	830	R											NA		02/16/2005
(1489) Harrison Rd	0.06	1100	R											NA		02/16/2005
(1489) Harrison Rd	0.23	550	R											NA		02/16/2005
(1489) Harrison Rd	0.13	580	R											NA		02/16/2005
(1490)	0.06	290	R											NA		1999
(1491) Ithaca Rd	0.19	280	R											NA		04/20/2005
(1491) Ithaca Rd	0.07	300	R											NA		04/20/2005
(1492) Ithaca Ct	0.08	110	R											NA		1999
(1493) Johnson Rd	0.10	330	R											NA		1999
(1493) Johnson Rd	0.08	390	R											NA		1999
(1493) Johnson Rd	0.10	460	R											NA		1999
(1493) Johnson Rd	0.05	190	R											NA		03/10/2005
(1493) Johnson Rd	0.06	190	R											NA		03/10/2005
(1494) Holly Ave	0.11	3400	G	98%	0%	1%	0%	0%	0%	F	0.108	F	0.571	3800	G	2007
(1494) Holly Ave	0.21	1900	G	98%	0%	1%	0%	0%	0%	C	0.114	F	0.53	2100	G	2007
(1494) Holly Ave	0.11	2000	G	98%	0%	1%	0%	0%	0%	F	0.117	F	0.536	2200	G	2007
(1494) Holly Ave	0.05	840	R											NA		03/10/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1494) Holly Ave	0.04	530	R								NA			NA		03/10/2005
(1494) Holly Ave	0.07	350	R								NA			NA		03/10/2005
(1495) Kennedy Rd	0.06	620	R								NA			NA		1999
(1495) Kennedy Rd	0.05	400	R								NA			NA		03/10/2005
(1495) Kennedy Rd	0.04	490	R								NA			NA		03/10/2005
(1495) Kennedy Rd	0.21	360	R								NA			NA		1999
(1495) Kennedy Rd	0.06	820	R								NA			NA		1999
(1495) Kennedy Rd	0.21	810	R								NA			NA		03/10/2005
(1496) Lincoln Ave	0.56	7100	G	98%	1%	1%	0%	0%	0%	F	0.097	F	0.635	7800	G	2007
(1496) Lincoln Ave	0.79	5600	F	98%	1%	1%	0%	0%	0%	C	0.095	F	0.556	6100	F	2007
(1497) Iberia Rd	0.21	790	R								NA			NA		1999
(1497) Iberia Rd	0.05	1200	R								NA			NA		1999
(1498) Jefferson Rd	0.10	380	R								NA			NA		1999
(1498) Jefferson Rd	0.09	190	R								NA			NA		1999
(1499) Irving Rd	0.10	120	R								NA			NA		1999
(1500) Englewood Dr	0.25	480	R								NA			NA		02/16/2005
Town of Lovettsville																
(1501) Church St	0.07	460	R								NA			NA		1999
(1502) Pennsylvania Ave	0.22	210	R								NA			NA		1999
(1503) Locust St	0.18	1200	R								NA			NA		1999
(1504) Redbud Lane	0.13	150	R								NA			NA		1999
(1505) Redbud Lane	0.09	50	R								NA			NA		03/02/2002

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1506) Elm Tree Lane	0.09	390	R			From: 53-1451 Juniper Ave					NA			NA		02/16/2005
(1506) Elm Tree Lane	0.06	80	R			To: 53-1507 Pine Tree Ct					NA			NA		1999
						From: Cul-de-Sac										
(1507) Pine Tree Ct	0.09	70	R			To: 53-1506 Elm Tree Lane					NA			NA		1999
						From: 53-1519 Lillard Rd					NA			NA		1999
(1508) Hummer Ct	0.05	110	R			To: Cul-de-Sac					NA			NA		1999
						From: Cul-de-Sac					NA			NA		1999
(1509) Hanford Ct	0.08	170	R			To: 53-1519 Lillard Rd					NA			NA		1999
						From: 53-1495 Kennedy Rd					NA			NA		1999
(1510) Collier Ct	0.02	40	R			To: Cul-de-Sac					NA			NA		1999
						From: 53-1496 Lincoln Ave					NA			NA		1999
(1511) Jefferson Ct	0.08	80	R			To: Cul-de-Sac					NA			NA		1999
						From: 53-1496 Lincoln Ave					NA			NA		1999
(1512) Madison Ct	0.09	100	R			To: Cul-de-Sac					NA			NA		1999
						From: Cul-de-Sac					NA			NA		1999
(1513) Lee Ct	0.03	50	R			To: 53-1400 Lee Rd					NA			NA		1999
						From: 53-1462 Maple Ave					NA			NA		1999
(1514) Maple Ct	0.03	60	R			To: Cul-de-Sac					NA			NA		1999
						From: 53-1447 Laurel Ave					NA			NA		02/16/2005
(1515) Evergreen St	0.10	420	R			To: 53-1530 Scott Dr					NA			NA		02/16/2005
(1515) Evergreen St	0.16	220	R			To: 53-1451 Juniper Ave					NA			NA		02/16/2005
						From: 53-625 W, Church Rd					0.098	F	0.539	10000	G	2007
(1516) Oak Tree Lane	0.37	10000	G			To: 53-625 E, Church Rd										
						From: 53-1496 Lincoln Ave					NA			NA		1999
(1517) Tavenner Ct	0.09	130	R			To: Cul-de-Sac					NA			NA		1999
						From: Cul-de-Sac					NA			NA		1999
(1518) Bailey Ct	0.07	120	R			To: 53-1487 Fillmore Ave					NA			NA		1999
						From: 53-1402 Beech Rd					NA			NA		04/06/2005
(1519) Lillard Rd	0.07	560	R			To: 53-1509 Hanford Ct					NA			NA		04/06/2005
(1519) Lillard Rd	0.03	500	R			To: 53-1508 Hummer Ct					NA			NA		04/06/2005
(1519) Lillard Rd	0.04	470	R			To: 53-1487 Fillmore Ave					NA			NA		04/06/2005
(1519) Lillard Rd	0.04	130	R			To: Cul-de-Sac					NA			NA		1999
						From: 53-1402 Beech Rd					NA			NA		02/16/2005
(1520) Argone Ave	0.15	1000	R			To: 53-1521 Fletcher Rd					NA			NA		02/16/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1520) Argonne Ave	0.13	960	R								NA			NA		02/16/2005
(1520) Argonne Ave	0.05	920	R								NA			NA		02/16/2005
(1520) Argonne Ave	0.06	1500	R								NA			NA		02/16/2005
(1521) Fletcher Rd	0.11	250	R								NA			NA		02/16/2005
(1522) Summers Ct	0.04	80	R								NA			NA		1999
(1523) Commerce St	0.10	8600	R								NA			NA		1999
(1524)	0.10	40	R								NA			NA		1999
(1525) Magnolia Rd	0.12	690	R								NA			NA		03/17/2005
(1525) Magnolia Rd	0.07	590	R								NA			NA		03/17/2005
(1525) Magnolia Rd	0.09	520	R								NA			NA		03/17/2005
(1525) Magnolia Rd	0.09	490	R								NA			NA		03/17/2005
(1525) Magnolia Rd	0.24	450	R								NA			NA		03/17/2005
(1525) Magnolia Rd	0.18	1200	R								NA			NA		03/17/2005
(1525) Magnolia Rd	0.50	NA									NA			NA		
(1526) Magnolia Ct	0.04	70	R								NA			NA		1999
(1527) Nutmeg Ct	0.03	70	R								NA			NA		1999
(1528) Spruce Ct	0.06	80	R								NA			NA		1999
(1529) Chestnut Ct	0.06	80	R								NA			NA		1999
(1530) Scott Dr	0.07	280	R								NA			NA		02/16/2005
(1530) Scott Dr	0.08	270	R								NA			NA		02/16/2005
(1530) Scott Dr	0.04	420	R								NA			NA		02/16/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1531) Plum Tree Ct	0.08	100	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1530 Scott Dr										
(1532) Cherry Tree Ct	0.07	120	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1530 Scott Dr										
(1533) Dove Tree Ct	0.04	60	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1534 Coffee Tree Ct										
(1533) Dove Tree Ct	0.07	210	R			From: 53-1534 Coffee Tree Ct					NA		NA			1999
						To: 53-1451 Juniper Ave										
(1534) Coffee Tree Ct	0.07	70	R			From: 53-1533 Dove Tree Ct					NA		NA			1999
						To: Cul-de-Sac										
(1535)	0.66	5200	R			From: 53-1401 EAST					NA		NA			03/17/2005
						To: 53-1540										
(1536)	0.10	410	R			From: Dead End					NA		NA			1999
						To: 53-1541 Applegate Dr										
(1536)	0.10	160	R			From: 53-1541 Applegate Dr					NA		NA			1999
						To: Cul-de-Sac										
(1537) Gold Thorn Way	0.06	80	R			From: 53-1538 Candleberry Ct					NA		NA			1999
						To: 53-1442 Dickenson Ave										
(1537) Gold Thorn Way	0.06	360	R			From: 53-1442 Dickenson Ave					NA		NA			1999
						To: 53-1539 Bayberry Ct										
(1537) Gold Thorn Way	0.10	760	R			From: 53-1539 Bayberry Ct					NA		NA			03/17/2005
						To: 53-1540										
(1538) Candleberry Ct	0.02	30	R			From: Dead End					NA		NA			1999
						To: 53-1537 Gold Thorn Way										
(1538) Candleberry Ct	0.04	70	R			From: 53-1537 Gold Thorn Way					NA		NA			1999
						To: Dead End										
(1539) Bayberry Ct	0.05	40	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-1537 Gold Thorn Way										
(1540)	0.03	60	R			From: Dead End					NA		NA			1999
						To: 53-1558 Autumn Olive										
(1540)	0.04	730	R			From: 53-1558 Autumn Olive					NA		NA			03/17/2005
						To: 53-1535										
(1540)	0.34	6900	R			From: 53-1535					NA		NA			1999
						To: Dead End										
(1541) Applegate Dr	0.08	730	R			From: 53-1650 Briarwood Ct					NA		NA			03/17/2005
						To: 53-1536										
(1541) Applegate Dr	0.17	460	R			From: 53-1536					NA		NA			03/17/2005
						To: 53-1555 Pepperidge Pl										
(1541) Applegate Dr	0.18	870	R			From: 53-1555 Pepperidge Pl					NA		NA			03/17/2005
						To: 53-1540 EAST										
(1541) Applegate Dr	0.05	290	R			From: 53-1540 EAST					NA		NA			03/17/2005
						To: 53-1544 Box Elder Ct										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1541) Applegate Dr	0.05	270	R				From: 53-1544 Box Elder Ct				NA			NA		03/17/2005
(1541) Applegate Dr	0.16	240	R				To: 53-1543 Cottonwood Ct				NA			NA		03/17/2005
(1541) Applegate Dr	0.04	550	R				From: 53-1542 Deerwood Ct				NA			NA		03/17/2005
							To: 53-1540 WEST									
(1542) Deerwood Ct	0.03	40	R				From: 53-1541 Applegate Dr				NA			NA		1999
							To: Cul-de-Sac									
(1543) Cottonwood Ct	0.07	70	R				From: 53-1541 Applegate Dr				NA			NA		1999
							To: Cul-de-Sac									
(1544) Box Elder Ct	0.02	30	R				From: 53-1541 Applegate Dr				NA			NA		1999
							To: Cul-de-Sac									
(1545) Juneberry Ct	0.04	40	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1540									
(1546) Butternut Way	0.04	50	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1549 Acorn Ct									
(1546) Butternut Way	0.06	240	R				From: 53-1548 Pomegranate Ct				NA			NA		04/11/2005
(1546) Butternut Way	0.05	310	R				From: 53-1547 Cinnamon Ct				NA			NA		04/11/2005
(1546) Butternut Way	0.05	390	R				From: 53-1496 Lincoln Ave				NA			NA		04/11/2005
							To: Cul-de-Sac									
(1547) Cinnamon Ct	0.04	46	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1546 Butternut Way									
(1548) Pomegranate Ct	0.04	49	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1546 Butternut Way									
(1549) Acorn Ct	0.03	47	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1546 Butternut Way									
(1550) Sexton Ct	0.04	90	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1520 Argonne Ave									
(1551) Drew Ct	0.06	140	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1636 Primavera Circle									
(1552) Autumn Leaf Ct	0.03	50	R				From: 53-1636 Primavera Ct				NA			NA		1999
							To: Cul-de-Sac									
(1553)	0.15	NA					From: 53-1582; 53-1692				NA			NA		
							To: Cul-de-Sac									
(1554) Vista Ct	0.07	NA					From: 53-1553				NA			NA		
							To: Cul-de-Sac									
(1555) Pepperidge Pl	0.08	430	R				From: 53-1540				NA			NA		03/17/2005
							To: 53-1557 Catalpa Ct									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1555) Pepperidge Pl	0.15	490	R			From: 53-1557 Catalpa Ct					NA			NA		03/17/2005
(1555) Pepperidge Pl	0.06	560	R			To: 53-1556 Hemlock Ct					NA			NA		03/17/2005
(1556) Hemlock Ct	0.03	30	R			From: 53-1541 Applegate Dr					NA			NA		1999
(1556) Hemlock Ct	0.03	30	R			To: 53-1555 Pepperidge Pl					NA			NA		1999
(1557) Catalpa Ct	0.03	30	R			From: Cul-de-Sac					NA			NA		1999
(1557) Catalpa Ct	0.03	30	R			To: 53-1555 Pepperidge Pl					NA			NA		1999
(1558) Autumn Olive Way	0.10	110	R			From: Dead End					NA			NA		1999
(1558) Autumn Olive Way	0.06	160	R			To: 53-1540					NA			NA		03/09/2005
(1558) Autumn Olive Way	0.03	70	R			From: 53-1559 Buckthorn Ct					NA			NA		1999
(1558) Autumn Olive Way	0.03	70	R			To: Dead End					NA			NA		1999
(1559) Buckthorn Ct	0.03	40	R			From: 53-1558 Autumn Olive Way					NA			NA		1999
(1559) Buckthorn Ct	0.03	40	R			To: Cul-de-Sac					NA			NA		1999
(1560) Caragana Ct	0.13	140	R			From: Cul-de-Sac					NA			NA		1999
(1560) Caragana Ct	0.13	140	R			To: 53-1442 Dickenson Ave					NA			NA		1999
(1561) Buckeye	0.09	110	R			From: Cul-de-Sac					NA			NA		1999
(1561) Buckeye	0.09	110	R			To: 53-1442; 53-1562					NA			NA		1999
(1562) Yew Ct	0.09	110	R			From: 53-1442; 53-1561					NA			NA		1999
(1562) Yew Ct	0.09	110	R			To: Cul-de-Sac					NA			NA		1999
(1563) Almey Ct	0.12	130	R			From: 53-1442 Dickenson Ave					NA			NA		1999
(1563) Almey Ct	0.12	130	R			To: Cul-de-Sac					NA			NA		1999
(1564) Almond Ct	0.10	130	R			From: 53-1442 Dickenson Ave					NA			NA		1999
(1564) Almond Ct	0.10	130	R			To: Cul-de-Sac					NA			NA		1999
(1565) Silverleaf Ct	0.09	110	R			From: Cul-de-Sac					NA			NA		1999
(1565) Silverleaf Ct	0.09	110	R			To: 53-1442 Dickenson Ave					NA			NA		1999
(1566) Norwood	0.18	150	R			From: Cul-de-Sac					NA			NA		1999
(1566) Norwood	0.18	150	R			To: 53-604 Alcott Way					NA			NA		1999
(1567) Tamarack	0.07	2100	R			From: 53-1442 Dickenson Ave					NA			NA		03/17/2005
(1567) Tamarack	0.05	1600	R			To: 53-1568; 53-1569					NA			NA		03/17/2005
(1567) Tamarack	0.13	1200	R			From: 53-1650 Briarwood Ct					NA			NA		03/17/2005
(1567) Tamarack	0.13	1200	R			To: 53-1555 Pepperidge Pl					NA			NA		03/17/2005
(1568) Red Oak	0.09	150	R			From: 53-1567					NA			NA		1999
(1568) Red Oak	0.09	150	R			To: Cul-de-Sac					NA			NA		1999
(1569) Tamarack	0.18	260	R			From: Cul-de-Sac					NA			NA		1999
(1569) Tamarack	0.18	260	R			To: 53-1567					NA			NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Loudoun County																	
(1570) Countryside Blvd	1.10	8000	G	99%	0%	1%	0%	0%	0%	C	0.104	F	0.543	8700	G	2007	
						From: SR 7 Harry F Byrd Hwy											
						To: 53-1582 Algonkian Pkwy											
(1571) Peyton Rd	0.06	1100	R								NA		NA			1999	
						From: 53-1570 Countryside Blvd											
(1571) Peyton Rd	0.07	1900	R								NA		NA			03/24/2005	
						From: 53-1572 Hamilton Rd											
(1571) Peyton Rd	0.14	1100	R								NA		NA			03/24/2005	
						From: 53-1573 Turner Ct											
(1571) Peyton Rd	0.15	340	R								NA		NA			03/29/2005	
						From: 53-1574 Russell Ct											
(1571) Peyton Rd	0.04	240	R								NA		NA			03/24/2005	
						From: 53-1575 Coleman Lane											
(1571) Peyton Rd	0.14	250	R								NA		NA			03/24/2005	
						From: 53-1572 Hamilton Rd											
(1571) Peyton Rd	0.09	380	R								NA		NA			03/24/2005	
						From: 53-1581 West Clapham Ct											
						To: 53-1576 Minor Rd											
(1572)	0.05	70	R								NA		NA			1999	
						From: Cul-de-Sac											
(1572)	0.30	510	R								NA		NA			03/24/2005	
						From: 53-1571 W, Peyton Rd											
						To: 53-1571 E, Peyton Rd											
(1573) Turner Ct	0.07	90	R								NA		NA			1999	
						From: 53-1571 Peyton Rd											
						To: Cul-de-Sac											
(1574) Russell Ct	0.04	50	R								NA		NA			1999	
						From: 53-1571 Peyton Rd											
						To: Cul-de-Sac											
(1575) Coleman Lane	0.07	70	R								NA		NA			1999	
						From: 53-1571 Peyton Rd											
						To: Cul-de-Sac											
(1576) Minor Rd	0.05	810	R								NA		NA			03/24/2005	
						From: 53-1570 S, Countryside Blvd											
(1576) Minor Rd	0.07	430	R								NA		NA			03/24/2005	
						From: 53-1571 Peyton Rd											
(1576) Minor Rd	0.08	220	R								NA		NA			03/29/2005	
						From: 53-1616 Mucklehany Lane											
(1576) Minor Rd	0.10	250	R								NA		NA			03/24/2005	
						From: 53-1617 Moss Ct											
(1576) Minor Rd	0.08	240	R								NA		NA			03/24/2005	
						From: 53-1618 Tyler Lane											
(1576) Austen Ct	0.05	90	R								NA		NA			1999	
						From: 53-1570 N, Countryside Blvd											
						To: Cul-de-Sac											
(1577) Carrollton Rd	0.22	1100	R								NA		NA			03/24/2005	
						From: 53-1570 Countryside Blvd											
(1577) Carrollton Rd	0.11	630	R								NA		NA			03/24/2005	
						From: 53-1583 Westmoreland Dr											
(1577) Carrollton Rd	0.13	580	R								NA		NA			03/24/2005	
						From: 53-1591 Wickham Ct											
(1577) Carrollton Rd	0.05	60	R								NA		NA			1999	
						From: 53-1592 Awsley Ct											
						To: Cul-de-Sac											

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1578) Halifax Ct	0.16	150	R									NA		NA		1999
(1578) Halifax Ct	0.09	260	R									NA		NA		03/24/2005
(1579) Exeter Ct	0.06	60	R									NA		NA		1999
(1580) Cromwell Rd	0.25	4000	R									NA		NA		03/24/2005
(1581) West Ct	0.06	90	R									NA		NA		1999
(1581) Clapham Ct	0.05	80	R									NA		NA		1999
(1582) Algonkian Pkwy	0.18	14000	G	98%	1%	1%	0%	0%	0%	F	0.096	F	0.516	16000	G	2007
(1582) Algonkian Pkwy	0.53	15000	G	98%	1%	1%	0%	0%	0%	C	0.102	F	0.508	17000	G	2007
(1582) Algonkian Pkwy	0.31	16000	G	98%	1%	1%	0%	0%	0%	F	0.102	F	0.543	17000	G	2007
(1582) Algonkian Pkwy	0.50	13000	G	98%	1%	1%	0%	0%	0%	F	0.100	F	0.541	15000	G	2007
(1582) Algonkian Pkwy	0.95	14000	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.637	16000	G	2007
(1582) Algonkian Pkwy	1.95	25000	G	99%	0%	0%	0%	0%	0%	C	0.106	F	0.683	28000	G	2007
(1582) Algonkian Pkwy	1.02	27000	G	98%	1%	1%	0%	0%	0%	F	0.104	F	0.541	29000	G	2007
(1583) Westmoreland Dr	0.20	870	R									NA		NA		03/29/2005
(1583) Westmoreland Dr	0.11	980	R									NA		NA		03/29/2005
(1583) Westmoreland Dr	0.07	1200	R									NA		NA		03/29/2005
(1583) Westmoreland Dr	0.04	1300	R									NA		NA		03/29/2005
(1585) Keyes Ct	0.05	100	R									NA		NA		1999
(1586) Elizabeth Ct	0.03	20	R									NA		NA		1999
(1586) Elizabeth Ct	0.12	100	R									NA		NA		03/10/2005
(1586) Elizabeth Ct	0.08	240	R									NA		NA		03/10/2005
(1586) Cameron St S	0.17	110	R									NA		NA		03/10/2005
(1586) Cameron St N	0.21	230	R									NA		NA		03/10/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1586) Cameron St N	0.32	760	R			From: 53-1402 Beech Rd					NA		NA			1986
						To: Dead End										
(1587) Laura Anne Dr	0.22	310	R			From: 53-1494 Holly Ave E					NA		NA			03/10/2005
(1587) Laura Anne Dr	0.13	530	R			From: 53-1402 Beech Rd					NA		NA			03/10/2005
(1587) Laura Anne Ct	0.05	70	R			From: 53-1588 Lisa Gaye Dr					NA		NA			1999
						To: Dead End										
(1588) Lisa Gaye Dr	0.05	350	R			From: 53-1586 Cameron St N					NA		NA			03/10/2005
(1588) Lisa Gaye Dr	0.05	460	R			From: 53-1587 Laura Anne Dr					NA		NA			03/10/2005
(1588) Lisa Gaye Dr	0.06	340	R			From: 53-1589 Rector St					NA		NA			03/10/2005
(1588) Lisa Gaye Dr	0.07	290	R			From: 53-1680 Helen Ct					NA		NA			03/10/2005
(1588) Lisa Gaye Dr	0.07	360	R			From: 53-1682 Cindy Ct					NA		NA			03/10/2005
						To: 53-1682 Cindy										
						To: 53-1402 Beech Rd										
(1589) Rector St	0.13	190	R			From: 53-1586 Elizabeth Ct					NA		NA			03/10/2005
(1589) Rector St	0.06	480	R			From: 53-1684 Jonathan Dr					NA		NA			03/10/2005
(1589) Rector St	0.14	590	R			From: 53-1402 Beech Rd					NA		NA			03/10/2005
						To: 53-1588 Lisa Gaye Dr										
Town of Lovettsville																
(1590) Park Pl	0.15	360	R			From: 53-673 Broad Way East					NA		NA			1999
						To: Cul-de-Sac										
Loudoun County																
(1591) Wickham Ct	0.04	50	R			From: 53-1577 Carrollton Rd					NA		NA			1999
						To: Cul-de-Sac										
(1592) Awsley Ct	0.04	60	R			From: 53-1577 Carrollton Rd					NA		NA			1999
						To: Cul-de-Sac										
(1593) Lindenwood Ct	0.08	100	R			From: Dead End					NA		NA			1999
(1593) Lindenwod Ct	0.06	320	R			From: 53-1596 Oakdale Ct					NA		NA			03/23/2005
(1593) McPherson Circle	0.10	2600	R			From: 53-1582 Algonkian Pkwy					NA		NA			1999
(1593) McPherson Circle	0.05	3400	R			From: 53-1594 Ferguson Ct					NA		NA			03/23/2005
(1593) McPherson Circle	0.08	1200	R			From: 53-1598 Bentwood Rd					NA		NA			1999
(1593) McPherson Circle	0.23	950	R			From: 53-1619 Glengyle Lane					NA		NA			03/23/2005
(1593) McPherson Circle	0.04	760	R			From: 53-1782 Jeremy Ct					NA		NA			03/23/2005
						To: 53-1775 McCarty Ct										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1593) McPherson Circle	0.17	620	R									NA		NA		03/23/2005
(1593) McPherson Circle	0.06	930	R									NA		NA		03/23/2005
(1593) McPherson Circle	0.05	1200	R									NA		NA		03/23/2005
(1593) Bentley Dr	0.04	870	R									NA		NA		03/23/2005
(1593) Bentley Dr	0.08	730	R									NA		NA		03/23/2005
(1593) Bentley Dr	0.10	690	R									NA		NA		03/23/2005
(1593) Bentley Dr	0.08	190	R									NA		NA		1999
(1594) Ferguson Ct	0.08	260	R									NA		NA		03/23/2005
(1594) Ferguson Ct	0.12	160	R									NA		NA		1999
(1595) Bentmoor Ct	0.03	60	R									NA		NA		1999
(1596) Oakdale Ct	0.10	150	R									NA		NA		1999
(1597) Devenshire Ct	0.13	120	R									NA		NA		1999
(1598) Bentwood Rd	0.10	780	R									NA		NA		03/23/2005
(1599) Spotswood Rd	0.20	1500	R									NA		NA		03/23/2005
(1599) Spotswood Rd	0.15	2600	R									NA		NA		03/23/2005
Town of Purcellville																
(1601) 33rd St N	0.17	610	R									NA		NA		1999
(1602) Holly Lane	0.07	70	R									NA		NA		1999
(1603) W Country Club Dr	0.10	300	R									NA		NA		1999
(1603) W. Country Club Dr.	0.27	300	R									NA		NA		1999
(1604)	0.13	3700	G	97%	1%	2%	0%	0%	0%	C	0.089	F	0.632	3800	G	2007
(1605) Orchard Dr	0.41	530	R									NA		NA		1999

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Purcellville																
(1606) Nursery Ave S	0.64	2100	R			From: 53-690 Silcott Springs Rd					NA			NA		1999
						To: Bus SR 7, Main St E										
(1607) East G St	0.62	400	R			From: 53-611 20th St					NA			NA		1999
						To: 53-722 Maple Ave S										
(1608)	0.54	590	R			From: 53-611 20th St					NA			NA		1999
						To: SR 7										
(1609) 9th St S	0.03	350	R			From: 53-722 Maple Ave S					NA			NA		03/02/2002
						To: ECL Purcellville										
Loudoun County																
(1609) 9th St S	0.07	210	R			From: ECL Purcellville					NA			NA		1999
						To: SCL Purcellville										
Town of Purcellville																
(1609) 9th St S	0.26	750	R			From: SCL Purcellville					NA			NA		1999
						To: SR 7 Main St E										
Loudoun County																
(1610)	0.50	990	R			From: 53-611 20th St; Telegraph Springs Rd					NA			NA		1999
						To: 53-722 Maple Ave S; Lincoln Rd										
(1611)	0.08	330	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1582 Algonkian Pkwy										
(1611)	0.17	400	R			From: Dead End					NA			NA		1999
						To: 53-1593 McPherson Circle										
(1612) Fenton Wood Rd	0.19	380	R			From: 53-1593 McPherson Circle					NA			NA		1999
						To: Cul-de-Sac										
(1613) Brookmeade Ct	0.08	120	R			From: 53-1593 McPherson Circle					NA			NA		1999
						To: Cul-de-Sac										
(1614) Cumberland Ct	0.05	47	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1583 Westmoreland Dr										
(1615) Crisswell Ct	0.08	110	R			From: 53-1583 Westmoreland Dr					NA			NA		1999
						To: Cul-de-Sac										
(1616) Mucklehany Lane	0.10	160	R			From: 53-1576 Minor Rd					NA			NA		1999
						To: Cul-de-Sac										
(1617) Moss Ct	0.22	230	R			From: 53-1576 Minor Rd					NA			NA		1999
						To: Cul-de-Sac										
(1618) Tyler Lane	0.07	140	R			From: 53-1576 Minor Rd					NA			NA		1999
						To: Cul-de-Sac										
(1619) Glengyle Lane	0.04	290	R			From: 53-1593 McPherson Circle					NA			NA		03/23/2005
						To: 53-1620 Glengyle Ct										
(1619) Glengyle Lane	0.06	130	R			From: Cul-de-Sac					NA			NA		1999
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1620) GlengyleCt	0.04	120	R			From: 53-1619 Glengyle Lane					NA			NA		1999
						To: Cul-de-Sac										
(1621) Selden Ct	0.07	100	R			From: 53-1612 Fenton Wood Rd					NA			NA		1999
						To: Cul-de-Sac										
(1622) Lipscomb Ct	0.16	270	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1623 Webley Ct										
(1622) Lipscomb	0.09	350	R			From: 53-1623					NA			NA		03/23/2005
						To: 53-1583										
(1623) Webley Ct	0.10	170	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1622 Lipscomb Ct										
(1624) Wilshire Ct W	0.10	190	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1583 Westmoreland Dr										
(1624) Wilshire Ct E	0.16	230	R			From: 53-1583 Westmoreland Dr					NA			NA		1999
						To: Dead End										
(1625) Foxmore Ct	0.05	90	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1583 Westmoreland Dr										
(1626) Summer Breeze Ct	0.14	170	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-777 Tripleseven Rd										
(1627) Country Rd	0.13	220	R			From: 53-1634 Heather Glen Dr					NA			NA		03/23/2005
						To: 53-1628 Winter Frost Ct										
(1627) Country Rd	0.06	30	R			From: 53-1628 Winter Frost Ct					NA			NA		03/22/2005
						To: 53-777										
(1628) Winter Frost Ct	0.12	190	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1627 Country Rd										
(1629) Glade St	0.06	290	R			From: 53-777 Tripleseven Rd					NA			NA		03/22/2005
						To: 53-1630 Markwood Dr										
(1630) Markwood Dr	0.06	470	R			From: 53-1633 W, Regina Dr					NA			NA		04/04/2005
						To: 53-1632 Copper Ct										
(1630) Markwood Dr	0.09	160	R			From: 53-1632 Copper Ct					NA			NA		04/04/2005
						To: 53-1629 Glade St										
(1630) Markwood Dr	0.03	140	R			From: 53-1629 Glade St					NA			NA		04/04/2005
						To: 53-1636 Primavera Circle										
(1630) Markwood Dr	0.17	130	R			From: 53-1636 Primavera Circle					NA			NA		04/04/2005
						To: 53-1633 E, Regina Dr										
(1630) Markwood Dr	0.08	160	R			From: 53-1633 E, Regina Dr					NA			NA		04/04/2005
						To: 53-1631 Terrie Dr										
(1631) Terrie Dr	0.17	350	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1635 Hawkins Lane										
(1631) Terrie Dr	0.07	120	R			From: 53-1635 Hawkins Lane					NA			NA		04/04/2005
						To: 53-1630 Markwood Dr										
(1631) Terrie Dr	0.04	180	R			From: 53-1630 Markwood Dr					NA			NA		1999
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1632) Copper Ct	0.11	190	R			From: 53-1630 Markwood Dr					NA		NA			1999
						To: Cul-de-Sac										
(1633) Regina Dr	0.05	1100	R			From: 53-777 Tripleseven Rd					NA		NA			04/04/2005
(1633) Regina Dr	0.16	540	R			From: 53-1630 W, Markwood Dr					NA		NA			04/04/2005
(1633) Regina Dr	0.05	320	R			From: 53-1635 Hawkins Lane					NA		NA			04/04/2005
						To: 53-1630 E, Markwood Dr										
(1634) Heather Glen Dr	0.12	930	R			From: 53-777 Tripleseven Rd					NA		NA			04/04/2005
(1634) Heather Glen Dr	0.15	620	R			From: 53-1636 Primavera Circle					NA		NA			04/04/2005
(1634) Heather Glen Dr	0.11	170	R			From: 53-1627 Country Rd					NA		NA			1999
						To: Cul-de-Sac										
(1635) Hawkins Lane	0.08	520	R			From: 53-1633 Regina Dr					NA		NA			04/04/2005
						To: 53-1631 Terrie Dr										
(1636) Primavera Dr	0.05	790	R			From: 53-1630 Markwood Dr					NA		NA			04/04/2005
(1636) Primavera Dr	0.04	800	R			From: 53-1634 Heather Glen Dr					NA		NA			04/04/2005
(1636) Primavera Dr	0.05	310	R			From: Begin Loop					NA		NA			04/04/2005
(1636) Primavera Dr	0.25	140	R			From: 53-1551 Drew Ct					NA		NA			04/04/2005
(1636) Primavera Dr	0.04	330	R			From: 53-1552 Autumn Leaf Ct					NA		NA			04/04/2005
						To: End Loop										
(1637) Yorktown Way	0.32	1500	R			From: Cul-de-Sac					NA		NA			1999
						To: 53-603 Brockman Lane										
(1638) McKean Ct	0.12	110	R			From: 53-1637 Yorktown Way					NA		NA			1999
						To: Cul-de-Sac										
(1639) Great Falls Forest	0.16	880	R			From: 53-1643 Cambridge Ct					NA		NA			04/12/2005
(1639) Great Falls Forest	0.07	900	R			From: 53-1642 Falls Forest Pl					NA		NA			04/12/2005
(1639) Great Falls Forest	0.07	1400	R			From: 53-1637 Yorktown Way					NA		NA			04/12/2005
(1639) Great Falls Forest	0.21	960	R			From: 53-1640 Oxford Ct					NA		NA			04/12/2005
(1639) Great Falls Forest	0.14	770	R			From: 53-1800 Sugar Meadow Dr					NA		NA			04/12/2005
(1639) Great Falls Forest	0.21	NA				From: 53-1803 Monticello Dr					NA		NA			
						To: Cul-de-Sac										
(1640) Oxford Ct	0.08	80	R			From: 53-1639 Great Falls Forest					NA		NA			1999
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1641) Yorktown Ct	0.14	150	R								NA		NA			1999
(1642) Falls Forest Pl	0.09	120	R								NA		NA			1999
(1643) Cambridge Ct	0.11	130	R								NA		NA			1999
Town of Lovettsville																
(1644) Fox Meadow Dr	0.13	140	R								NA		NA			08/26/2002
(1645) N Light St	0.09	170	R								NA		NA			1999
Town of Purcellville																
(1646) N 16th St	0.07	130	R								NA		NA			1999
Town of Lovettsville																
(1647) Woodbriar Dr	0.04	60	R								NA		NA			1999
(1647) Woodbriar Dr	0.05	90	R								NA		NA			08/26/2002
(1648) Milhoven Dr	0.06	280	R								NA		NA			1999
(1649) Mills Ct	0.04	130	R								NA		NA			1999
(1649) Mills Ct	0.05	110	R								NA		NA			1999
Loudoun County																
(1650) Briarwood Ct	0.16	180	R								NA		NA			1999
(1650) Briarwood Ct	0.09	320	R								NA		NA			03/09/2005
(1651) Whitewater Dr	0.99	4800	R								NA		NA			04/14/2005
(1652) Lowes Island Blvd	0.55	2000	R								NA		NA			04/14/2005
(1652) Lowes Island Blvd	0.68	NA									NA		NA			
(1653) Saulty Dr	0.23	510	R								NA		NA			04/14/2005
(1653) Saulty Dr	0.30	NA									NA		NA			
(1654) Fathom Pl	0.14	570	R								NA		NA			04/14/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1655) Longpier Way	0.05	NA					From: 53-1679 Blockhouse Point				NA			NA		
(1655) Longpier Way	0.10	290	R				From: 53-1658 Rafter Ct				NA			NA	04/14/2005	
							To: 53-1654 Fathom Pl									
Town of Lovettsville																
(1656) Oakfield Dr	0.07	40	R				From: 53-1647 Woodbriar Dr				NA			NA	08/22/2002	
							To: Dead End									
Loudoun County																
(1657) Mariner Ct	0.04	60	R				From: Cul-de-Sac				NA			NA	08/22/2002	
							To: 53-1655 Longpier Way									
(1658) Rafter Ct	0.09	100	R				From: Cul-de-Sac				NA			NA	08/22/2002	
							To: 53-1655 Longpier Way									
(1659) Bouy Pl	0.10	1800	R				From: Cul-de-Sac				NA			NA	08/22/2002	
							To: 53-1652 Lowes Island Blvd									
(1660) Westwick Ct	0.03	170	R				From: Cul-de-Sac				NA			NA	1999	
							To: 53-777 Tripleseven Rd									
(1661) Sarret Way	0.07	190	R				From: Cul-de-Sac				NA			NA	1999	
(1661) Sarret Way	0.04	140	R				From: 53-1599 Spotswood Rd				NA			NA	1999	
							To: Cul-de-Sac									
(1662) Bank Way	0.12	690	R				From: 53-1664 Waterbeach				NA			NA	04/14/2005	
							To: 53-1651 Whitewater Dr									
(1663) League Ct	0.10	160	R				From: 53-1662 Bank Way				NA			NA	08/22/2002	
							To: Cul-de-Sac									
(1664) Waterbeach Pl	0.04	NA					From: Cul-de-Sac				NA			NA		
(1664) Waterbeach Pl	0.15	60	R				From: 53-1662 Bank Way				NA			NA	08/22/2002	
							To: Cul-de-Sac									
Town of Purcellville																
(1665) Loudoun Valley Dr	0.23	230	R				From: 53-611 Hatcher Ave				NA			NA	1999	
							To: Dead End									
(1666) East D St	0.25	280	R				From: 53-611 20th St				NA			NA	1999	
							To: Cul-de-Sac									
Loudoun County																
(1667)	0.35	NA					From: Dead End				NA			NA		
							To: 53-1603 Country Club Dr W									
(1668)	0.07	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1667									
(1669)	0.05	NA					From: 53-1667				NA			NA		
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1670) Carter Ct	0.07	220	R				From: 53-1582 Algonkian Pkwy				NA			NA		1999
							To: Cul-de-Sac									
(1671) Hardwood Forest Dr	0.47	NA					From: 53-1582 Algonkian Pkwy				NA			NA		
							To: 53-1582 Algonkian Pkwy									
(1672) Westwood Pl	0.23	1400	R				From: 53-1639 Great Falls Forest				NA			NA		04/14/2005
							To: 53-1671 Hardwood Forest Dr									
(1673) Chippeaks Forest Circle	0.26	570	R				From: 53-1672 S, Westwood Pl				NA			NA		04/14/2005
							To: 53-1672 N, Westwood Pl									
(1674) Gallion Forest Ct	0.03	60	R				From: 53-1672 Westwood Pl				NA			NA		08/22/2002
							To: Cul-de-Sac									
(1675) Redbark Pl	0.05	420	R				From: 53-1678 Lonetree Ct				NA			NA		04/14/2005
							To: 53-1677 Ravenwood Ct									
(1675) Redbark Pl	0.07	390	R				From: 53-1677 Ravenwood Ct				NA			NA		04/14/2005
							To: 53-1676 Edgewood Ct									
(1675) Redbark Pl	0.09	600	R				From: 53-1676 Edgewood Ct				NA			NA		04/14/2005
							To: 53-1582 Algonkian Pkwy									
(1676) Edgewood Ct	0.08	90	R				From: Cul-de-Sac				NA			NA		08/22/2002
							To: 53-1675 Redbark Pl									
(1677) Ravenwood Ct	0.07	90	R				From: Cul-de-Sac				NA			NA		08/22/2002
							To: 53-1675 Redbark Pl									
(1678) Lonetree Ct	0.03	170	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1675 Redbark Pl									
(1678) Lonetree Ct	0.05	180	R				From: 53-1675 Redbark Pl				NA			NA		1999
							To: Cul-de-Sac									
(1679) Blockhouse Point	0.30	NA					From: 53-1651 Whitewater Dr				NA			NA		
							To: Cul-de-Sac									
(1680) Helen Ct	0.05	410	R				From: Dead End				NA			NA		1994
							To: 53-1588 Lisa Gaye Dr									
(1680) Sue Ann Ct	0.06	410	R				From: 53-1588 Lisa Gaye Dr				NA			NA		03/10/2005
							To: 53-1681 Amy Ct									
(1680) Sue Ann Ct	0.10	150	R				From: 53-1681 Amy Ct				NA			NA		1999
							To: Cul-de-Sac									
(1681) Amy Ct	0.11	160	R				From: 53-1680 Sue Ann Ct				NA			NA		1999
							To: Cul-de-Sac									
(1682) Cindy Ct	0.10	140	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1588 Lisa Gaye Dr									
(1683) Gary Ct	0.04	110	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1402 Beech Rd									
(1684) Jonathan Dr	0.09	160	R				From: 53-1589 Rector St				NA			NA		04/14/2005
							To: 53-1586 Elizabeth Ct									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1685)	0.08	NA														
(1686)	0.16	NA														
(1687)	0.04	NA														
(1688)	0.21	NA														
(1689)	0.05	NA														
(1690) Brinks Ct	0.15	150	R													08/28/2002
(1691) Whaley Ct	0.05	48	R													08/28/2002
(1692) Timberland Pl	0.22	760	R													08/28/2002
(1693) Longwood Ct	0.07	70	R													08/22/2002
(1694) Brasswood Pl	0.12	90	R													08/28/2002
(1695) Rosewood Pl	0.13	40	R													08/22/2002
(1696) Traskwood Ct	0.05	60	R													08/22/2002
(1697) Sparrow Pl	0.12	48	R													08/22/2002
(1698) Highwood Ct	0.03	60	R													08/22/2002
(1699) Windrush Ct	0.06	80	R													08/22/2002
(1701) Sugarland Run Dr	0.47	7700	G	98%	1%	1%	0%	0%	0%	F	0.099	F	0.551	8400	G	2007
(1701) Sugarland Run Dr	0.23	5100	G	98%	1%	1%	0%	0%	0%	C	0.102	F	0.675	5600	G	2007
(1701) Sugarland Run Dr	0.53	3400	G	98%	1%	1%	0%	0%	0%	F	0.132	F	0.592	3800	G	2007
(1701) Sugarland Run Dr	0.52	1100	G	98%	1%	1%	0%	0%	0%	F	0.100	F	0.536	1200	G	2007
(1701) Sugarland Run Dr	0.25	2100	G	98%	1%	1%	0%	0%	0%	F	0.102	F	0.620	2300	G	2007

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Loudoun County																	
(1701) Sugarland Run Dr	0.35	2500	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.604	2700	G	2007	
						From: 53-1712 E. Avondale Dr											
						To: 53-1704 Penny Lane											
(1701) Sugarland Run Dr	0.21	4500	G	98%	1%	1%	0%	0%	0%	F	0.098	F	0.591	4900	G	2007	
						From: 53-1709 Richland Circle											
						To: 53-637 Potomac View Rd											
(1702) Willow Terrace	0.12	630	R								NA			NA		1999	
						From: Cul-de-Sac											
						To: 53-1701 Sugarland Run											
(1702) Willow Terrace	0.26	2900	R								NA			NA		04/11/2005	
						From: 53-637 Potomac View Rd											
						To: Dead End											
(1703) Thrush Rd	0.12	130	R								NA			NA		1999	
						From: 53-1705 Wicker Ct											
(1703) Thrush Rd	0.05	570	R								NA			NA		04/11/2005	
						From: 53-1702 Willow Terrace											
(1703) Thrush	0.07	100	R								NA			NA		1999	
						From: Dead End											
						To: 53-1702 Willow Terrace											
(1704) Penny Lane	0.12	500	R								NA			NA		04/11/2005	
						From: 53-1706 Westgate Ct											
						To: 53-1706 Westgate											
(1704) Penny Lane	0.17	300	R								NA			NA		04/11/2005	
						From: 53-1701 Sugarland Run Dr											
						To: 53-1703 Thrush Rd											
(1705) Wicker Ct	0.02	30	R								NA			NA		1999	
						From: Cul-de-Sac											
						To: Cul-de-Sac											
(1706) Westgate Ct	0.03	40	R								NA			NA		1999	
						From: 53-1704 Penny Lane											
						To: 53-1702 Willow Terrace											
(1707) Crescent Ct	0.07	110	R								NA			NA		1999	
						From: Cul-de-Sac											
						To: Cul-de-Sac											
(1708) Hayloft Ct	0.05	240	R								NA			NA		1999	
						From: 53-1702 Willow Terrace											
						To: Cul-de-Sac											
(1709) Richland Circle	0.08	380	R								NA			NA		1999	
						From: 53-1701 Sugarland Run Dr											
						To: Cul-de-Sac											
(1710) Greenfield Ct	0.14	740	R								NA			NA		1999	
						From: 53-1701 Sugarland Run Dr											
(1710) Greenfield Ct	0.04	90	R								NA			NA		1999	
						From: Dead End											
						To: Cul-de-Sac											
(1711) Woodgate Ct	0.02	50	R								NA			NA		1999	
						From: 53-1701 Sugarland Run Dr											
						To: Cul-de-Sac											
(1712) Avondale Dr	0.04	60	R								NA			NA		1999	
						From: 53-1713 Newbury Pl											
(1712) Avondale Dr	0.16	280	R								NA			NA		04/11/2005	
						From: 53-1701 Sugarland Run Dr											
(1712) Avondale Dr	0.05	190	R								NA			NA		04/11/2005	
						From: 53-1715 Hillsdale Dr											

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1712) Avondale Dr	0.14	190	R				From: 53-1715 Hillsdale Dr				NA			NA		04/11/2005
(1712) Avondale Dr	0.16	290	R				To: 53-1716 Three Oaks Ct				NA			NA		04/11/2005
(1712) Avondale Dr	0.05	360	R				From: 53-1715 Hillsdale Dr				NA			NA		04/11/2005
(1712) Avondale Dr	0.05	400	R				To: 53-1701 Sugarland Run Dr				NA			NA		04/11/2005
(1712) Avondale Dr	0.06	60	R				From: 53-1713 Newbury Pl				NA			NA		1999
(1713) Newbury Pl	0.08	280	R				To: Dead End				NA			NA		04/11/2005
(1713) Newbury Pl	0.08	170	R				From: 53-1712 W, Avondale Dr				NA			NA		04/11/2005
(1714) Newport Ct	0.04	50	R				To: 53-1714 Newport Ct				NA			NA		04/11/2005
(1714) Newport Ct	0.04	60	R				From: 53-1712 E, Avondale Dr				NA			NA		1999
(1714) Newport Ct	0.04	60	R				To: Dead End				NA			NA		1999
(1715) Hillsdale Dr	0.18	140	R				From: 53-1713 Newbury Pl				NA			NA		1999
(1715) Hillsdale Dr	0.08	90	R				To: 53-1712 W, Avondale Dr				NA			NA		04/11/2005
(1716) Three Oaks Ct	0.04	60	R				From: 53-1712 E, Avondale Dr				NA			NA		1999
(1717)	0.07	390	R				To: Cul-de-Sac				NA			NA		1999
(1717)	0.06	340	R				From: 53-1712 Avondale Dr				NA			NA		1999
(1717)	0.01	20	R				To: Cul-de-Sac				NA			NA		1999
(1718) Farmington Lane	0.06	240	R				From: 53-1721				NA			NA		04/11/2005
(1718) Farmington Lane	0.06	210	R				To: 53-1701				NA			NA		04/11/2005
(1718) Farmington Lane	0.04	190	R				From: 53-1718				NA			NA		1999
(1719) Farmington Terrace	0.01	30	R				To: Dead End				NA			NA		1999
(1720) Farmington Ct	0.01	20	R				From: 53-1717 Midland Ave				NA			NA		1999
(1721) Hopeland Lane	0.03	50	R				To: 53-1719 Farmington Terrace				NA			NA		1999
(1721) Hopeland Lane	0.06	230	R				From: 53-1720 Farmington Ct				NA			NA		04/11/2005
							To: 53-1724 Cottage Rd N				NA			NA		04/11/2005
							From: Cul-de-Sac				NA			NA		1999
							To: 53-1718 Farmington Lane				NA			NA		1999
							From: Cul-de-Sac				NA			NA		1999
							To: 53-1718 Farmington Lane				NA			NA		1999
							From: Cul-de-Sac				NA			NA		1999
							To: 53-1717 Midland Ave				NA			NA		1999
							From: 53-1722 Hopeland Ct				NA			NA		04/11/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1721) Hopeland Lane	0.05	250	R			From: 53-1722 Hopeland Ct					NA			NA		04/07/2005
(1721) Hopeland Lane	0.07	310	R			To: 53-1723 Baker Lane					NA			NA		04/07/2005
(1722) Hopeland Ct	0.03	40	R			From: 53-1724 Cottage Rd S					NA			NA		1999
(1723) Baker Lane	0.08	110	R			To: Cul-de-Sac					NA			NA		04/05/2005
(1724) Cottage Rd S	0.22	9500	R			From: 53-1721 Hopeland Lane					NA			NA		1999
(1724) Cottage Rd S	0.10	9000	R			To: 53-1701 Sugarland Run Dr					NA			NA		1999
(1724) Cottage Rd S	0.06	16000	R			From: 53-637 Potomac View Rd					NA			NA		04/05/2005
(1724) Cottage Rd S	0.08	16000	R			To: 53-1769 Mirror Ridge Pl					NA			NA		04/05/2005
(1724) Cottage Rd S	0.08	15000	R			From: 53-1768 Lindsay Ct					NA			NA		04/05/2005
(1724) Cottage Rd S	0.06	14000	R			To: 53-1767 Kojun & Aaron Cts					NA			NA		04/05/2005
(1724) Cottage Rd S	0.05	13000	R			From: 53-1766 Samantha Dr & Traill Ct					NA			NA		04/05/2005
(1724) Cottage Rd S	0.06	14000	R			To: 53-1766 Samantha Dr & Trail Ct					NA			NA		04/05/2005
(1724) Cottage Rd S	0.05	13000	R			From: 53-1765 Leslie Ct					NA			NA		04/05/2005
(1724) Cottage Rd S	0.02	11000	R			To: 53-1764 Nails Ct					NA			NA		04/05/2005
(1724) Cottage Rd S	0.02	10000	R			From: 53-1760 Seneca Ridge Ct					NA			NA		04/05/2005
(1724) Cottage Rd S	0.03	8100	R			To: 53-1725 Fox Rd					NA			NA		04/05/2005
(1724) Cottage Rd S	0.06	4800	R			From: 53-1721 Hopeland Lane					NA			NA		04/05/2005
(1724) Cottage Rd N	0.04	3900	R			To: 53-1726 Harvest Lane					NA			NA		04/05/2005
(1724) Cottage Rd N	0.14	2300	R			From: 53-1701 S, Sugarland Run Dr					NA			NA		04/05/2005
(1724) Cottage Rd N	0.03	2800	R			To: 53-1718 Farmington Lane					NA			NA		04/05/2005
(1724) Cottage Rd N	0.18	2600	R			From: 53-1757 Kale Ave					NA			NA		04/05/2005
(1724) Cottage Rd N	0.07	2800	R			To: 53-1729 Howard Pl					NA			NA		04/05/2005
(1724) Cottage Rd N	0.06	1700	R			From: 53-1730 Carolina Ct					NA			NA		04/05/2005
(1724) Cottage Rd N	0.07	2800	R			To: 53-1750 Simeon Lane					NA			NA		04/05/2005
(1724) Cottage Rd N	0.06	1700	R			From: 53-1751 Monarch Dr					NA			NA		04/05/2005
(1725) Fox Rd	0.27	160	R			To: 53-1701 N, Sugarland Run					NA			NA		04/07/2005
						From: 53-1724 Cottage Rd S					NA			NA		04/07/2005
						To: 53-1727 Park Hill Lane					NA			NA		04/07/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1725) Fox Rd	0.15	190	R				From: 53-1727 Park Hill Lane					NA		NA		04/07/2005
(1725) Fox Rd	0.05	330	R				To: 53-1726 Harvest Lane					NA		NA		04/07/2005
(1726) Harvest Lane	0.14	180	R				From: 53-1701 Sugarland Run Dr					NA		NA		04/06/2005
(1726) Harvest Lane	0.13	520	R				To: 53-1724 Cottage Rd S					NA		NA		04/06/2005
(1727) Park Hill Lane	0.05	170	R				From: 53-1727 Park Hill					NA		NA		04/06/2005
(1727) Park Hill Lane	0.05	320	R				To: 53-1725 Fox Rd					NA		NA		04/06/2005
(1727) Park Hill Lane	0.05	370	R				From: 53-1725 Fox Rd					NA		NA		04/06/2005
(1727) Park Hill Lane	0.05	320	R				To: 53-1728 Park Hill Ct					NA		NA		04/06/2005
(1727) Park Hill Lane	0.05	370	R				From: 53-1726 Harvest Lane					NA		NA		04/06/2005
(1728) Park Hill Ct	0.05	70	R				To: 53-1701 Sugarland Run Dr					NA		NA		1999
(1729) Howard Pl	0.05	290	R				From: Cul-de-Sac					NA		NA		1999
(1730) Carolina Ct	0.08	290	R				To: 53-1724 Cottage Rd N					NA		NA		1999
(1731) Running Brook Lane	0.19	130	R				From: 53-1724 Cottage Rd N					NA		NA		04/11/2005
(1731) Running Brook Lane	0.06	60	R				To: 53-1701 Sugarland Run Dr					NA		NA		1999
(1732) Homestead Rd	0.06	200	R				From: 53-1732 Homestead Rd					NA		NA		04/11/2005
(1733) Silo Mill Ct	0.10	90	R				To: Cul-de-Sac					NA		NA		1999
(1734) Brookfield Circle	0.24	320	R				From: 53-1701 Sugarland Run Dr					NA		NA		04/06/2005
(1735) Meadowland Lane	0.05	380	R				To: 53-1735 W, Meadowland Lane					NA		NA		04/06/2005
(1735) Meadowland Lane	0.05	340	R				From: 53-1734 W, Brookfield Circle					NA		NA		04/06/2005
(1735) Meadowland Lane	0.30	240	R				To: 53-1734 E, Brookfield Circle					NA		NA		04/06/2005
(1735) Meadowland Lane	0.05	550	R				From: 53-1734 E, Brookfield Circle					NA		NA		04/06/2005
(1735) Meadowland Lane	0.05	480	R				To: 53-1701 S, Sugarland Run Dr					NA		NA		04/06/2005
(1735) Meadowland Lane	0.09	900	R				From: 53-1737 S, Middleton Lane					NA		NA		04/06/2005
(1735) Meadowland Lane	0.09	900	R				To: 53-1740 Calvert Ct					NA		NA		04/06/2005
							From: 53-1739 S, Oak Shade Rd					NA		NA		04/06/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1735) Meadowland Lane	0.22	220	R			From: 53-1739 S, Oak Shade Rd					NA			NA		04/06/2005
						To: 53-1739 N, Oak Shade										
(1735) Meadowland Lane	0.08	280	R			From: 53-1739 N, Oak Shade Rd					NA			NA		04/06/2005
						To: 53-1738 Greencastle Rd										
(1735) Meadowland Lane	0.06	370	R			From: 53-1738 Greencastle Rd					NA			NA		04/06/2005
						To: 53-1737 N, Middleton Lane										
(1735) Meadowland Lane	0.05	600	R			From: 53-1737 N, Middleton Lane					NA			NA		04/06/2005
						To: 53-1736 Pheasant Run Ct										
(1735) Meadowland Lane	0.05	390	R			From: 53-1736 N, Pheasant Run					NA			NA		04/06/2005
						To: 53-1701 NORTH										
(1736) Pheasant Run Ct	0.07	90	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1735 Meadowland Lane										
(1737) Middleton Lane	0.19	80	R			From: 53-1735 N, Meadowland Lane					NA			NA		04/06/2005
						To: 53-1735 S, Meadowland Lane										
(1738) Greencastle Rd	0.17	100	R			From: 53-1739 Oak Shade Rd					NA			NA		04/06/2005
						To: 53-1735 Meadowland Lane										
(1739) Oak Shade Rd	0.05	120	R			From: 53-1735 Meadowland Lane					NA			NA		04/06/2005
						To: 53-1738 Greencastle Rd										
(1739) Oak Shade Rd	0.12	110	R			From: 53-1738 Greencastle Rd					NA			NA		04/06/2005
						To: 53-1735 Meadowland Lane										
(1740) Calvert Ct	0.03	40	R			From: 53-1735 Meadowland Lane					NA			NA		1999
						To: Cul-de-Sac										
(1741) Biscayne Pl	0.11	90	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1701 Sugarland Run Dr										
(1741) Biscayne Pl	0.19	310	R			From: 53-1701 Sugarland Run Dr					NA			NA		04/07/2005
						To: 53-1743 Wrightwood Pl										
(1741) Biscayne Pl	0.08	290	R			From: 53-1743 Wrightwood Pl					NA			NA		04/07/2005
						To: 53-1745 Cheval Ct										
(1741) Biscayne Pl	0.08	320	R			From: 53-1745 Cheval Ct					NA			NA		04/07/2005
						To: 53-1742 Victoria Pl										
(1742) Victoria Pl	0.06	1300	R			From: 53-1701 Sugarland Run Dr					NA			NA		04/07/2005
						To: 53-1743 Wrightwood Pl										
(1742) Victoria Pl	0.06	620	R			From: 53-1743 Wrightwood Pl					NA			NA		04/07/2005
						To: 53-1746 Darus Ct										
(1742) Victoria Pl	0.12	280	R			From: 53-1746 Darus Ct					NA			NA		04/07/2005
						To: 53-1741 Biscayne Pl										
(1742) Victoria Pl	0.05	60	R			From: 53-1741 Biscayne Pl					NA			NA		1999
						To: Cul-de-Sac										
(1743) Wrightwood Pl	0.07	90	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1744 Beecher Pl										
(1743) Wrightwood Pl	0.21	230	R			From: 53-1744 Beecher Pl					NA			NA		04/07/2005
						To: 53-1742 Victoria Pl										
(1743) Wrightwood Pl	0.11	240	R			From: 53-1742 Victoria Pl					NA			NA		04/07/2005
						To: 53-1747 Rheims Ct										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1743) Wrightwood Pl	0.05	230	R				From: 53-1747 Rheims Ct					NA		NA		04/07/2005
							To: 53-1741 Biscayne Pl									
(1744) Beecher Pl	0.06	540	R				From: 53-1743 Wrightwood Pl					NA		NA		04/07/2005
							To: 53-1701 Sugarland Run Dr									
(1745) Cheval Ct	0.07	80	R				From: Cul-de-Sac					NA		NA		1999
							To: 53-1741 Biscayne Pl									
(1746) Darus Ct	0.03	60	R				From: Cul-de-Sac					NA		NA		1999
							To: 53-1742 Victoria Pl									
(1747) Rheims Ct	0.06	60	R				From: 53-1743 Wrightwood Pl					NA		NA		1999
							To: Cul-de-Sac									
(1748) Severn Way W	0.15	380	R				From: 53-1754 Squire Ct					NA		NA		04/07/2005
							To: SR 28 Sully Rd; 53-847									
(1749) Carousel Ct	0.05	190	R				From: 53-1701 Sugarland Run Dr					NA		NA		1999
							To: Cul-de-Sac									
(1750) Simeon Lane	0.07	340	R				From: 53-1724 Cottage Rd N					NA		NA		1999
							To: Cul-de-Sac									
(1751) Monarch Dr	0.06	1600	R				From: 53-1724 Cottage Rd N					NA		NA		04/07/2005
							To: 53-1753 Regis Circle									
(1751) Monarch Dr	0.06	1200	R				From: 53-1753 Regis Circle					NA		NA		04/07/2005
							To: 53-1752 Wedgedale Dr									
(1751) Monarch Dr	0.04	230	R				From: 53-1752 Wedgedale Dr					NA		NA		1999
							To: Cul-de-Sac									
(1752) Wedgedale Dr	0.10	300	R				From: 53-1751 Monarch Dr					NA		NA		1999
							To: Cul-de-Sac									
(1753) Regis Circle	0.02	220	R				From: 53-1751 Monarch Dr					NA		NA		1999
							To: Cul-de-Sac									
(1754) Squire Ct	0.10	100	R				From: 53-1748 Severn Way W					NA		NA		1999
							To: Cul-de-Sac									
(1755) Abbey Circle	0.11	120	R				From: 53-1701 Sugarland Run Dr					NA		NA		1999
							To: Cul-de-Sac									
(1756) Drury Circle	0.02	310	R				From: Cul-de-Sac					NA		NA		1999
							To: 53-1701 Sugarland Run Dr									
(1756) Sugarland Square Ct	0.14	400	R				From: 53-1701 Sugarland Run Dr					NA		NA		1999
							To: Dead End									
(1757) Kale Ave	0.12	450	R				From: End Loop					NA		NA		04/11/2005
							To: 53-1758 Kale Ct									
(1757) Kale Ave	0.20	510	R				From: 53-1758 Ct					NA		NA		04/11/2005
							To: Begin Loop									
(1757) Kale Ave	0.08	590	R				From: Begin Loop					NA		NA		04/11/2005
							To: 53-1724 Cottage Rd N									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1758) Kale	0.03	50	R								NA		NA			1999
(1759) Mirror Ridge	0.20	890	R								NA		NA			1999
(1760) Seneca Ridge Dr	0.16	3700	R								NA		NA			04/12/2005
(1760) Seneca Ridge Dr	0.09	3300	R								NA		NA			1999
(1760) Seneca Ridge Dr	0.07	1900	R								NA		NA			04/12/2005
(1760) Seneca Ridge Dr	0.14	1300	R								NA		NA			04/12/2005
(1760) Seneca Ridge Dr	0.17	750	R								NA		NA			04/12/2005
(1760) Seneca Ridge	0.07	530	R								NA		NA			04/12/2005
(1760) Seneca Ridge	0.06	90	R								NA		NA			1999
(1761) Silver Ridge Dr	0.06	60	R								NA		NA			1999
(1761) Silver Ridge Dr	0.28	350	R								NA		NA			04/12/2005
(1761) Silver Ridge Dr	0.06	110	R								NA		NA			1999
(1762) Spring Ridge Ct	0.04	70	R								NA		NA			1999
(1762) Spring Ridge Ct	0.11	430	R								NA		NA			04/12/2005
(1763) Selden Island Way	0.05	60	R								NA		NA			1999
(1764) Nalls	0.10	170	R								NA		NA			1999
(1765) Seneca Chase Ct	0.12	200	R								NA		NA			1999
(1765) Leslie Ct	0.13	220	R								NA		NA			1999
(1766) Trail Ct	0.11	130	R								NA		NA			1999
(1766) Samantha Dr	0.26	820	R								NA		NA			04/12/2005
(1766) Samantha Dr	0.12	370	R								NA		NA			1999

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1767) Kojun Ct	0.12	210	R								NA		NA			1999
(1767) Aaron Ct	0.04	120	R								NA		NA			1999
(1768) Lindsay Ct	0.08	160	R								NA		NA			1999
(1769) Mirror Ridge Pl	0.16	90	R								NA		NA			1999
(1769) Mirror Ridge Pl	0.10	910	R								NA		NA			04/12/2005
(1769) Mirror Ridge Pl	0.09	960	R								NA		NA			04/12/2005
(1769) Mirror Ridge Pl	0.11	830	R								NA		NA			04/12/2005
(1769) Mirror Ridge Pl	0.17	50	R								NA		NA			1999
(1770) Stoney Creek Ct	0.09	130	R								NA		NA			1999
(1771) Jason Ct	0.07	150	R								NA		NA			1999
(1772) Riverview Ct	0.08	130	R								NA		NA			1999
(1773) Potomac Ridge Ct	0.17	500	R								NA		NA			04/12/2005
(1773) Potomac Ridge Ct	0.09	160	R								NA		NA			1999
(1774) Old River Way	0.03	49	R								NA		NA			1999
(1775) McCarty Ct	0.05	610	R								NA		NA			03/23/2005
(1775) McCarty Ct	0.09	190	R								NA		NA			1999
(1776) Darian Ct	0.05	280	R								NA		NA			03/23/2005
(1776) Darian Ct	0.04	280	R								NA		NA			1999
(1777) Meskill Ct	0.07	190	R								NA		NA			1999
(1778) Braxton Dr	0.15	300	R								NA		NA			03/23/2005
(1779) Bedford Dr	0.06	300	R								NA		NA			1999

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1779) Bedford Dr	0.08	390	R			From: 53-1780 Rawlston Ct					NA			NA		03/23/2005
(1779) Bedford Dr	0.08	150	R			From: 53-1778 Braxton Dr					NA			NA		1999
						To: Cul-de-Sac										
(1780) Rawlston Ct	0.04	320	R			From: 53-1779 Bedford Dr					NA			NA		1999
						To: Cul-de-Sac										
(1781) Worthington Ct	0.08	60	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1593 Bentley Dr										
(1782) Dudley Ct	0.11	250	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1593 McPherson Circle										
(1782) Jeremy Ct	0.14	390	R			From: Cul-de-Sac					NA			NA		1999
						To: Dead End										
(1783) Hampshire Station Dr	0.41	1600	R			From: 53-1794 Cascades Pkwy					NA			NA		04/12/2005
						To: 53-637 Potomac View Rd; 53-1702										
(1784) Pebblebrook Pl	0.17	710	R			From: 53-1783; 53-1816					NA			NA		08/28/2002
						To: Cul-de-Sac										
(1785) Mint Springs Ct	0.03	60	R			From: Cul-de-Sac					NA			NA		08/28/2002
						To: 53-1784; 53-1788										
(1786) Baskin Ct	0.07	240	R			From: 53-1769 Mirror Ridge Pl					NA			NA		1999
						To: Cul-de-Sac										
(1787) Landau Ct	0.05	200	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1769 Mirror Ridge Pl										
(1788) Ashleaf Ct	0.05	80	R			From: 53-1784; 53-1785					NA			NA		08/28/2002
						To: Cul-de-Sac										
(1789) Woodhaven Ct	0.06	70	R			From: 53-1783 Hampshire Station Dr					NA			NA		08/28/2002
						To: Cul-de-Sac										
(1790) Ridgetop Circle	0.23	4000	R			From: 53-1793 W, Nokes Blvd					NA			NA		04/07/2005
						To: 53-1791 W, Horseshoe Dr										
(1790) Ridgetop Circle	0.43	1200	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1795 Loudoun Tech Dr										
(1790) Ridgetop Circle	0.32	2100	R			From: Cul-de-Sac					NA			NA		1999
						To: 53-1792										
(1790) Ridgetop Circle	0.35	3300	R			From: Cul-de-Sac					NA			NA		04/07/2005
						To: 53-1793 E, Nokes Blvd										
(1791) Horseshoe Dr	0.27	810	R			From: 53-1790 W, Ridgetop Circle					NA			NA		04/07/2005
						To: 53-1790 E, Ridgetop Circle										
(1792) Woodshire Dr & Barthol	0.81	4900	R			From: 53-1790 Ridgetop Circle					NA			NA		04/07/2005
						To: SR 7 Harry Byrd Hwy; SR 391										
(1793) Nokes Blvd	1.38	NA				From: SR 28 Sully Rd					NA			NA		
						To: 53-637 Cascades Pkwy										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Loudoun County																	
(1794) Cascades Pkwy	0.68	14000	N	99%	1%	1%	0%	0%	0%	N	0.102	N	0.501	16000	N	2007	
						From: 53-637 Potomac View Rd											
						To: SR 7 Harry Byrd Hwy											
(1794) Cascades Pkwy	1.75	14000	G	99%	1%	1%	0%	0%	0%	C	0.102	F	0.501	16000	G	2007	
						From: 53-1582 Algonkian Pkwy											
						To: Dead End											
(1795) Loudoun Tech Dr	0.16	3200	R								NA			NA		1999	
						From: SR 7 Harry Byrd Hwy											
(1795) Palisade Pkwy	0.11	3600	R								NA			NA		1999	
						From: 53-777 Tripleseven Rd											
(1795) Palisade Pkwy	0.36	3100	R								NA			NA		1999	
						From: 53-1794 Cascades Pkwy											
(1795) Palisade Pkwy	0.31	2700	R								NA			NA		1999	
						From: 53-1796 Southbank St											
(1795) Palisade Pkwy	0.43	950	R								NA			NA		1999	
						From: 53-637 Potomac View Rd											
(1796) Whitfield Pl	0.33	280	R								NA			NA		1999	
						From: Cul-de-Sac											
						To: 53-1795 Palisade Pkwy											
(1797) Logan Way	0.09	920	R								NA			NA		09/05/2002	
						From: 53-1796 Whitfield Pl											
						To: Cul-de-Sac											
(1798) Broadmore Dr	0.20	2600	R								NA			NA		04/07/2005	
						From: 53-637 Potomac View Rd											
						To: 53-1794 Cascades Pkwy											
(1799)	0.26	2200	R								NA			NA		04/07/2005	
						From: 53-637 Potomac View Rd											
						To: 53-1794 Cascades Pkwy											
(1799)	0.35	2100	R								NA			NA		04/07/2005	
						From: 53-1582 Algonkian Pkwy											
						To: Cul-de-Sac											
(1800) Sugar Meadow Dr	0.05	130	R								NA			NA		1999	
						From: 53-1803 Monticello Ct											
(1800) Sugar Meadow Dr	0.14	350	R								NA			NA		04/12/2005	
						From: 53-1639 Great Falls Forest Dr											
(1800) Sugar Meadow Dr	0.06	320	R								NA			NA		04/12/2005	
						From: 53-1801 Leeds Ct											
(1800) Sugar Meadow Dr	0.04	490	R								NA			NA		04/12/2005	
						From: 53-1802 Birmingham Ct											
(1801) Leeds Ct	0.06	70	R								NA			NA		1999	
						From: 53-1800 Sugar Meadow Dr											
						To: Cul-de-Sac											
(1802) Birmingham Ct	0.04	140	R								NA			NA		1999	
						From: Dead End											
(1802) Birmingham Ct	0.07	170	R								NA			NA		1999	
						From: 53-1800 Sugar Meadow Dr											
						To: Cul-de-Sac											
(1803) Monticello Ct	0.34	430	R								NA			NA		04/12/2005	
						From: 53-1639 Great Falls Forest Dr											
(1803) Monticello Dr	0.07	250	R								NA			NA		04/12/2005	
						From: 53-1804 Merchant Ct											
						To: 53-1800 Sugar Meadow Dr											

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1803) Monticello Dr	0.09	170	R			From: 53-1800 Sugar Meadow Dr					NA			NA		1999
						To: Cul-de-Sac										
(1804) Merchant Ct	0.18	320	R			From: 53-1803 Monticello Dr					NA			NA		1999
						To: Cul-de-Sac										
(1805) Quarterpath Trace Circl	0.34	2000	R			From: 53-1582 Algonkian Pkwy					NA			NA		08/27/2002
(1805) Quarterpath Trace Circl	0.16	NA				From: 53-1813 Stillwood Pl					NA			NA		
(1805) Quarterpath Trace Circl	0.19	NA				From: 53-1831 Garrett Pl					NA			NA		
						To: 53-1582 Algonkian Pkwy										
(1806) Fairhills Ct	0.11	80	R			From: Cul-de-Sac					NA			NA		08/27/2002
						To: 53-1805 Quarterpath Trace Circle										
(1807) Winfield Pl	0.17	270	R			From: Cul-de-Sac					NA			NA		08/27/2002
						To: 53-1805 Quarterpath Trace Circle										
(1808) Smithwood Ct	0.06	100	R			From: Cul-de-Sac					NA			NA		08/27/2002
						To: 53-1807 Winfield Pl										
(1809) Berwick Ct	0.04	70	R			From: 53-1807 Winfield Pl					NA			NA		08/28/2002
						To: Cul-de-Sac										
(1810) Parkside Circle	0.43	NA				From: 53-637 S. Potomac View Rd; 53-1798 Broadmore					NA			NA		
(1810) Parkside Circle	0.10	1300	R			From: 53-1811 Snow Hill Way					NA			NA		04/12/2005
						To: 53-637 N. Potomac View Rd										
(1811) Snow Hill Way	0.16	490	R			From: Cul-de-Sac					NA			NA		08/28/2002
						To: 53-1810 Parkside Circle										
(1812) Southampton Ct	0.12	160	R			From: 53-1805 Quarterpath Trace Circle					NA			NA		08/28/2002
						To: Cul-de-Sac										
(1813) Stillwood Pl	0.11	220	R			From: Cul-de-Sac					NA			NA		08/26/2002
						To: 53-1805 Quarterpath Trace Circle										
(1814) Rosemallow Ct	0.09	80	R			From: 53-1813; 53-1815					NA			NA		08/28/2002
						To: Cul-de-Sac										
(1815) Willowmere Ct	0.06	70	R			From: Cul-de-Sac					NA			NA		08/28/2002
						To: 53-1813; 53-1814										
(1816) Capelwood Ct	0.07	90	R			From: Cul-de-Sac					NA			NA		08/28/2002
						To: 53-1783; 53-1784										
(1817) Windemere Ct	0.10	90	R			From: Cul-de-Sac					NA			NA		08/28/2002
						To: 53-1783 Hampshire Station Dr										
(1818) Riverbirch Pl	0.11	140	R			From: Cul-de-Sac					NA			NA		08/28/2002
						To: 53-1783 Hampshire Station Dr										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1819) Oakhurst Ct	0.11	90	R			From: 53-1818 Riverbirch Pl					NA			NA		08/28/2002
						To: Cul-de-Sac										
(1820) Morgan Way	0.07	1600	R			From: 53-1821 Stablehouse Dr					NA			NA		04/12/2005
						To: 53-625; 53-859										
(1821) Stablehouse Dr	0.47	710	R			From: Dead End					NA			NA		1999
(1821) Stablehouse Dr	0.05	780	R			From: 53-1823 Stablemates Ct					NA			NA		03/17/2005
(1821) Stablehouse Dr	0.05	320	R			From: 53-1820 Morgan Way					NA			NA		03/17/2005
(1821) Stablehouse Dr	0.08	190	R			From: 53-1822 Clydesdale Ct					NA			NA		1999
						To: Cul-de-Sac										
(1822) Clydesdale Ct	0.03	70	R			From: 53-1821 Stablehouse Dr					NA			NA		1999
						To: Cul-de-Sac										
(1823) Stablemates Ct	0.03	60	R			From: 53-1821 Stablehouse Dr					NA			NA		1999
						To: Cul-de-Sac										
(1824) Grant Ct	0.10	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1805 Quarterpath Trace Circle										
(1825) Cedarhurst Dr	0.10	2400	R			From: Hampshire Station Dr					NA			NA		08/28/2002
(1825) Cedarhurst Dr	0.18	2100	R			From: 53-1829; 53-1828					NA			NA		08/28/2002
						To: 53-1582 Algonkian Pkwy										
(1826) Bluestem Ct	0.03	40	R			From: Cul-de-Sac					NA			NA		08/28/2002
						To: 53-1827; 53-1825										
(1827) Springwood Ct	0.11	120	R			From: 53-1826; 53-1825					NA			NA		08/28/2002
						To: Cul-de-Sac										
(1828) Thornwood Ct	0.07	80	R			From: 53-1829; 53-1825					NA			NA		08/28/2002
						To: Cul-de-Sac										
(1829) Newfield Pl	0.08	160	R			From: Cul-de-Sac					NA			NA		08/28/2002
						To: 53-1825 Cedarhurst Dr										
(1830) Brandywine Ct	0.05	70	R			From: 53-1829 Newfield Pl					NA			NA		08/28/2002
						To: Cul-de-Sac										
(1831) Garrett Pl	0.18	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1805 Quarterpath Trace Circle										
(1832) Glenaire Ct	0.10	NA				From: Cul-de-Sac					NA			NA		
						To: 53-1831 Garrett Pl										
(1833) Springlake Ct	0.14	NA				From: 53-1792 Woodshire Dr & Bartholomew Fair Dr					NA			NA		
						To: Cul-de-Sac										
(1834)	0.30	NA				From: 53-1652 Lowes Island Blvd					NA			NA		
						To: End Loop										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1835) Cutwater Pl	0.07	NA					From: 53-1843 Riverland Pl					NA		NA		
(1835) Cutwater Pl	0.05	170	R				From: 53-1837 Fairwater Pl					NA		NA	1999	
(1835) Cutwater Pl	0.05	260	R				From: 53-1836 Belwood Ct					NA		NA	1999	
(1835) Cutwater Pl	0.07	410	R				From: 53-1840 Fernbank Court					NA		NA	1999	
							To: 53-1794 Cascades Pkwy									
(1836) Belwood Ct	0.14	160	R				From: 53-1835 Cutwater Pl					NA		NA	1999	
							To: Cul-de-Sac									
(1837) Fairwater Pl	0.06	150	R				From: 53-1835 Cutwater Pl					NA		NA	1999	
(1837) Fairwater Pl	0.03	70	R				From: 53-1838 Shadow Woods Ct					NA		NA	1999	
							To: Cul-de-Sac									
(1838) Shadow Woods Ct	0.10	50	R				From: 53-1837 Fairwater Pl					NA		NA	1999	
							To: Cul-de-Sac									
(1839) Corkwood Dr	0.19	400	R				From: 53-1794; 53-1845 WEST					NA		NA	08/29/2002	
							To: 53-1841 Allsbrook Pl									
(1840) Fernbank Ct	0.09	800	R				From: 53-1835 Cutwater Pl					NA		NA	08/29/2002	
							To: Cul-de-Sac									
(1841) Allsbrook Pl	0.15	NA					From: Cul-de-Sac					NA		NA		
							To: 53-1835; 53-1837									
(1842) Woodthrush Ct	0.04	NA					From: Cul-de-Sac					NA		NA		
							To: 53-1841 Allsbrook Pl									
(1843) Riverland Pl	0.14	NA					From: Cul-de-Sac					NA		NA		
							To: 53-1835 Cutwater Pl									
(1844) Marsh Ct	0.12	NA					From: 53-1843 Riverland Pl					NA		NA		
							To: Cul-de-Sac									
(1845) Esterbrook Circle	0.32	680	R				From: 53-1794 W, Cascades Pkwy					NA		NA	04/12/2005	
(1845) Esterbrook Circle	0.17	720	R				From: 53-1848 Saffron Ct					NA		NA	04/12/2005	
(1845) Esterbrook Circle	0.08	410	R				From: 53-1847 Eskridge Ct					NA		NA	04/12/2005	
(1845) Esterbrook Circle	0.08	280	R				From: 53-1846 Arbor Ct					NA		NA	04/12/2005	
							To: 53-1794 E, Cascades Pkwy									
(1846) Arbor Ct	0.04	60	R				From: 53-1845 Esterbrook Circle					NA		NA	1999	
							To: Cul-de-Sac									
(1847) Eskridge Ct	0.04	80	R				From: Cul-de-Sac					NA		NA	1999	
							To: 53-1845 Esterbrook Circle									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1848) Saffron Ct	0.07	80	R								NA		NA			1999
(1849) Preddy Ct	0.10	40	R								NA		NA			08/29/2002
(1850) Golden Meadow Circle	0.06	1300	R								NA		NA			01/27/2005
(1850) Golden Meadow Circle	0.05	1200	R								NA		NA			01/27/2005
(1850) Golden Meadow Circle	0.06	890	R								NA		NA			01/27/2005
(1850) Golden Meadow Circle	0.13	590	R								NA		NA			01/27/2005
(1850) Golden Meadow Circle	0.11	470	R								NA		NA			01/27/2005
(1850) Golden Meadow Circle	0.05	480	R								NA		NA			01/27/2005
(1850) Golden Meadow Circle	0.18	460	R								NA		NA			01/27/2005
(1850) Golden Meadow Circle	0.05	880	R								NA		NA			01/27/2005
(1850) Golden Meadow Circle	0.07	920	R								NA		NA			01/27/2005
(1850) Golden Meadow Circle	0.04	1100	R								NA		NA			01/27/2005
(1851) Tiger Lily Pl	0.07	140	R								NA		NA			1999
(1852) Sweetgrass Way	0.12	220	R								NA		NA			1999
(1853) Greenspring Ct	0.04	110	R								NA		NA			1999
(1854) Clearwater Ct	0.06	110	R								NA		NA			1999
(1855) Applegrove Ct	0.05	130	R								NA		NA			1999
(1856) Hornbeam Pl	0.05	170	R								NA		NA			1999
(1856) Hornbeam Pl	0.04	310	R								NA		NA			01/27/2005
(1856) Sweet Clover Pl	0.05	460	R								NA		NA			01/27/2005
(1856) Sweet Clover Pl	0.16	460	R								NA		NA			1999
(1857) Sorrel Grove Ct	0.12	190	R								NA		NA			1999

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1858) Osage Ct	0.13	200	R								NA		NA			1999
(1859) Arrowhead Ct	0.10	160	R								NA		NA			1999
(1860)	0.10	170	R								NA		NA			1999
(1860)	0.08	190	R								NA		NA			1999
(1861) Great Harvest Ct	0.07	100	R								NA		NA			1999
(1862) Summerwood Circle	0.29	5200	R								NA		NA			01/27/2005
(1862) Summerwood Circle	0.05	700	R								NA		NA			01/27/2005
(1862) Summerwood Circle	0.05	720	R								NA		NA			01/27/2005
(1862) Summerwood Circle	0.06	760	R								NA		NA			01/27/2005
(1862) Summerwood Circle	0.05	2000	R								NA		NA			01/27/2005
(1863) Blue Bill Ct	0.04	70	R								NA		NA			1999
(1864) Raintree Ct	0.06	100	R								NA		NA			1999
(1865) Deep Furrow Ct	0.05	120	R								NA		NA			1999
(1866) Hayshire Ct	0.07	110	R								NA		NA			1999
(1866) Haystack Ct	0.10	180	R								NA		NA			1999
(1867) Stonecrop Pl	0.05	130	R								NA		NA			1999
(1867) Stonecrop Pl	0.05	360	R								NA		NA			01/27/2005
(1867) Stonecrop Pl	0.05	360	R								NA		NA			08/29/2002
(1867) Stonecrop Pl	0.04	430	R								NA		NA			01/27/2005
(1867) Starflower Way	0.05	320	R								NA		NA			1999
(1867) Starflower Way	0.19	490	R								NA		NA			1999

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1868) Windrow Ct	0.05	50	R											NA		08/29/2002
(1869) Barley Ct	0.06	70	R											NA		08/29/2002
(1870) Coal Bed Ct	0.08	49	R											NA		08/29/2002
(1871) Nightshade Pl	0.20	190	R											NA		1999
(1871) Nightshade Pl	0.04	80	R											NA		1999
(1872) Marshfield Dr	0.24	1000	R											NA		04/21/2005
(1873) Silverthistle Ct	0.12	70	R											NA		1999
(1874) Wintergrove Dr	0.68	1400	R											NA		08/29/2002
(1874) Wintergrove Dr	0.08	60	R											NA		1999
(1874) Wayside Circle	0.09	1000	R											NA		02/02/2005
(1874) Wayside Circle	0.15	720	R											NA		02/07/2005
(1874) Wayside Circle	0.24	570	R											NA		02/07/2005
(1874) Wayside Circle	0.07	250	R											NA		02/07/2005
(1874) Wayside Circle	0.22	520	R											NA		02/07/2005
(1874) Wayside Circle	0.09	740	R											NA		02/07/2005
(1875) Wellhouse Ct	0.05	80	R											NA		1999
(1876) Elmhurst Ct	0.05	60	R											NA		1999
(1877) Wildrose Ct	0.16	120	R											NA		1999
(1878) Edgebrook Ct	0.15	150	R											NA		1999
(1879) Dewberry Ct	0.14	190	R											NA		1999
(1880) Belgreen Dr	0.14	90	R											NA		1999

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1880) Belgreen Dr	0.08	900	R			From: 53-1898 Powderhorn Ct					NA			NA		02/07/2005
(1880) Belgreen Dr	0.08	620	R			To: 53-1897 Willowbrook Dr					NA			NA		02/07/2005
(1880) Belgreen Dr	0.14	1300	R			From: 53-1894 Deer Run Way					NA			NA		02/07/2005
(1880) Belgreen Dr	0.93	1800	R			To: 53-901 Claiborne Pkwy					NA			NA		02/07/2005
(1880)	0.54	3200	R			From: 53-900 Ashburn Farm Pkwy					NA			NA		02/07/2005
(1880)						To: 53-901 Claiborne Pkwy										
(1881) Thistlewood Ct	0.12	120	R			From: 53-1880 Belgreen Dr					NA			NA		08/29/2002
(1881) Thistlewood Ct						To: Cul-de-Sac										
(1882) Whetstone Ct	0.18	160	R			From: 53-1880 Belgreen Dr					NA			NA		08/29/2002
(1882) Whetstone Ct						To: Cul-de-Sac										
(1883) Ridgeview Pl	0.13	410	R			From: 53-1880 Belgreen Dr					NA			NA		08/29/2002
(1883) Ridgeview Pl						To: Cul-de-Sac										
(1884) Greenbrier Ct	0.06	70	R			From: 53-1883 Ridgeview Pl					NA			NA		08/29/2002
(1884) Greenbrier Ct						To: Cul-de-Sac										
(1885) Colter Ct	0.16	250	R			From: Cul-de-Sac					NA			NA		1999
(1885) Colter Ct						To: 53-1880 Belgreen Dr										
(1886) Irongate Way	0.07	710	R			From: 53-1888 Smokehouse Ct					NA			NA		02/07/2005
(1886) Irongate Way						To: 53-1880 Belgreen Dr										
(1887) Ice Pond Dr	0.09	60	R			From: 53-1886 Irongate Way					NA			NA		08/29/2002
(1887) Ice Pond Dr						To: Dead End										
(1888) Smokehouse Ct	0.20	520	R			From: Cul-de-Sac					NA			NA		08/29/2002
(1888) Smokehouse Ct						To: Cul-de-Sac										
(1889) Watershield Ct	0.09	240	R			From: Cul-de-Sac					NA			NA		1999
(1889) Watershield Ct						To: 53-1880 Belgreen Dr										
(1889) Butterfield Ct	0.16	210	R			From: 53-1880 Belgreen Dr					NA			NA		08/29/2002
(1889) Butterfield Ct						To: Cul-de-Sac										
(1890) Preston Ct & Dovetail Pl	0.23	110	R			From: Cul-de-Sac					NA			NA		08/29/2002
(1890) Preston Ct & Dovetail Pl						To: Cul-de-Sac										
(1891) Cavalier Ct	0.05	40	R			From: 53-1890 Dovetail Pl					NA			NA		08/29/2002
(1891) Cavalier Ct						To: Cul-de-Sac										
(1892) Brownstone Ct & Swam	0.23	110	R			From: Cul-de-Sac					NA			NA		08/29/2002
(1892) Brownstone Ct & Swam						To: Cul-de-Sac										
(1893) Rockfield Ct	0.11	110	R			From: Cul-de-Sac					NA			NA		08/29/2002
(1893) Rockfield Ct						To: 53-1880 Belgreen Dr										
(1894) Deer Run Way	0.05	480	R			From: 53-1880 Belgreen Dr					NA			NA		04/21/2005
(1894) Deer Run Way						To: 53-1895 Summithill Ct										

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1894) Deer Run Way	0.09	1100	R			From: 53-1895 Summithill Ct					NA			NA		04/21/2005
(1894) Deer Run Way	0.05	1800	R			To: 53-1896 Ambleside Ct					NA			NA		04/21/2005
(1895) Summithill Ct	0.09	120	R			From: 53-900 Ashburn Farm Pkwy					NA			NA		1999
(1896) Hunt Manor Ct	0.08	80	R			To: Cul-de-Sac					NA			NA		1999
(1896) Ambleside Ct	0.07	130	R			From: Cul-de-Sac					NA			NA		1999
(1897) Willowbrook Dr	0.13	48	R			To: 53-1894 Deer Run Way					NA			NA		08/29/2002
(1897) Matchlock Ct	0.06	50	R			From: Dead End					NA			NA		08/29/2002
(1898) Powderhorn Ct	0.07	80	R			To: 53-1880 Belgreen Dr					NA			NA		08/29/2002
(1898) Fernridge Way	0.10	480	R			From: Cul-de-Sac					NA			NA		04/21/2005
(1899) Scarlett Rush Ct	0.05	80	R			To: 53-900 Ashburn Farm Pkwy					NA			NA		1999
(1899) Hollyberry Ct	0.18	120	R			From: 53-1880 Belgreen Dr					NA			NA		1999
(1900) Woodlea Dr	0.08	1500	R			To: 53-900 Ashburn Farm Pkwy					NA			NA		05/19/2005
(1901)	0.24	NA				From: US 15					NA			NA		
(1902)	0.60	NA				To: SCL Leesburg					NA			NA		
(1903) Woodson Dr	0.25	NA				From: 53-637 Cascades Pkwy					NA			NA		
(1904) Westminster Pl	0.20	NA				To: Cul-de-Sac					NA			NA		
(1905) Churchill Downs Dr	0.05	190	R			From: 53-1525					NA			NA		1999
(1905) Churchill Downs Dr	0.10	560	R			To: 53-1793					NA			NA		04/21/2005
(1905) Churchill Downs Dr	0.08	70	R			From: 53-1925 Rabbitrun Terr					NA			NA		1999
(1906) Hollywood Park Pl	0.05	70	R			To: Fairfax County Line, 29-7909					NA			NA		1999
(1906) Hollywood Park Pl	0.05	300	R			From: 53-1903 Woodson Dr					NA			NA		04/21/2005
						To: Dead End					NA			NA		
						From: 53-642 Hay Rd					NA			NA		1999
						To: 53-1906 Pimlico Way					NA			NA		04/21/2005
						From: 53-1909 Saratoga Ct					NA			NA		1999
						To: Cul-de-Sac					NA			NA		1999
						From: Cul-de-Sac					NA			NA		1999
						To: 53-1907 Breeders Run Ct					NA			NA		04/21/2005
						From: 53-1905 Churchill Downs Dr					NA			NA		04/21/2005

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1906) Pimlico Way	0.07	370	R				From: 53-1905 Churchill Downs Dr				NA			NA		04/21/2005
(1906) Triple Crown Ct	0.11	110	R				From: 53-1908 Preakness Ct				NA			NA		1999
							To: Cul-de-Sac									
(1907) Breeders Run Ct	0.08	70	R				From: 53-1906 Hollywood Park Pl				NA			NA		1999
							To: Cul-de-Sac									
(1908) Preakness Ct	0.10	70	R				From: 53-1906 Triple Crown Ct; Pimlico Way				NA			NA		1999
							To: Cul-de-Sac									
(1909) Saratoga Ct	0.04	90	R				From: 53-1905 Churchill Downs Dr				NA			NA		1999
							To: Cul-de-Sac									
(1910) Nerine Ct	0.19	NA					From: 53-1795 Palisade Pkwy				NA			NA		
							To: Cul-de-Sac									
(1911) Breezyhill Dr	0.12	1600	R				From: 53-642 Hay Rd				NA			NA		04/21/2005
(1911) Breezyhill Dr	0.30	NA					From: 53-1912 Hiddengrove Ct				NA			NA		
							To: Dead End									
(1912) Hiddengrove Ct	0.10	130	R				From: Cul-de-Sac				NA			NA		09/04/2002
							To: 53-1911 Breezyhill Dr									
(1913)	0.19	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1911 Breezyhill Dr									
(1914)	0.04	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1913									
(1915) Weatherwood Dr	0.30	480	R				From: 53-642 Hay Rd				NA			NA		04/21/2005
							To: 53-901 Claiborne Pkwy									
(1916) Tavernsprings Ct	0.08	140	R				From: Cul-de-Sac				NA			NA		09/04/2002
							To: 53-1915 Weatherwood Dr; 53-1917									
(1917) Stonecottage Pl	0.20	620	R				From: 53-1915 Weatherwood Dr; 53-1916				NA			NA		09/04/2002
							To: Cul-de-Sac									
(1918) Oakencroft Ct	0.07	100	R				From: Cul-de-Sac				NA			NA		09/04/2002
							To: 53-1917 Stonecottage Pl									
(1919) Meadowthrash Ct	0.13	70	R				From: 53-1915 Weatherwood Dr				NA			NA		09/04/2002
							To: Cul-de-Sac									
(1920) Rolling Woods Pl	0.15	200	R				From: Cul-de-Sac				NA			NA		1999
(1920) Rolling Woods Pl	0.05	480	R				From: 53-1921 Pinewood Ct				NA			NA		02/16/2005
							To: 53-1454, E Frederick Dr									
(1921) Pinewood Ct	0.19	240	R				From: Cul-de-Sac				NA			NA		1999
							To: 53-1920 Rolling Woods Pl									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1922) Thomas Jefferson Dr	0.10	5900	R				From: 53-1454, E Frederick Dr					NA		NA		02/16/2005
(1922) Thomas Jefferson Dr	0.21	170	R				From: 53-1924 Hillcrest Dr					NA		NA		1999
							To: Cul-de-Sac									
(1923) Leatherleaf Dr	0.04	1900	R				From: 53-1454, E Frederick Dr					NA		NA		1999
(1923) Leatherleaf Dr	0.05	1900	R				From: Bramble Court					NA		NA		1999
(1923) Leatherleaf Dr	0.06	1400	R				From: Leatherleaf Circle					NA		NA		1999
(1923) Leatherleaf Dr	0.04	810	R				From: Leatherleaf Circle					NA		NA		1999
							To: Cul-de-Sac									
(1924) Hillcrest Dr	0.09	170	R				From: Cul-de-Sac					NA		NA		1999
							To: 53-1922 Thomas Jefferson Dr									
(1925) Rabbitrun Terrace	0.10	3200	R				From: 53-1454, E Frederick Dr					NA		NA		09/05/2002
							To: Cul-de-Sac									
(1926) Snowpine Pl	0.15	680	R				From: Cul-de-Sac					NA		NA		09/04/2002
							To: 53-1874 Wintergrove Dr									
(1927) Difrank Ct	0.11	80	R				From: Cul-de-Sac					NA		NA		09/29/2002
							To: 53-1926 Snowpine Pl									
(1928) Steamside Pl	0.14	590	R				From: 53-1874 Wintergrove Dr					NA		NA		08/29/2002
							To: Cul-de-Sac									
(1929) Midvale Ct	0.06	49	R				From: 53-1928 Steamside Pl					NA		NA		08/29/2002
							To: Cul-de-Sac									
(1930) Farmingdale Dr	0.26	960	R				From: 53-900 Ashburn Farm Pkwy					NA		NA		04/21/2005
							To: 53-1874 Wintergrove Dr									
(1931) Mintwood Ct	0.11	100	R				From: Cul-de-Sac					NA		NA		08/29/2002
							To: 53-1930 Farmingdale Dr									
(1932) Amberview Ct	0.06	60	R				From: 53-1930 Farmingdale Dr					NA		NA		08/29/2002
							To: Cul-de-Sac									
(1933) Spiceberry Ct	0.13	130	R				From: 53-1874 Wintergrove Dr					NA		NA		08/29/2002
							To: Cul-de-Sac									
(1934) Burnthill Ct	0.03	40	R				From: Cul-de-Sac					NA		NA		08/29/2002
							To: 53-1874 Wintergrove Dr									
(1935) Hedgeapple Ct	0.15	NA					From: 53-1874 Wintergrove Dr					NA		NA		
							To: Cul-de-Sac									
(1936) Grainery Ct	0.06	NA					From: Cul-de-Sac					NA		NA		
							To: 53-1874 Wayside Circle									
(1937)	0.19	NA					From: 53-901 Claiborne Pkwy					NA		NA		
							To: 53-1938									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1938)	0.17	NA												NA		
(1939)	0.06	NA												NA		
(1940)	Christopher Lane	0.05	450	R										NA		03/29/2005
(1940)	Christopher Lane	0.06	410	R										NA		03/29/2005
(1940)	Christopher Lane	0.11	330	R										NA		03/29/2005
(1940)	Christopher Lane	0.05	430	R										NA		03/29/2005
(1940)	Christopher Lane	0.06	520	R										NA		03/29/2005
(1940)	Christopher Lane	0.12	890	R										NA		03/29/2005
(1940)	Whittingham Circle	0.08	630	R										NA		03/29/2005
(1940)	Whittingham Circle	0.05	320	R										NA		03/29/2005
(1940)	Whittingham Circle	0.14	250	R										NA		03/29/2005
(1940)	Whittingham Circle	0.05	340	R										NA		03/29/2005
(1940)	Whittingham Circle	0.05	470	R										NA		03/29/2005
(1940)	Whittingham Circle	0.06	690	R										NA		03/29/2005
(1940)	Whittingham Circle	0.04	580	R										NA		03/29/2005
(1941)	Griswold Ct	0.15	280	R										NA		1999
(1942)	Harrow Ct	0.07	120	R										NA		1999
(1942)	Thales Way	0.04	40	R										NA		1999
(1944)	Vinson Ct	0.05	90	R										NA		1999
(1945)	Byron Ct	0.05	90	R										NA		1999
(1946)	Teasdale Ct	0.10	170	R										NA		1999
(1947)	Rutledge Ct	0.12	170	R										NA		1999

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
1948 Winding Rd	0.23	NA					From: 53-813 Lakeside Dr				NA			NA		
							To: 53-1582 Algonkian Pkwy									
1949	0.42	NA					From: 53-1653 Saulty Dr				NA			NA		
							To: End Loop									
1950 Loudoun County Pkwy	1.39	NA					From: 53-643 Shellhorn Rd				NA			NA		
							To: 53-625 Waxpool Rd									
1951 Canberra Dr	0.18	NA					From: 53-1795 Palisade Pkwy				NA			NA		
							To: 53-1968 Outlet Brook Pl									
1952 Westridge Dr	0.25	NA					From: 53-1968 Quiet Brook Pl				NA			NA		
							To: 53-1794 Cascades Pkwy									
1953 Montgomery Pl	0.19	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1783 Hampshire Station Dr									
1954 Eastlake Ct	0.08	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1953 Montgomery Pl									
1955 Willowood Pl	0.22	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1810 Parkside Circle									
1956 Staples Way	0.05	NA					From: 53-1811 Snow Hill Way				NA			NA		
							To: 53-1955 Willowood Pl									
1957 Forester Ct	0.05	90	R				From: 53-1940 Christopher Lane				NA			NA	1999	
							To: Cul-de-Sac									
1958 Dunbar Way	0.05	80	R				From: 53-1940 Christopher Lane				NA			NA	1999	
							To: Cul-de-Sac									
1959 Lowery Ct S	0.06	130	R				From: Cul-de-Sac				NA			NA	1999	
							To: 53-1940 Christopher Lane									
1959 Lowery Ct N	0.08	70	R				From: 53-1940 Christopher Lane				NA			NA	1999	
							To: Cul-de-Sac									
1960 Amersham Ct	0.09	110	R				From: 53-1940 Christopher Lane				NA			NA	1999	
							To: Cul-de-Sac									
1961 Owens Ct	0.05	90	R				From: 53-1940 Christopher Lane				NA			NA	1999	
							To: Cul-de-Sac									
1962 Rutherford Circle	0.14	510	R				From: Begin Loop				NA			NA	03/29/2005	
							To: 53-1967 Steed Pl									
1962 Rutherford Circle	0.04	260	R				From: 53-1966 Prescott Ct				NA			NA	03/29/2005	
							To: 53-1965 Stafford Ct									
1962 Rutherford Circle	0.04	340	R				From: 53-1965				NA			NA	03/29/2005	
							To: 53-1964									
1962 Rutherford Circle	0.13	380	R				From: 53-1964 Thorton Ct				NA			NA	03/29/2005	
							To: End Loop									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1962) Rutherford Circle	0.17	860	R									NA		NA		03/29/2005
(1962) Rutherford Circle	0.08	1100	R									NA		NA		03/29/2005
(1963) Chelmsford Ct	0.22	180	R									NA		NA		1999
(1964) Thorton Ct	0.08	90	R									NA		NA		1999
(1965) Stafford Ct	0.11	270	R									NA		NA		1999
(1966) Prescott Ct	0.06	140	R									NA		NA		1999
(1967) Steed Pl	0.04	150	R									NA		NA		1999
(1968)	0.23	NA										NA		NA		
(1969) Iris Dr	0.15	NA										NA		NA		
(1970) Lagrande Ct	0.03	NA										NA		NA		
(1971) Deer Chase Pl	0.16	470	R									NA		NA		08/29/2002
(1972) Yellowbloom Ct	0.03	45	R									NA		NA		08/29/2002
(1973) Needlepine Ct	0.05	60	R									NA		NA		08/29/2002
(1974) Maplegrove Ct	0.05	40	R									NA		NA		08/29/2002
(1975) Citation Dr	0.30	600	R									NA		NA		04/21/2005
(1976) Cross Timber Dr	0.39	550	R									NA		NA		04/21/2005
(1977) Genuine Reward Ct	0.05	70	R									NA		NA		08/29/2002
(1978) Bold Forbes Ct	0.07	70	R									NA		NA		08/29/2002
(1979) Secretariat Ct	0.06	60	R									NA		NA		08/29/2002

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1980) Hampshire Station Dr	0.32	NA					From: 53-1794 Cascades Pkwy; 53-1783				NA			NA		
(1980) Hampshire Station Dr	0.09	140	R				From: 53-1981 Whitechapel Way				NA			NA		1999
							To: 53-1799									
(1981) Whitechapel Way	0.06	90	R				From: Cul-de-Sac				NA			NA		1999
(1981) Whitechapel Way	0.11	820	R				From: 53-1982 Hollymead Pl				NA			NA		04/21/2005
							To: 53-1980 Hampshire Station Dr									
(1982) Hollymead Pl	0.26	NA					From: 53-1980; 53-1993				NA			NA		
(1982) Hollymead Pl	0.08	70	R				From: 53-1981 Whitechapel Way				NA			NA		1999
							To: Cul-de-Sac									
(1983) Danforth Pl	0.08	70	R				From: Cul-de-Sac				NA			NA		08/29/2002
							To: 53-1980 Hampshire Station Dr; 53-1981									
(1984) Settlers Point Pl	0.21	NA					From: 53-1783 Hampshire Station Dr				NA			NA		
							To: Cul-de-Sac									
(1985) Kingschase Ct	0.10	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1984 Settlers Point Pl									
(1986) Winterset Ct	0.11	NA					From: 53-1984 Settlers Point Pl				NA			NA		
							To: Cul-de-Sac									
(1987)	0.16	NA					From: 53-1810 Parkside Circle				NA			NA		
							To: 53-1810 Parkside Circle									
(1988) Carnwood Ct	0.08	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1810 Parkside Circle									
(1989) Smithfield Ct	0.06	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1810 Parkside Circle									
(1990) Redfox Ct	0.08	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1810 Parkside Circle									
(1991)	0.16	NA					From: 53-1982 Hollymead Pl				NA			NA		
							To: 53-1980 Hampshire Station Dr									
(1992) Pembridge Ct	0.04	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1980 Hampshire Station Dr									
(1993) Woodlake Pl	0.19	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1980 Hampshire Station Dr									
(1994) Langford Ct	0.07	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1993 Woodlake Pl									
(1995) Middlecreek Ct	0.09	NA					From: Cul-de-Sac				NA			NA		
							To: 53-1993 Woodlake Pl									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(1996) Middlecreek Ct	0.08	NA					From: 53-1993 Woodlake Pl					NA				NA
							To: Cul-de-Sac									
(1997) Brightwater Pl	0.18	NA					From: 53-1805 Quarterpath Trace Circle					NA				NA
							To: Cul-de-Sac									
(1998) Chambliss Ct	0.10	NA					From: 53-1997 Brightwater Pl					NA				NA
							To: Cul-de-Sac									
(1999)	0.18	NA					From: 53-1794 Cascades Pkwy					NA				NA
							To: 53-1795 Palisade Pkwy									
(2000) Grottoes Dr	0.18	NA					From: 53-2104 Blue Water Court					NA				NA
							To: 53-2150 Gloucester Pkwy									
(2001) Broadnax Place	0.09	NA					From: 53-2000 Grottoes Dr					NA				NA
							To: Cul-de-Sac									
(2002) Amity Place	0.19	NA					From: Cul-de-Sac					NA				NA
							To: 53-2150 Gloucester Pkwy									
(2003) Delightful Place	0.09	NA					From: Cul-de-Sac					NA				NA
							To: 53-2002 Amity Place									
(2004) Needmore Court	0.08	NA					From: 53-2049 Ringold Dr					NA				NA
							To: Cul-de-Sac									
(2005) Reliance Court	0.05	NA					From: Cul-de-Sac					NA				NA
							To: 53-2049 Ringold Dr									
(2006) Bidwell Ct	0.06	NA					From: Cul-de-Sac					NA				NA
							To: 53-2049 Ringold Dr									
(2007) Urbancrest Court	0.10	NA					From: 53-2049 Ringold Dr					NA				NA
							To: Cul-de-Sac									
(2008) Downington Ct	0.04	NA					From: 53-2049 Ringold Dr					NA				NA
							To: Cul-de-Sac									
(2009) Pandora Court	0.18	NA					From: 53-2049 Ringold Court					NA				NA
							To: Cul-de-Sac									
(2010)	0.33	NA					From: 53-642 Hay Rd					NA				NA
							To: 53-1911 Breezyhill Dr									
(2011)	0.05	NA					From: Cul-de-Sac					NA				NA
							To: 53-2010									
(2012)	0.06	NA					From: Cul-de-Sac					NA				NA
							To: 53-2010									
(2013)	0.10	NA					From: 53-2010					NA				NA
							To: Cul-de-Sac									
(2014)	0.06	NA					From: Cul-de-Sac					NA				NA
							To: 53-1911									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2015)	0.13	NA														
(2016)	0.16	NA														
(2017)	0.14	NA														
(2018) Fincastle Dr	0.45	NA														
(2019) Christiana Dr	0.39	NA														
(2020) Ashburn Village Blvd	0.97	NA														
(2020) Ashburn Village Blvd	1.12	19000	G	98%	0%	1%	0%	0%	0%	F	0.087	F	0.519	20000	G	2007
(2020) Ashburn Village Blvd	1.09	16000	G	98%	0%	1%	0%	0%	0%	C	0.088	F	0.573	18000	G	2007
(2021) Courtland Dr	0.31	2500	R													02/07/2005
(2022) Louisa Dr	0.27	1600	R													02/07/2005
(2023) Ordinary Pl	0.15	290	R													09/04/2002
(2024) Doswell Pl	0.09	190	R													09/04/2002
(2025) Clary Ct	0.05	70	R													09/04/2002
(2026) Rosedale Ct & Birdnest	0.20	370	R													09/04/2002
(2027) Bristow Circle	0.51	610	R													02/07/2005
(2028) Mustoe Pl	0.11	180	R													09/04/2002
(2029) Catlett Pl	0.12	180	R													09/04/2002
(2030) Chatham Way	0.08	110	R													09/04/2002
(2031) Altavista Way	0.14	170	R													09/04/2002

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2032) Harmony Ct	0.04	45	R								NA			NA		09/04/2002
(2033) Championship Pl	0.21	940	R								NA			NA		09/04/2002
(2034) Matchpoint Way	0.13	390	R								NA			NA		02/07/2005
(2035) French Open Ct	0.03	70	R								NA			NA		09/04/2002
(2036) Advantage Ct	0.06	100	R								NA			NA		09/04/2002
(2037) Flushing Meadows Ct	0.08	120	R								NA			NA		09/04/2002
(2038) Chesterton St	0.29	NA									NA			NA		
(2039) Comfort Court	0.08	NA									NA			NA		
(2040) Gardengate Circle	0.43	NA									NA			NA		
(2041)	0.14	NA									NA			NA		
(2042)	0.07	NA									NA			NA		
(2043)	0.08	NA									NA			NA		
(2044)	0.11	NA									NA			NA		
(2045)	0.06	NA									NA			NA		
(2046)	0.05	NA									NA			NA		
(2047)	0.05	NA									NA			NA		
(2048)	0.07	NA									NA			NA		
(2049) Ringold Dr	0.33	NA									NA			NA		
(2050) Charter Oak Dr	0.20	NA									NA			NA		

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2050) Charter Oak Dr	0.33	NA					From: 53-2056 Melanie Ct; 53-2057					NA			NA	
							To: 53-2038									
(2051) Tara Ct	0.08	NA					From: Dead End					NA			NA	
							To: 53-2050 Charter Oak Dr									
(2052) OHara Ct	0.04	NA					From: 53-2050 Charter Oak Dr					NA			NA	
							To: Cul-de-Sac									
(2053) Bluengrey Ct	0.04	NA					From: 53-2050 Charter Oak Dr					NA			NA	
							To: Cul-de-Sac									
(2054) Tara	0.09	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2050 Charter Oak Dr									
(2055) Twelve Oaks Way	0.09	NA					From: 53-2050 Charter Oak Dr					NA			NA	
							To: 53-642 Hay Rd									
(2056) Bonnieblue Ct	0.04	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2050 Charter Oak Dr; Melanie Ct									
(2057) Melanie Ct	0.04	NA					From: 53-2050 Charter Oak Dr					NA			NA	
							To: Cul-de-Sac									
(2058) Michener Dr	0.13	NA					From: 53-2090 Hemingway Dr					NA			NA	
							To: 53-2091; 53-2059									
(2059) Downing Court	0.10	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2058 Michener Dr									
(2060) Lefevre Inn	0.20	NA					From: 53-625 Waxpool Rd					NA			NA	
							To: 53-2062 Ellzey Dr									
(2061) Vestry Ct	0.05	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2060 Lefevre Inn									
(2062) Ellzey Dr	0.43	NA					From: 53-2073 Chickacoan Trail					NA			NA	
							To: 53-901 Claiborne Pkwy									
(2063) Avens Ct	0.07	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2062 Ellzey Dr									
(2064) Goodwin Ct	0.19	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2062 Ellzey Dr									
(2065) Schoolhouse Ct	0.08	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2062 Ellzey Dr									
(2066) Thornhill Pl	0.11	NA					From: 53-2062 Ellzey Dr					NA			NA	
							To: Cul-de-Sac									
(2067) Arbor Glen Ct	0.10	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2066 Thornhill Pl									
(2068) Golden Autumn Pl	0.09	NA					From: 53-2062 Ellzey Dr					NA			NA	
							To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2069) Autumn Harvest Ct	0.05	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2068 Golden Autumn Pl									
(2070) Demott Dr	0.34	NA					From: Dead End					NA		NA		
							To: 53-625 Waxpool Rd									
(2070) Demott Dr	0.44	NA					From: 53-625 Waxpool Rd					NA		NA		
							To: 53-2330									
(2070) Demott Dr	0.16	NA					From: 53-2330					NA		NA		
							To: 53-2363									
(2071) Arundell Ct	0.09	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2070 Demott Dr									
(2072) Fling Ct	0.11	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2070 Demott Dr									
(2073) Chickacoan Trail	0.35	NA					From: 53-625 Waxpool Rd					NA		NA		
							To: 53-2074 Gatehouse Way									
(2073) Chickacoan Trail	0.69	NA					From: 53-2074 Gatehouse Way					NA		NA		
							To: Dead End									
(2074) Gatehouse Way	0.06	NA					From: 53-2075 Tithables Circle					NA		NA		
							To: 53-2073 Chickacoan Trail									
(2075) Tithables Circle	0.37	NA					From: 53-2078 Awbrey Pl					NA		NA		
							To: 53-2078 Awbrey Pl									
(2076) Hearthstone Ct	0.07	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2075 Tithables Circle									
(2077) Oatyer Ct	0.10	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2075 Tithables Circle									
(2078) Awbrey Pl	0.36	NA					From: Cul-de-Sac					NA		NA		
							To: Cul-de-Sac									
(2079) White Post Way	0.04	NA					From: 53-2078 Awbrey Pl					NA		NA		
							To: 53-625 Waxpool Rd									
(2080) Alexandras Grove	0.79	NA					From: Dead End					NA		NA		
							To: 53-2081 Katie Leigh Ct									
(2080) Alexandras Grove	0.09	NA					From: 53-2081 Katie Leigh Ct					NA		NA		
							To: 53-2150 Gloucester Pkwy									
(2081) Katie Leigh Ct	0.12	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2080 Alexandras Grove									
(2082) Lindsay Marie Ct	0.10	NA					From: Cul-de-Sac					NA		NA		
							To: 53-2080 Alexandras Grove									
(2083) Leah May Ct	0.05	NA					From: 53-2080 Alexandras Grove					NA		NA		
							To: Cul-de-Sac									
(2084) Forest Farm Lane	0.12	NA					From: Dead End					NA		NA		
							To: 53-2086; 53-2087									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2085) Kimberly Anne Ct	0.15	NA														
(2086) Kathleen Elizabeth Dr	0.24	NA														
(2087) Amanda Kay Ct	0.09	NA														
(2088) Webster Court	0.08	NA														
(2089) Kouros Ct	0.12	NA														
(2090) Hemingway Dr	0.26	NA														
(2090) Hemingway Dr	0.53	NA														
(2091) Fitzgerald Dr	0.14	NA														
(2091) Fitzgerald Dr	0.07	NA														
(2092) Ludlum Ct	0.07	NA														
(2093) Keane Ct	0.05	NA														
(2094) Haley Ct	0.08	NA														
(2095) Abbott Pl	0.12	NA														
(2096) Raymond Way	0.10	NA														
(2097) Carson Court	0.07	NA														
(2098) Woodworth Ct	0.16	NA														
(2099) McCollough Ct	0.08	NA														
(2103) Camptown Ct	0.08	NA														
(2104) Glenhazel Dr	0.32	NA														

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2104) Blue Water Court	0.10	NA					From: 53-2000 Grottoes Dr					NA				NA
							To: Cul-de-Sac									
(2105) Stillpond Ct	0.06	NA					From: 53-2104 Glenhazel Dr					NA				NA
							To: Cul-de-Sac									
(2106) Tallyho Ct	0.06	NA					From: 53-2104 Glenhazel Dr					NA				NA
							To: Cul-de-Sac									
(2107) Antiquity Ct	0.04	NA					From: Cul-de-Sac					NA				NA
							To: 53-2049 Ringold Dr									
(2108) Rochelle Ct	0.07	NA					From: Cul-de-Sac					NA				NA
							To: 53-2049 Ringold Dr									
(2110) Levee Way	0.06	NA					From: 53-2112 Oldspring Pl					NA				NA
							To: 53-1651 Whitewater Dr									
(2111) Longford Way	0.07	NA					From: 53-2112 Oldspring Pl					NA				NA
							To: 53-1651 Whitewater Dr									
(2112) Oldspring Pl	0.44	NA					From: Cul-de-Sac					NA				NA
							To: Cul-de-Sac									
(2113) Canal Crossing Way	0.09	NA					From: Cul-de-Sac					NA				NA
							To: 53-2112 Oldspring Pl									
(2114) Flatboat Ct	0.06	NA					From: Cul-de-Sac					NA				NA
							To: 53-2112 Oldspring Pl									
(2115) Lock Ct	0.07	NA					From: 53-2112 Oldspring Pl					NA				NA
							To: Cul-de-Sac									
(2116) Wharf Ct	0.05	NA					From: 53-2112 Oldspring Pl					NA				NA
							To: Cul-de-Sac									
(2117)	0.40	NA					From: 53-901 Claiborne Pkwy					NA				NA
							To: Cul-de-Sac									
(2120)	0.24	NA					From: 53-1688					NA				NA
							To: Cul-de-Sac									
(2121)	0.05	NA					From: Cul-de-Sac					NA				NA
							To: 53-2120									
(2122)	0.13	NA					From: 53-1688					NA				NA
							To: 53-2123									
(2123)	0.10	NA					From: 53-1652 Lowes Island Blvd					NA				NA
							To: 53-2120									
(2127)	0.22	NA					From: Cul-de-Sac					NA				NA
							To: 53-641 Ashburn Rd									
(2128)	0.34	NA					From: Cul-de-Sac					NA				NA
							To: 53-642 Hay Rd									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Loudoun County																	
2129	0.08	NA					From: Cul-de-Sac					NA			NA		
							To: 53-642 Hay Rd										
2130	0.30	NA					From: Cul-de-Sac					NA			NA		
							To: 53-1652 Lowes Island Blvd										
2131	0.23	NA					From: 53-2130 Begin Loop					NA			NA		
							To: 53-2130 End Loop										
2132	0.08	NA					From: 53-2130					NA			NA		
							To: Cul-de-Sac										
2133	0.13	NA					From: 53-2130					NA			NA		
							To: 53-1652 Lowes Island Blvd										
2134	0.06	NA					From: 53-2133					NA			NA		
							To: Cul-de-Sac										
2141	0.05	NA					From: 53-2142					NA			NA		
							To: Cul-de-Sac										
2142	0.11	NA					From: Cul-de-Sac					NA			NA		
							To: 53-1639 Great Falls Forest										
2147	0.30	NA					From: 53-643 Shellhorn Rd					NA			NA		
							To: Cul-de-Sac										
2148	0.12	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2147										
2149	0.14	NA					From: Cul-de-Sac					NA			NA		
							To: 53-641 Ashburn Rd										
2150	Gloucester Pkwy	2.29	NA				From: 53-659 Belmont Ridge Rd					NA			NA		
							To: 53-641 Ashburn Rd										
2150	Gloucester Pkwy	1.61	NA				From: 53-641 Ashburn Rd					NA			NA		
							To: Dead End										
2151		0.34	NA				From: 53-2150 Gloucester Pkwy					NA			NA		
							To: 53-641 Ashburn Rd										
2152		0.04	NA				From: 53-2151					NA			NA		
							To: Cul-de-Sac										
2153		0.07	NA				From: 53-2151					NA			NA		
							To: Cul-de-Sac										
2154		0.24	NA				From: Cul-de-Sac					NA			NA		
							To: 53-2151										
2155		0.10	NA				From: 53-2154					NA			NA		
							To: 53-641 Ashburn Rd										
2156		0.07	NA				From: 53-2154					NA			NA		
							To: Cul-de-Sac										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2157)	0.22	NA														
(2158)	0.07	NA														
(2159)	0.09	NA														
(2160)	0.11	NA														
(2160)	0.12	NA														
(2166) Frost Court	0.13	NA														
(2166) Crane Court	0.08	NA														
(2167) Welty Court	0.06	NA														
(2168) Mitchell Court	0.06	NA														
(2168) Channing Court	0.13	NA														
(2169) Harte Court	0.08	NA														
(2171)	0.43	NA														
(2172)	0.17	NA														
(2173)	0.13	NA														
(2173)	0.11	NA														
(2174)	0.25	NA														
(2175) Regency Dr	0.15	NA														
(2176) Loganwood Ct	0.14	NA														
(2177) Vendome Ct	0.06	NA														
(2178) Hyde Park Dr	0.25	NA														

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2178) Hyde Park Dr	0.55	NA					From: 53-2179					NA				NA
							To: Cul-de-Sac									
(2179)	0.06	NA					From: 53-2178 Hyde Park Dr					NA				NA
							To: Cul-de-Sac									
(2180)	0.25	NA					From: 53-643 Shellhorn Rd					NA				NA
							To: Cul-de-Sac									
(2181)	0.08	NA					From: 53-2180					NA				NA
							To: Cul-de-Sac									
(2182)	0.07	NA					From: 53-2178 Hyde Park Dr					NA				NA
							To: Cul-de-Sac									
(2183)	0.54	NA					From: 53-773 River Creek Pkwy					NA				NA
							To: Dead End									
(2184)	0.11	NA					From: 53-2183					NA				NA
							To: Cul-de-Sac									
(2185)	0.03	NA					From: 53-2183					NA				NA
							To: Cul-de-Sac									
(2186)	0.10	NA					From: 53-2183					NA				NA
							To: 53-2187									
(2187)	0.08	NA					From: Cul-de-Sac					NA				NA
							To: 53-2186									
(2187)	0.06	NA					From: 53-2186					NA				NA
							To: Cul-de-Sac									
(2188)	0.03	NA					From: 53-2183					NA				NA
							To: Cul-de-Sac									
(2189)	0.09	NA					From: 53-2183					NA				NA
							To: Cul-de-Sac									
(2190)	0.44	NA					From: Cul-de-Sac					NA				NA
							To: 53-773 Edwards Ferry Rd; River Creek Pkwy									
(2191)	0.12	NA					From: 53-2190					NA				NA
							To: Cul-de-Sac									
(2192)	0.10	NA					From: 53-2190					NA				NA
							To: Cul-de-Sac									
(2193)	0.08	NA					From: 53-2190					NA				NA
							To: Cul-de-Sac									
(2194)	0.09	NA					From: 53-2190					NA				NA
							To: 53-773 Edwards Ferry Rd									
(2200) Tall Cedars Pkwy	0.40	NA					From: 53-621 Elk Lick Rd					NA				NA
							To: 53-1266 Planting Field Dr									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2201) South Riding Blvd	0.59	NA					From: 53-2200 Tall Cedars Pkwy				NA			NA		
							To: US 50 John S Mosby Hwy									
(2202) Chase St	0.11	180	R				From: 53-2201 South Riding Blvd				NA			NA		01/20/2005
							To: 53-1266 Planting Field Dr									
(2203)	0.45	220	R				From: 53-1266 Planting Field Dr				NA			NA		01/20/2005
							To: 53-2202 Chase St									
(2204) Darkwoods St	0.10	NA					From: 53-2203 Ripleys Field				NA			NA		
							To: 53-1266 Planting Field Dr									
(2205) Kennebec Dr	0.13	130	R				From: 53-2206 Edgartown St				NA			NA		01/20/2005
							To: 53-2204 Darkwoods St									
(2206) Edgartown St	0.16	240	R				From: 53-2203				NA			NA		01/20/2005
							To: 53-1266 Planting Field Dr									
(2207) Stonewall Pond St	0.07	990	R				From: 53-2201 South Riding Blvd				NA			NA		01/20/2005
							To: 53-1266 Planting Field Dr									
(2207) Stonewall Pond St	0.08	NA					From: Dead End				NA			NA		
							To: Dead End									
(2209) Lands End Dr	0.36	NA					From: 53-620 Braddock Rd				NA			NA		
							To: Dead End									
(2210) Mink Meadows St	0.40	NA					From: 53-2230 Talamore Dr				NA			NA		
							To: 53-2244 Iverson Dr									
(2210) Mink Meadows St	0.53	NA					From: 53-2247 Intrepid St				NA			NA		
							To: 53-2238 Flintonbridge Dr									
(2210) Mink Meadows St	0.20	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2210 Mink Meadows St									
(2211) Murrey Dr	0.32	NA					From: 53-2236				NA			NA		
							To: 53-2214									
(2212)	0.19	NA					From: 53-2214				NA			NA		
							To: 53-2211 Murrey Dr									
(2213)	0.19	NA					From: 53-2211 Murrey Dr				NA			NA		
							To: 53-2241									
(2214)	1.02	NA					From: Cul-de-Sac				NA			NA		
							To: 53-2216									
(2215)	0.11	NA					From: 53-2216				NA			NA		
							To: 53-1652 Lowes Island Blvd									
(2215)	0.15	NA					From: 53-2215				NA			NA		
							To: 53-1653 Saulty Dr									
(2216)	0.07	NA					From: 53-1653 Saulty Dr				NA			NA		
							To: 53-1653 Saulty Dr									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2217)	0.06	NA					From: Cul-de-Sac					NA				NA
							To: 53-2215									
(2218)	0.07	NA					From: 53-2215					NA				NA
							To: Cul-de-Sac									
(2222)	0.56	NA					From: 53-742 Poland Rd					NA				NA
							To: 53-742 Poland Rd									
(2223)	0.11	NA					From: 53-2222					NA				NA
							To: Cul-de-Sac									
(2224)	0.22	NA					From: Cul-de-Sac					NA				NA
							To: 53-2222									
(2225)	0.08	NA					From: 53-2222					NA				NA
							To: Cul-de-Sac									
(2226)	0.44	NA					From: 53-2210 Mink Meadows St					NA				NA
							To: 53-2210 Mink Meadows St									
(2227)	0.03	NA					From: 53-2226					NA				NA
							To: Cul-de-Sac									
(2228)	0.06	NA					From: 53-2238 Flintonbridge Dr					NA				NA
							To: 53-2226									
(2229)	0.05	NA					From: 53-2226					NA				NA
							To: 53-2238 Flintonbridge Dr									
(2230)	0.55	NA					From: 53-2232					NA				NA
							To: 53-2232									
(2231)	0.46	NA					From: 53-2233					NA				NA
							To: 53-2240									
(2232)	0.88	NA					From: Cul-de-Sac					NA				NA
							To: 53-2214									
(2233)	0.15	NA					From: 53-2232					NA				NA
							To: 53-2230									
(2234)	0.12	NA					From: 53-2232					NA				NA
							To: 53-2231									
(2235)	0.08	NA					From: 53-2232					NA				NA
							To: Cul-de-Sac									
(2236)	0.12	NA					From: 53-2231					NA				NA
							To: 53-2214									
(2236)	0.27	NA					From: 53-2249					NA				NA
							To: 53-2249									
(2236)	0.05	NA					From: 53-2238 Flintonbridge Dr					NA				NA
							To: 53-2238 Flintonbridge Dr									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2237)	0.91	NA					From: 53-1266 Planting Field Dr					NA				NA
							To: 53-742 Poland Rd									
(2238) Flintonbridge Dr	0.60	NA					From: 53-2239 Preisters Pond Dr					NA				NA
							To: 53-2245 Hartwood Dr									
(2238) Flintonbridge Dr	0.35	NA					From: 53-2226					NA				NA
							To: 53-2236									
(2239)	0.25	NA					From: 53-2237					NA				NA
							To: 53-2238									
(2239)	0.22	NA					From: 53-2231					NA				NA
							To: 53-2239									
(2240)	0.45	NA					From: 53-2240					NA				NA
							To: 53-2232									
(2241)	0.30	NA					From: 53-2230					NA				NA
							To: 53-2249									
(2242)	0.12	NA					From: 53-2210 Mink Meadows St					NA				NA
							To: 53-2238 Flintonbridge Dr									
(2243)	0.11	NA					From: 53-2238 Flintonbridge Dr					NA				NA
							To: 53-2249									
(2244)	0.64	NA					From: 53-2246					NA				NA
							To: 53-2210 Mink Meadows St									
(2245)	0.32	NA					From: 53-2244					NA				NA
							To: 53-2238 Flintonbridge Dr									
(2245)	0.05	NA					From: 53-2249					NA				NA
							To: 53-2238 Flintonbridge Dr									
(2246)	0.14	NA					From: 53-2246					NA				NA
							To: 53-2238 Flintonbridge Dr									
(2247)	0.16	NA					From: 53-2246					NA				NA
							To: 53-2210 Mink Meadows St									
(2248)	0.11	NA					From: 53-2244					NA				NA
							To: 53-2238 Flintonbridge Dr									
(2249)	0.43	NA					From: 53-2237					NA				NA
							To: 53-2270									
(2250)	0.19	NA					From: 53-2253					NA				NA
							To: Cul-de-Sac									
(2251)	0.04	NA					From: 53-2250					NA				NA
							To: 53-2250									
(2252)	0.03	NA					From: 53-2250					NA				NA
							To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2253)	0.06	NA														
(2253)	0.27	NA														
(2254)	0.07	NA														
(2255)	0.05	NA														
(2256)	0.07	NA														
(2257)	0.18	NA														
(2260)	0.14	NA														
(2261)	0.14	NA														
(2262) Rainsboro Dr	0.61	NA														
(2263) Mandalay Court	0.10	NA														
(2264) Fenwick Dr	0.29	NA														
(2265) Ladiesburg Pl	0.29	NA														
(2266)	0.12	NA														
(2267)	0.16	NA														
(2268)	0.05	NA														
(2269)	0.04	NA														
(2269)	0.04	NA														
(2270)	0.36	NA														
(2273)	0.19	NA														

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2274)	0.08	NA					From: 53-2273					NA				NA
							To: 53-2257									
(2275)	0.05	NA					From: 53-2273					NA				NA
							To: Cul-de-Sac									
(2281) Ginghamburg Place	0.17	NA					From: Cul-de-Sac					NA				NA
							To: 53-2262 Rainsboro Dr									
(2282) Sweetair Court	0.07	NA					From: 53-2281 Ginghamburg Place					NA				NA
							To: Cul-de-Sac									
(2283) Ruffdale Court	0.07	NA					From: 53-2281 Ginghamburg Place					NA				NA
							To: Cul-de-Sac									
(2284) Pomeroy Court	0.09	NA					From: 53-2264 Fenwick Dr					NA				NA
							To: Cul-de-Sac									
(2285) Shy Beaver Court	0.13	NA					From: Cul-de-Sac					NA				NA
							To: 53-2262 Rainsboro Dr									
(2286)	0.17	NA					From: Cul-de-Sac					NA				NA
							To: 53-742 Poland Rd									
(2287)	0.12	NA					From: Cul-de-Sac					NA				NA
							To: 53-2286									
(2288)	0.08	NA					From: 53-2287					NA				NA
							To: Cul-de-Sac									
(2289)	0.04	NA					From: Cul-de-Sac					NA				NA
							To: 53-2287									
(2290)	0.12	NA					From: Cul-de-Sac					NA				NA
							To: 53-742 Poland Rd									
(2291) Medix Run Place	0.21	NA					From: Cul-de-Sac					NA				NA
							To: 53-2265 Ladiesburg Pl									
(2292) Fawngrove Court	0.07	NA					From: 53-2291 Medix Run Place					NA				NA
							To: Cul-de-Sac									
(2293) Misty Creek Place	0.20	NA					From: Cul-de-Sac					NA				NA
							To: 53-2265 Ladiesburg Pl									
(2300)	0.16	NA					From: 53-1652					NA				NA
							To: Cul-de-Sac									
(2301)	0.20	NA					From: Cul-de-Sac					NA				NA
							To: 53-2300									
(2304)	0.12	NA					From: 53-2305					NA				NA
							To: 53-2300									
(2305)	0.20	NA					From: 53-2301					NA				NA
							To: Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
2306	0.04	NA					From: 53-2301					NA			NA	
							To: Cul-de-Sac									
2308	0.15	NA					From: Dead End					NA			NA	
							To: 53-2253									
2309	0.05	NA					From: 53-2253					NA			NA	
							To: Cul-de-Sac									
2330	0.87	NA					From: 53-2348					NA			NA	
							To: 53-2070 Demott Dr									
2331	0.07	NA					From: 53-2073 Chickacoan Trail					NA			NA	
							To: Cul-de-Sac									
2332	0.09	NA					From: 53-2333					NA			NA	
							To: 53-2330									
2333	0.13	NA					From: Cul-de-Sac					NA			NA	
							To: Cul-de-Sac									
2334	0.30	NA					From: 53-2330					NA			NA	
							To: 53-2337									
2335	0.12	NA					From: 53-2334					NA			NA	
							To: Cul-de-Sac									
2336	0.05	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2334									
2337	0.14	NA					From: Dead End					NA			NA	
							To: 53-2073 Chickacoan Trail									
2338	0.19	NA					From: 53-2330					NA			NA	
							To: 53-2341									
2339	0.14	NA					From: 53-2338					NA			NA	
							To: Cul-de-Sac									
2340	0.05	NA					From: 53-2338					NA			NA	
							To: Cul-de-Sac									
2341	0.26	NA					From: Cul-de-Sac					NA			NA	
							To: 53-901 Claiborne Pkwy									
2342	0.24	NA					From: 53-2341					NA			NA	
							To: Cul-de-Sac									
2343	0.04	NA					From: 53-2342					NA			NA	
							To: Dead End									
2344	0.14	NA					From: 53-2346					NA			NA	
							To: 53-625 Waxpool Rd									
2345	0.13	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2344									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Loudoun County																	
2346	0.11	NA					From: Cul-de-Sac					NA			NA		
							To: Cul-de-Sac										
2347	0.15	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2073 Chickacoan Trail										
2348	0.94	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2356										
2348	0.13	NA					From: 53-2348					NA			NA		
							To: Dead End										
2349	0.10	NA					From: 53-2348					NA			NA		
							To: Cul-de-Sac										
2350	0.08	NA					From: 53-2348					NA			NA		
							To: Cul-de-Sac										
2351	0.14	NA					From: 53-2330					NA			NA		
							To: Cul-de-Sac										
2352	0.10	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2073 Chickacoan Trail										
2353	0.12	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2330										
2354	0.09	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2073 Chickacoan Trail										
2355	0.06	NA					From: 53-2354					NA			NA		
							To: Cul-de-Sac										
2356	0.19	NA					From: 53-2348					NA			NA		
							To: Cul-de-Sac										
2357	0.33	NA					From: 53-2356					NA			NA		
							To: Cul-de-Sac										
2358	0.10	NA					From: 53-2357					NA			NA		
							To: Dead End										
2359	0.07	NA					From: 53-2358					NA			NA		
							To: Cul-de-Sac										
2360	0.18	NA					From: 53-2348					NA			NA		
							To: Cul-de-Sac										
2361	0.09	NA					From: 53-2360					NA			NA		
							To: 53-2362										
2362	0.13	NA					From: 53-2348					NA			NA		
							To: Cul-de-Sac										
2363	0.76	NA					From: 53-2343					NA			NA		
							To: 53-643 Shellhorn Rd										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2364)	0.24	NA				From: 53-2348					NA			NA		
						To: Cul-de-Sac										
(2365)	0.04	NA				From: 53-2348					NA			NA		
						To: Cul-de-Sac										
(2366)	0.07	NA				From: 53-2348					NA			NA		
						To: Cul-de-Sac										
(2370)	0.09	NA				From: 53-2371					NA			NA		
						To: 53-641 Ashburn Rd										
(2371)	0.18	NA				From: 53-2370					NA			NA		
						To: Cul-de-Sac										
(2372)	0.06	NA				From: 53-2371					NA			NA		
						To: Cul-de-Sac										
(2373)	0.07	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2371										
(2380) Tavern Dr	0.68	NA				From: 53-2020 Ashburn Village Blvd					NA			NA		
						To: 53-2150 Gloucester Pkwy										
(2381) Paw Paw Court	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2380 Tavern Dr										
(2382) Confidence Court	0.10	NA				From: 53-2383 Laplume Place					NA			NA		
						To: Cul-de-Sac										
(2383) Laplume Place	0.20	NA				From: 53-2380 Tavern Dr					NA			NA		
						To: Cul-de-Sac										
(2384) Cardiff Court	0.11	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2380 Tavern Dr										
(2385) Maiden Creek Court	0.16	NA				From: 53-2380 Tavern Dr					NA			NA		
						To: Cul-de-Sac										
(2386) Gladwyne Court	0.04	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2380 Tavern Dr										
(2387) Crofton Court	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2380 Tavern Dr										
(2388) Lucinda Court	0.05	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2380										
(2389) Girdland Court	0.05	NA				From: 53-2380 Tavern Dr					NA			NA		
						To: Cul-de-Sac										
(2390) Stronghold Court	0.12	NA				From: Cul-de-Sac					NA			NA		
						To: 53-2380 Tavern Dr										
(2391) Jersey Mills Place	0.14	NA				From: 53-2380 Tavern Dr					NA			NA		
						To: Cul-de-Sac										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
(2392) Globe Mills Court	0.08	NA					From: 53-2380 Tavern Dr					NA				NA
							To: Cul-de-Sac									
(2393) Ryder Mills Court	0.07	NA					From: Cul-de-Sac					NA				NA
							To: 53-2380 Tavern Dr									
(2400)	0.65	NA					From: SR 7 Harry F Byrd Hwy					NA				NA
							To: 53-2403									
(2401) Riverside Pkwy	1.34	NA					From: Dead End					NA				NA
							To: 53-659 Belmont Ridge Rd									
(2401)	0.55	NA					From: 53-659 Belmont Ridge Rd					NA				NA
							To: Dead End									
(2402)	0.25	NA					From: 53-2401 Riverside Pkwy					NA				NA
							To: 53-2403									
(2403)	0.22	NA					From: 53-2400					NA				NA
							To: 53-2402									
(2404)	0.32	NA					From: 53-2421					NA				NA
							To: Cul-de-Sac									
(2405)	0.11	NA					From: 53-2410					NA				NA
							To: 53-2404									
(2406)	0.32	NA					From: 53-2410					NA				NA
							To: Cul-de-Sac									
(2407)	0.08	NA					From: Cul-de-Sac					NA				NA
							To: 53-2406									
(2408)	0.07	NA					From: 53-2406					NA				NA
							To: 53-2406									
(2408)	0.16	NA					From: Cul-de-Sac					NA				NA
							To: Cul-de-Sac									
(2409)	0.26	NA					From: 53-2410					NA				NA
							To: Cul-de-Sac									
(2410)	0.43	NA					From: 53-2423					NA				NA
							To: 53-659 Belmont Ridge Rd									
(2410)	0.20	NA					From: 53-659 Belmont Ridge Rd					NA				NA
							To: 53-2411 WEST									
(2410)	1.28	NA					From: 53-2411 WEST					NA				NA
							To: Dead End									
(2411)	0.38	NA					From: 53-2410 WEST					NA				NA
							To: 53-2410									
(2412)	0.46	NA					From: 53-2410					NA				NA
							To: 53-2410									
(2413)	0.08	NA					From: 53-2411					NA				NA
							To: 53-2412									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
2414	0.11	NA					From: 53-2412					NA			NA	
							To: 53-2410									
2415	0.22	NA					From: 53-2410					NA			NA	
							To: 53-2412									
2416	0.08	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2412									
2417	0.38	NA					From: 53-2410					NA			NA	
							To: 53-2410									
2418	0.05	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2417									
2419	0.17	NA					From: 53-2421					NA			NA	
							To: 53-2411									
2420	0.17	NA					From: 53-2421					NA			NA	
							To: 53-2410									
2421	0.33	NA					From: 53-2422					NA			NA	
							To: 53-2404									
2422	0.04	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2421									
2422	0.10	NA					From: 53-2421					NA			NA	
							To: Dead End									
2423	0.36	NA					From: 53-2401					NA			NA	
							To: 53-2410									
2424	0.55	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2410									
2425	0.31	NA					From: 53-2426					NA			NA	
							To: Riverside Parkway									
2426	0.18	NA					From: 53-2425					NA			NA	
							To: Riverside Parkway									
2427	0.09	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2426									
2427	0.20	NA					From: 53-2426					NA			NA	
							To: Cul-de-Sac									
2430	0.32	NA					From: 53-2444					NA			NA	
							To: 53-2435									
2430	0.20	NA					From: 53-2435					NA			NA	
							To: 53-2434									
2430	0.96	NA					From: 53-600 Lenah Rd					NA			NA	
							To: Cul-de-Sac									
2431	0.03	NA					From: Cul-de-Sac					NA			NA	
							To: 53-2430									

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Loudoun County																	
2432	0.19	NA					From: 53-2430					NA			NA		
							To: 53-2430										
2433	0.21	NA					From: 53-2430					NA			NA		
							To: 53-2430										
2434	0.04	NA					From: 53-2430					NA			NA		
							To: Cul-de-Sac										
2435	0.22	NA					From: 53-2430					NA			NA		
							To: Cul-de-Sac										
2436	0.63	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2435										
2437	0.29	NA					From: 53-2436					NA			NA		
							To: Cul-de-Sac										
2438	0.04	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2437										
2439	0.10	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2436										
2440	0.13	NA					From: 53-2439					NA			NA		
							To: Cul-de-Sac										
2441	0.04	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2436										
2442	0.20	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2430; 53-2443										
2443	0.18	NA					From: 53-2430; 53-2442					NA			NA		
							To: 53-2444										
2444	0.16	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2430; 53-2443										
2450	0.64	NA					From: 53-772 Ryan Rd					NA			NA		
							To: 53-2452										
2451	0.07	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2450										
2452	0.10	NA					From: Cul-de-Sac					NA			NA		
							To: 53-2450										
2452	0.05	NA					From: Cul-de-Sac					NA			NA		
							To: Cul-de-Sac										
2510	0.62	NA					From: Cul-de-Sac					NA			NA		
							To: 53-772										
2511	0.05	NA					From: 53-2510					NA			NA		
							To: Cul-de-Sac										

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
2512	0.09	NA					From: 53-2510					NA				NA
							To: 53-2510									
2536	0.27	NA					From: Cul-de-Sac					NA				NA
							To: 53-659 Belmont Ridge Rd									
2537	0.04	NA					From: Cul-de-Sac					NA				NA
							To: 53-2536									
2538	0.13	NA					From: 53-2536					NA				NA
							To: Dead End									
2539	0.07	NA					From: 53-2538					NA				NA
							To: Cul-de-Sac									
2540	0.06	NA					From: Cul-de-Sac					NA				NA
							To: 53-2538									
2600	0.68	NA					From: Dead End					NA				NA
							To: 53-901									
2601	0.05	NA					From: Cul-de-Sac					NA				NA
							To: 53-2600									
2602	0.18	NA					From: 53-2600					NA				NA
							To: Cul-de-Sac									
2603	0.06	NA					From: 53-2600					NA				NA
							To: Cul-de-Sac									
2604	0.09	NA					From: Cul-de-Sac					NA				NA
							To: 53-2600									
2605	0.14	NA					From: Ridgeway Drive					NA				NA
							To: Cul-de-Sac									
2606	0.14	NA					From: Ridgeway Drive					NA				NA
							To: Cul-de-Sac									
2607	0.15	NA					From: 53-2606					NA				NA
							To: Cul-de-Sac									
2650	0.45	NA					From: Braddock Rd					NA				NA
							To: Dead End									
2651	0.34	NA					From: 53-2650					NA				NA
							To: Dead End									
2652	0.16	NA					From: 53-2651					NA				NA
							To: 53-2654									
2653	0.18	NA					From: 53-2650					NA				NA
							To: 53-2651									
2654	0.17	NA					From: 53-2650					NA				NA
							To: 53-2651									

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Loudoun County																
6253	0.02	60	R											NA	NA	1999
Town of Middleburg																
9232	0.05	210	R											NA	NA	1999
Loudoun County																
9233	0.02	80	R											NA	NA	1999
Town of Lovettsville																
9235	0.02	80	R											NA	NA	1999
Town of Leesburg																
9236	0.10	230	R											NA	NA	1999
Town of Leesburg																
9282	0.08	280	R											NA	NA	1999
Loudoun County																
9283	0.20	620	R											NA	NA	1999
Town of Leesburg																
9284	0.01	380	R											NA	NA	1999
Town of Purcellville																
9285	0.15	440	R											NA	NA	1999
Loudoun County																
9337	0.14	490	R											NA	NA	1999
Loudoun County																
9338	0.15	680	R											NA	NA	1999
Loudoun County																
9339	0.11	80	R											NA	NA	1999
Loudoun County																
9340	0.36	250	R											NA	NA	1999
Loudoun County																
9355	0.12	130	R											NA	NA	1999
Loudoun County																
9433	0.08	80	R											NA	NA	1999
Loudoun County																
9434	0.05	280	R											NA	NA	1999
Loudoun County																
9459	0.10	150	R											NA	NA	1999

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Loudoun County																	
(9461)	0.08	210	R											NA		1999	
(9462)	0.15	820	R											NA		1999	
(9462)	0.21	870	R											NA		1999	
Town of Leesburg																	
(9536)	Loudoun Co High Schoo	0.13	610	R										NA		1999	
Loudoun County																	
(9862)		0.17	1100	R										NA		1999	
Town of Purcellville																	
(9943)		0.19	290	R										NA		1999	
Loudoun County																	
(9944)	Waterford Elem School	0.14	210	R										NA		1999	
(9945)		0.08	490	R										NA		1999	
Town of Leesburg																	
(1 ₂₅₃)	Battlefield Pkwy	0.83	7000	G	98%	1%	1%	0%	0%	0%	C	0.103	F	0.525	7700	G	2007
(1 ₂₅₃)	Battlefield Pkwy	0.42	4000	G	97%	1%	2%	0%	0%	0%	C	0.123	F	0.566	4300	G	2007
(1 ₂₅₃)	Battlefield Pkwy	0.98	NA											NA		NA	
(1 ₂₅₃)	Battlefield Pkwy	0.59	NA											NA		NA	
(3 ₂₅₃)	Fort Evans Rd	0.84	9300	G	98%	0%	1%	0%	0%	0%	C	0.095	F	0.556	10000	G	2007
(4 ₂₅₃)	Plaza St	0.44	10000	G	98%	1%	1%	0%	0%	0%	F	0.092	F	0.602	11000	G	2007
(4 ₂₅₃)	Plaza St	0.48	4700	G	98%	1%	1%	0%	0%	0%	C	0.106	F	0.633	5200	G	2007
(4 ₂₅₃)	Plaza St	0.32	2500	G	98%	1%	1%	0%	0%	0%	F	0.116	F	0.706	2700	G	2007
(5 ₂₅₃)		0.29	NA											NA		NA	
(4200 ₂₅₃)	Catoctin Circle	0.84	NA											NA		NA	
(4200 ₂₅₃)	Catoctin Circle	0.29	7700	G	97%	0%	2%	0%	0%	0%	F	0.097	F	0.515	8400	G	2007

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Leesburg																
(4200/25.3) Catoctin Circle	0.17	17000	G	97%	0%	2%	0%	0%	0%	F	0.089	F	0.552	19000	G	2007
			From: Bus 7, Market St E													
			To: South St													
(4200/25.3) Catoctin Circle	0.63	18000	G	97%	0%	2%	0%	0%	0%	C	0.089	F	0.571	20000	G	2007
			From: US 15 King St S													
			To: Dry Mill Rd													
(4200/25.3) Catoctin Circle	0.57	7900	G	97%	0%	2%	0%	0%	0%	F	0.113	F	0.757	8700	G	2007
			From: Childrens Center Rd													
			To: Market St W													
(4200/25.3) Fairview St	0.64	2800	G	97%	0%	2%	0%	0%	0%	F	0.142	F	0.542	3000	G	2007
			From: Old Waterford Rd													
			To: SCL Leesburg													
(4201/25.3) Sycolin Rd	1.61	7600	G	92%	3%	3%	2%	1%	0%	F	0.098	F	0.72	8300	G	2007
			From: US 15 Leesburg Bypass													
			To: Bus SR 7													
(4205/25.3) Dry Mill Rd	0.59	5400	G	98%	0%	1%	0%	1%	0%	C	0.205	F	0.954	5800	G	2007
			From: Lee Ave													
			To: Catoctin Circle													
(4205/25.3) Dry Mill Rd	0.49	3000	G	98%	0%	1%	0%	1%	0%	F	0.126	F	0.614	3300	G	2007
			From: W Loudoun St													
			To: Loudoun St													
(4205/25.3) Ayr St	0.09	780	G	98%	0%	1%	0%	1%	0%	F	0.122	F		850	G	2007
			From: Market St													
			To: Market St W													
(4206/25.3) Loudoun St	0.28	5600	G	99%	0%	1%	0%	0%	0%	C	0.097	F	0.867	6100	G	2007
			From: 253-4205 Ayr St													
			To: Bus US 15													
(4206/25.3) Loudoun St	0.35	8700	G	98%	0%	1%	0%	0%	0%	F	0.095	F	0.706	9500	G	2007
			From: Market St E													
			To: Market St E													
(4208/25.3) Edwards Ferry Rd	0.11	4000	G	99%	0%	0%	0%	0%	0%	F	0.094	F	0.546	4300	G	2007
			From: Harrison St													
			To: Prince St													
(4208/25.3) Edwards Ferry Rd	0.41	4500	G	99%	0%	0%	0%	0%	0%	C	0.096	F	0.501	5000	G	2007
			From: Washington St													
			To: Plaza St													
(4208/25.3) Edwards Ferry Rd	0.51	16000	G	99%	0%	0%	0%	0%	0%	F	0.089	F	0.572	18000	G	2007
			From: US 15													
			To: Battlefield Pkwy													
(4209/25.3) Evergreen Mill Rd	1.01	12000	G	94%	2%	2%	1%	1%	0%	C	0.111	F	0.632	14000	G	2007
			From: Masons Lane													
			To: SCL Leesburg, 53-621													

Virginia Department of Transportation
 Traffic Engineering Division
 2007
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Loudoun Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Leesburg																
④ _{25.3} Country Club Dr	0.40	2500	G	98%	1%	From: Bradfield Dr				F	0.097	F	0.515	2700	G	2007
						To: US 15 King St										
Cardinal Park Dr		5700	G			From: Trailview Blvd					0.089	F		5700	G	2007
						To: Market St										
Catoctin Circle		410	G			From: Grafton Way					0.099	F		410	G	2007
						To: Southview Pl										
Governors Dr		1300	G			From: Country Club Dr					0.105	F	0.753	1300	G	2007
						To: US 15										
Trailview Blvd Prop		1800	G			From: Dead End					0.132	F	0.548	1800	G	2007
						To: Cardinal Park Dr										
Town of Purcellville																
K St		280	G			From: 26th St					0.162	F		280	G	2007
						To: Nursery Ave										
Remington Dr		350	G			From: Wexford Place					0.116	F		350	G	2007
						To: Eastgate Dr										
Wintergreen Dr		800	G			From: Orchard Brook Lane					0.092	F		800	G	2007
						To: Locust Grove Dr										