

2011
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates
where available

Jurisdiction Report

24

Cumberland County

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Old Buckingham Rd	From: US 60 Anderson Hwy															
	Cumberland County	7.19	910	F	91%	1%	2%	2%	4%	0%	C	0.096	F	930	F	
	To: Powhatan County Line															
45 Cumberland Rd	From: NCL Farmville															
	Cumberland County	3.54	4500	F	96%	1%	1%	1%	2%	0%	F	0.086	F	4700	F	
45 Cumberland Rd	From: 24-636 Raines Tavern															
	Cumberland County	4.66	3500	F	96%	1%	1%	1%	2%	0%	F	0.085	F	3600	F	
45 Cumberland Rd	From: 24-634 Salem Church Rd															
	Cumberland County	5.82	3300	B	96%	1%	1%	1%	2%	0%	C	0.104	A	3500	B	
45 60 Anderson Hwy	From: US 60 West of Cumberland C.H.															
	Cumberland County	2.42	6000	F	92%	1%	1%	1%	5%	0%	F	0.089	F	6100	F	
45 60 Anderson Hwy	From: 24-600 Cumberland C.H.															
	Cumberland County	1.09	7000	F	94%	1%	1%	1%	4%	0%	C	0.086	F	7200	F	
45 60 Anderson Hwy	From: SR 13 Old Buckingham Rd															
	Cumberland County	1.34	5400	F	93%	1%	1%	1%	4%	0%	C	0.086	F	5500	F	
45 Cartersville Rd	From: US 60 East of Cumberland															
	Cumberland County	4.85	1800	F	92%	2%	1%	1%	3%	0%	F	0.101	F	1900	F	
45 Cartersville Rd	From: 24-616 Deep Run Road															
	Cumberland County	6.60	1500	F	92%	2%	1%	1%	3%	0%	C	0.104	F	1500	F	
45 Cartersville Rd	From: 24-690 North of Whiteville															
	Cumberland County	2.20	1100	F	92%	2%	1%	1%	3%	0%	F	0.101	F	1200	F	
45 Cartersville Rd	From: 24-649 High St															
	Cumberland County	0.75	930	F	92%	2%	1%	1%	3%	0%	F	0.099	F	950	F	
60 Anderson Hwy	From: Goochland County Line															
	Cumberland County	4.06	2400	F	90%	1%	1%	2%	6%	0%	C	0.091	F	2400	F	
60 45 Anderson Hwy	From: SR 45 West of Cumberland CH															
	Cumberland County	2.42	6000	F	92%	1%	1%	1%	5%	0%	F	0.089	F	6100	F	
60 45 Anderson Hwy	From: 24-600 Cumberland CH															
	Cumberland County	1.09	7000	F	94%	1%	1%	1%	4%	0%	C	0.086	F	7200	F	
60 45 Anderson Hwy	From: SR 13 Old Buckingham Rd															
	Cumberland County	1.34	5400	F	93%	1%	1%	1%	4%	0%	C	0.086	F	5500	F	
60 Anderson Hwy	From: SR 45 East of Cumberland CH															
	Cumberland County	6.05	4400	A	95%	0%	1%	1%	4%	0%	C	0.105	A	4400	A	
	To: Powhatan County Line															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(734) Town & Country Rd	0.50	60	R									NA		NA		04/04/2006
(600) Court House Circle	0.14	320	R									NA		NA		03/22/2011
(600) Stoney Point Rd	1.37	1100	F	98%	0%	0%	0%	1%	0%	F	0.103	F		1100	F	2011
(600) Stoney Point Rd	0.86	710	F	98%	0%	0%	0%	1%	0%	F	0.099	F		730	F	2011
(600) Stoney Point Rd	1.58	590	F	98%	0%	0%	0%	1%	0%	F	0.103	F		600	F	2011
(600) Stoney Point Rd	1.90	490	R									NA		NA		03/22/2011
(600) Stoney Point Rd	3.64	270	R									NA		NA		04/05/2011
(600) River Rd	5.27	200	R									NA		NA		04/05/2011
(600) River Rd	1.58	390	R									NA		NA		03/24/2011
(600) River Rd	1.52	460	F	98%	0%	0%	0%	1%	0%	F	0.1	F		460	F	2011
(600) River Rd	1.97	620	F	99%	0%	1%	0%	0%	0%	C	0.106	F		640	F	2011
(600) River Rd	0.80	760	F	98%	0%	0%	0%	1%	0%	F	0.097	F		780	F	2011
(600) River Rd	1.83	1300	F	98%	0%	0%	0%	1%	0%	C	0.113	F		1400	F	2011
(600) Plank Rd	2.34	1000	R									NA		NA		03/24/2011
(600) Plank Rd	2.95	960	R									NA		NA		03/24/2011
(601) Ashburn Rd	1.50	140	R									NA		NA		05/06/2008
(601) Clinton Rd	1.40	440	R									NA		NA		03/22/2011
(601) Clinton Rd	1.75	450	R									NA		NA		03/22/2011
(602) Ampt Hill Rd	5.39	180	R									NA		NA		04/07/2011
(602) Ampt Hill Rd	1.20	150	R									NA		NA		04/07/2011
(602) Ampt Hill Rd	0.80	210	R									NA		NA		04/07/2011
(602) Ampt Hill Rd	0.20	220	R									NA		NA		04/07/2011
(603) Island Rd	0.80	4	R									NA		NA		05/12/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(604) Cedar Plains Rd	0.80	30	R								NA			NA		05/12/2008
(605) Boston Hill Rd	3.40	60	R								NA			NA		05/12/2008
(605) Boston Hill Rd	1.00	60	R								NA			NA		05/12/2008
(606) Blenheim Rd	0.90	150	R								NA			NA		05/07/2008
(607) Jennings Rd	1.40	270	R								NA			NA		05/06/2008
(608) Sugarfork Rd	1.45	90	R								NA			NA		04/29/2008
(608) Sugarfork Rd	1.47	60	R								NA			NA		04/29/2008
(608) Sports Lake Rd	1.22	100	R								NA			NA		05/12/2008
(608) Sports Lake Rd	0.80	60	R								NA			NA		05/12/2008
(608) Royal Oak Rd	0.10	50	R								NA			NA		04/05/2011
(609) Sportslake Rd	1.25	110	R								NA			NA		04/05/2011
(609) Sportslake Rd	0.35	90	R								NA			NA		04/05/2011
(610) Duncan Store Rd	2.90	490	F	89%	2%	1%	3%	5%	0%	C	0.111	F		500	F	2011
(611) Morningside Rd	2.50	280	R								NA			NA		05/06/2008
(612) Trices Lake Rd	2.50	100	R								NA			NA		05/12/2008
(612) Trices Lake Rd	0.82	100	R								NA			NA		05/12/2008
(612) Flanagan Mill Rd	0.18	20	R								NA			NA		04/07/2011
(613) Petersville Rd	1.50	20	R								NA			NA		04/29/2008
(613) Sports Lake Rd	1.55	40	R								NA			NA		04/29/2008
(614) Taylor Rd	0.90	140	R								NA			NA		05/06/2008
(614) Bradley Rd	1.20	7	R								NA			NA		05/06/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(615) Game Farm Rd	1.80	50	R									NA		NA		04/05/2011
			From:	24-608 Sugarfork Rd												
			To:	24-663 W, Game Farm Rd												
(615) Whiteville Rd	0.10	60	R									NA		NA		04/29/2008
			From:	24-663 E, Bigger Rd												
(615) Whiteville Rd	1.77	50	R									NA		NA		04/05/2011
			From:	1.77 ME 24-663 E, Bigger Rd												
(615) Whiteville Rd	0.03	60	R									NA		NA		05/06/2008
			From:	SR 45 Cartersville Rd												
(616) Deep Run Rd	2.40	150	R									NA		NA		04/07/2011
			From:	SR 45 S, Cartersville Rd												
(616) Deep Run Rd	4.08	70	R									NA		NA		04/07/2011
			From:	24-654 Pinegrove Rd												
(616) Deep Run Rd	2.30	370	R									NA		NA		04/07/2011
			From:	24-607 Jennings Rd												
			To:	SR 45 N, Cartersville Rd												
(617) Sport Lake Rd	0.25	490	R									NA		NA		04/29/2008
			From:	Buckingham County Line												
			To:	24-622 Trents Mill Rd												
(618) Perkins Rd	0.34	20	R									NA		NA		05/06/2008
			From:	SR 45 Cartersville Rd												
			To:	Dead End												
(619) Fleming Rd	0.36	90	R									NA		NA		04/29/2008
			From:	US 60 W, Anderson Hwy												
			To:	US 60 E, Anderson Hwy												
(620) Stoney Point Mill Lane	0.80	80	R									NA		NA		05/05/2008
			From:	Amelia County Line												
			To:	24-600 Stoney Point Rd												
(621) Brook Hill	2.00	50	R									NA		NA		05/07/2008
			From:	Amelia County Line												
			To:	SR 13 Old Buckingham Rd												
(622) Trents Mill Rd	3.33	1800	F	94%	1%	1%	1%	3%	0%	C	0.087	F		1800	F	2011
			From:	US 60 Anderson Hwy												
(622) Trents Mill Rd	1.61	1100	F	94%	1%	1%	1%	3%	0%	F	0.091	F		1100	F	2011
			From:	24-629 Oak Hill Rd												
(622) Trents Mill Rd	0.57	880	F	94%	1%	1%	1%	3%	0%	F	0.093	F		890	F	2011
			From:	24-650 Belle Rd												
(622) Trents Mill Rd	1.14	470	R									NA		NA		04/05/2011
			From:	24-672 Sports Lake Rd												
			To:	Buckingham County Line												
(623) Quarry Rd	1.95	90	R									NA		NA		04/29/2008
			From:	24-622 N, Bear Creek Lake Rd												
(623) Sugar Fork Rd	2.60	360	R									NA		NA		04/06/2011
			From:	24-624 Sugarfork Rd												
(623) Sugar Fork Rd	0.22	760	R									NA		NA		03/22/2011
			From:	24-626 Bonbrook Creek Rd												
			To:	24-622 S, Bear Creek Lake Rd												
(624) Jenkins Church Rd	2.20	60	R									NA		NA		04/29/2008
			From:	SR 45 Cartersville Rd												
(624) Jenkins Church Rd	0.80	80	R									NA		NA		04/29/2008
			From:	24-626 S, Bonbrook Creek Rd												
(624) Jenkins Church Rd	2.35	80	R									NA		NA		04/29/2008
			From:	24-626 N, Meador Rd												
			To:	2.35 MN 24-626 Meador Rd												

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(624) Jenkins Church Rd	0.35	80	R									NA		NA		04/29/2008
			From: 2.35 MN 24-626 Meador Rd													
			To: 24-608 Sugarfork Rd													
(624) Sugarfork Rd	0.80	170	R									NA		NA		04/05/2011
			From: 24-696 Bonbrook Rd													
(624) Sugarfork Rd	1.50	220	R									NA		NA		04/05/2011
			To: 24-623 Sugar Fork Rd; Quarry Rd													
			From: Dead End													
(625) Barber Rd	1.10	40	R									NA		NA		05/06/2008
			To: SR 45 Cartersville Rd													
			From: 24-623 Sugar Fork Rd													
(626) Bonbrook Creek Rd	2.30	210	R									NA		NA		04/29/2008
			To: 24-624 S, Jenkins Church Rd													
			From: 24-624 N, Jenkins Church Rd													
(626) Meador Rd	1.19	70	R									NA		NA		05/06/2008
			To: 24-601 Ashburn Rd													
(626) Meador Rd	1.20	30	R									NA		NA		05/06/2008
			To: SR 45 Cartersville Rd													
			From: 24-622 E, Bear Creek Lake Rd													
(627) Barter Hill Rd	0.25	40	R									NA		NA		04/29/2008
			To: 24-730 Qimby Rd													
(627) Barter Hill Rd	1.05	70	R									NA		NA		04/29/2008
			To: 24-622 W, Bear Creek Lake Rd													
			From: US 60 Anderson Hwy													
(628) Forest View Rd	3.86	130	R									NA		NA		04/29/2008
			To: 24-629 Oak Hill Rd													
			From: US 60 Anderson Hwy													
(629) Oak Hill Rd	0.92	260	R									NA		NA		03/22/2011
			To: 24-633 Rock Creek Rd													
(629) Oak Hill Rd	3.28	60	R									NA		NA		03/22/2011
			To: 24-628 Forest View Rd													
(629) Oak Hill Rd	0.80	220	R									NA		NA		03/22/2011
			To: 24-666 Bear Creek Lake Rd													
(629) Oak Hill Rd	0.75	180	F	98%	1%	2%	0%	0%	0%	C	0.147	F	180	F	2011	
			To: 24-622 Trents Mill Rd; 24-627 Barter Hill Rd													
			From: 24-9111 School Rd													
(630) School Rd	0.10	2100	R									NA		NA		03/22/2011
			To: US 60 Anderson Hwy													
			From: SR 45 Cumberland Rd													
(631) Davenport Rd	0.50	750	F	95%	1%	1%	1%	2%	0%	C	0.104	F	770	F	2011	
			To: 24-639 Putney Rd													
(631) Davenport Rd	3.60	230	R									NA		NA		03/22/2011
			To: 24-644 Forest Hill													
(631) Davenport Rd	0.80	50	R									NA		NA		05/12/2008
			To: 24-600 Stoney Point Rd													
			From: Buckingham County Line													
(632) CA IRA Rd	2.80	200	R									NA		NA		03/22/2011
			To: 24-652 CA IRA Rd													
(632) CA IRA Rd	0.40	20	R									NA		NA		05/07/2008
			To: Dead End													
			From: Dead End													
(633) Agee Lane	1.87	160	R									NA		NA		03/22/2011
			To: SR 45 N, Cumberland Rd													

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
633	Vogel Rd	2.09	230	R								NA		NA		03/22/2011
			From: SR 45 S, Cumberland Rd													
			To: US 60 Anderson Hwy													
633	Rock Creek Rd	1.04	30	R								NA		NA		04/29/2008
			From: 24-629 Oak Hill Rd													
			To: Buckingham County Line													
634	Salem Church Rd	3.45	360	R								NA		NA		05/07/2008
			From: SR 45 Cumberland Rd													
			To: 24-637, S Airport Rd													
635	Pleasant Valley Rd	2.80	170	R								NA		NA		03/24/2011
			From: 24-636 Raines Tavern Rd; Cedar Lane													
635	Pleasant Valley Rd	1.40	140	R								NA		NA		04/29/2008
			From: Dead End													
			To: Buckingham County Line													
636	Cedar Lane	1.20	380	R								NA		NA		03/24/2011
			From: 24-635 Pleasant Valley Rd													
636	Raines Tavern Rd	1.00	360	F	96%	1%	1%	1%	1%	0%	F	0.103	F	360	F	2011
			From: 24-600 Plank Rd													
636	Raines Tavern Rd	1.80	410	F	96%	1%	1%	1%	1%	0%	C	0.097	F	420	F	2011
			From: SR 45 Cumberland Rd													
636	Raines Tavern Rd	0.30	120	R								NA		NA		04/29/2008
			From: Dead End													
			To: 24-668, S Airport Rd													
637	S Airport Rd	1.42	150	R								NA		NA		03/24/2011
			From: 24-635 Pleasant Valley Rd													
637	S Airport Rd	0.15	310	R								NA		NA		03/24/2011
			From: 24-600 Plank Rd; River Rd													
637	S Airport Rd	0.90	150	F	96%	1%	2%	0%	1%	0%	C	0.115	F	150	F	2011
			From: SR 45 Cumberland Rd													
			To: SR 45 Cumberland Rd													
638	John Randolph Rd	2.50	810	F	96%	0%	1%	1%	1%	0%	C	0.105	F	830	F	2011
			From: 24-640 Holman Mill Rd													
638	Guinea Rd	3.20	400	F	96%	0%	1%	1%	1%	0%	F	0.136	F	410	F	2011
			From: 24-639 Putney Rd													
638	Guinea Rd	2.49	220	F	96%	0%	1%	1%	1%	0%	F	0.137	F	220	F	2011
			From: 24-600 River Rd; Stoney Point Rd													
639	Putney Rd	4.64	240	F	96%	2%	0%	1%	1%	0%	C	0.127	F	250	F	2011
			From: 24-638 Guinea Rd													
			To: 24-631 Davenport Rd													
640	Holman Mill Rd	4.20	340	R								NA		NA		04/05/2011
			From: 24-638 Guinea Rd; John Randolph Rd													
			To: SR 45 Cumberland Rd													
641	Simms Rd	1.80	460	R								NA		NA		05/05/2008
			From: 24-631 Davenport Rd													
			To: 24-642 Clements Rd													
642	Clements Rd	0.40	70	R								NA		NA		05/05/2008
			From: Dead End													
642	Clements Rd	0.40	580	R								NA		NA		05/05/2008
			From: 24-641 Simms Rd													
			To: 24-600 Stoney Point Rd													
643	Motley Mill Rd	2.50	240	R								NA		NA		05/07/2008
			From: 24-600 Stoney Point Rd													
			To: SR 13 Old Buckingham Rd													

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(644) Forest Hill	1.20	30	R								NA		NA			05/05/2008
(645) Goshen Rd	0.80	290	R								NA		NA			03/22/2011
(645) Goshen Rd	1.95	170	R								NA		NA			03/22/2011
(646) Maxeys Mill Rd	1.69	30	R								NA		NA			05/07/2008
(646) Oak Forest Rd	1.10	40	R								NA		NA			05/06/2008
(647) Brown Rd	2.50	20	R								NA		NA			05/12/2008
(648) Parker Rd	0.15	20	R								NA		NA			05/06/2008
(649) High St	0.10	60	F	100%	0%	0%	0%	0%	C	0.162	F		60	F		2011
(649) High St	0.25	160	F	100%	0%	0%	0%	0%	F	0.151	F		170	F		2011
(650) Belle Rd	2.13	320	F	95%	1%	2%	1%	0%	C	0.095	F		320	F		2011
(651) Raines Tavern Rd	0.50	60	R								NA		NA			04/29/2008
(652) CA IRA Rd	0.10	280	R								NA		NA			03/22/2011
(653) High Hill Rd	1.70	150	R								NA		NA			04/29/2008
(653) Cooks Rd	4.70	250	R								NA		NA			04/29/2008
(654) Sunnyside Rd	0.50	330	R								NA		NA			03/22/2011
(654) Sunnyside Rd	2.60	250	R								NA		NA			03/22/2011
(654) Frenchs Store Rd	6.00	310	R								NA		NA			03/22/2011
(654) Pinegrove Rd	0.90	330	R								NA		NA			03/22/2011
(654) Pinegrove Rd	1.20	280	R								NA		NA			05/06/2008
(654) Pinegrove Rd	0.60	230	R								NA		NA			05/06/2008
(654) Pinegrove Rd	1.50	80	R								NA		NA			05/06/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Cumberland County																	
(655) Oak Lane Rd	0.40	30	R			From: 24-616 Deep Run Rd					NA			NA		05/06/2008	
						To: Dead End											
(656) Church St	0.15	30	R			From: 24-649 W, High St					NA			NA		04/07/2011	
						To: 24-649 E, High St											
(657) Jamestown Rd	3.57	160	R			From: 24-600 River Rd					NA			NA		04/29/2008	
						To: SR 45 Cumberland Rd											
(658) Ingles Rd	0.10	80	R			From: 24-657 Jamestown Rd					NA			NA		04/29/2008	
						To: Dead End											
(659) Tamworth Rd	0.43	30	R			From: 24-684 Cartersville Ext					NA			NA		05/06/2008	
						To: Dead End											
(660) Horsepen Rd	1.00	190	R			From: 24-640 Holman Mill Rd					NA			NA		04/05/2011	
						To: 1.00 ME 24-640											
(660) Horsepen Rd	2.00	90	R			From: 24-639 Putney Rd					NA			NA		04/05/2011	
						To: 24-654 Pinegrove Rd											
(661) Locust Grove	1.40	120	R			From: 24-616 Deep Run Rd					NA			NA		05/06/2008	
						To: Dead End											
(662) Strawberry Hill	0.20	40	R			From: 0.20 MN Dead End					NA			NA		05/07/2008	
						To: SR 13 Old Buckingham Rd											
(662) Strawberry Hill	1.00	120	R			From: SR 45 Cartersville Rd					NA			NA		05/07/2008	
						To: 24-615 W, Whiteville Rd; Game Farm Rd											
(663) Game Farm Rd	1.90	160	R			From: 24-615 E, Whiteville Rd					NA			NA		04/05/2011	
						To: Dead End											
(663) Bigger Rd	1.00	70	R			From: 24-600 River Rd					NA			NA		04/29/2008	
						To: 24-679 Angola Lane											
(664) Angola Rd	1.10	70	R			From: 24-638 Guinea Rd					NA			NA		03/24/2011	
						To: SR 45 Cartersville Rd											
(665) Tavern Rd	0.07	30	R			From: 24-649 High St					NA			NA		04/07/2011	
						To: Dead End											
(665) High St	0.06	20	R			From: Dead End					NA			NA		04/07/2011	
						To: 24-629 Oak Hill Rd											
(666) Bear Creek Lake Rd	0.77	70	R			From: Dead End					NA			NA		05/06/2008	
						To: 24-654 Sunnyside Rd											
(667) Carter Rd	1.12	130	R			From: 24-637, S Airport Rd					NA			NA		05/05/2008	
						To: 24-716 Wedgewood Dr											
(668) S Airport Rd	1.05	120	R			From: 0.25 ME 24-716					NA			NA		03/24/2011	
						To: 0.25 ME 24-716											

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(668) N Airport Rd	1.01	30	R			From: 0.25 ME 24-716 To: 24-635 Pleasant Valley Rd					NA			NA		03/24/2011
(669) Tarwallet Rd	1.90	440	R			From: SR 45 Cumberland Rd To: US 60 E, Anderson Hwy					NA			NA		03/22/2011
(669) Criss Rd	0.60	210	R			From: US 60 W, Anderson Hwy To: Dead End					NA			NA		04/29/2008
(670) Wilson Russell Dr	0.40	280	R			From: SR 45 Cumberland Rd To: US 60 Anderson Hwy					NA			NA		05/07/2008
(671) Summerset Rd	0.60	60	R			From: 24-696 Bonbrook Rd To: 24-672 Sports Lake Rd					NA			NA		04/29/2008
(672) Sports Lake Rd	3.38	240	R			From: 24-622 Trents Mill Rd; Bear Creek Lake Rd To: 24-694 Henderson Rd					NA			NA		04/05/2011
(672) Sports Lake Rd	0.80	110	R			From: 24-708 Journeys End Rd To: 0.75 MN 24-708					NA			NA		04/05/2011
(672) Sports Lake Rd	0.75	80	R			From: 24-613 Sports Lake Rd; Petersville To: 24-600 River Rd					NA			NA		05/05/2008
(673) Ligontown Rd	2.60	70	R			From: 24-638 Guinea Rd To: Dead End					NA			NA		05/05/2008
(674) Edge Hill Rd	0.40	110	R			From: 24-719 Hobson Rd To: 24-654 Sunnyside Rd					NA			NA		05/05/2008
(674) Edge Hill Rd	0.80	170	R			From: Dead End To: 24-638 Guinea Rd					NA			NA		05/05/2008
(675) Crowder Rd	1.70	70	R			From: SR 45 Cumberland Rd To: 24-692 Briar Creek Rd					NA			NA		03/24/2011
(676) Asai Rd	2.00	170	R			From: Dead End To: Dead End					NA			NA		05/07/2008
(677) Brown Branch Rd	1.00	90	R			From: Dead End To: 24-600 River Rd					NA			NA		04/29/2008
(678) Cotton Town Rd	0.50	80	R			From: 24-638 Guinea Rd To: Dead End					NA			NA		05/05/2008
(679) Angola Lane	2.00	120	R			From: 24-664 Angola Rd To: 24-638 Guinea Rd					NA			NA		05/05/2008
(680) Coffeys Rd	0.80	50	R			From: Dead End To: SR 45 Cumberland Rd					NA			NA		05/05/2008
(681) Bransford Rd	1.00	110	R			From: Dead End To: 24-654 Frenchs Store Rd					NA			NA		05/07/2008

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(682) Northfield Rd	0.50	330	R									NA		NA		05/07/2008
(683) Jefferson Rd	0.40	50	R									NA		NA		05/06/2008
(684) Cartersville Ext	1.03	1100	G	97%	0%	2%	1%	0%	0%	C		NA		1200	G	2011
(685) Miller Lane	1.00	150	R									NA		NA		05/06/2008
(686) White Rd	2.80	60	R									NA		NA		05/12/2008
(686) Cedar Plains Rd	0.90	40	R									NA		NA		05/07/2008
(687) Sherwood Rd	2.20	140	R									NA		NA		05/06/2008
(688) Garnett Rd	1.10	50	R									NA		NA		05/05/2008
(689) Cedar Spring Rd	0.50	100	R									NA		NA		05/06/2008
(690) Columbia Rd	2.94	340	F	95%	1%	2%	2%	1%	0%	C	0.099	F		340	F	2011
(690) Columbia Rd	3.89	560	F	95%	1%	2%	2%	1%	0%	F	0.103	F		570	F	2011
(690) Columbia Rd	4.53	520	F	95%	1%	2%	2%	1%	0%	F	0.106	F		530	F	2011
(691) Blanton Farm Rd	0.50	60	R									NA		NA		05/12/2008
(692) Briar Creek Rd	0.65	60	R									NA		NA		05/07/2008
(693) Swann Rd	1.30	90	R									NA		NA		05/05/2008
(694) Henderson Rd	0.60	110	R									NA		NA		04/29/2008
(695) Lewis Rd	0.25	60	R									NA		NA		04/29/2008
(696) Tatum Rd	0.70	40	R									NA		NA		04/05/2011
(696) Bonbrook Rd	0.70	60	R									NA		NA		04/29/2008
(696) Bonbrook Rd	1.00	110	R									NA		NA		04/05/2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(697) Jenkins Ridge Rd	1.20	60	R			From: SR 45 Cartersville Rd					NA		NA			05/06/2008
						To: Dead End										
(698) Cuffie Rd	0.25	20	R			From: Dead End					NA		NA			04/29/2008
						To: 24-657 Jamestown Rd										
(699) Thompson Dr	0.60	90	R			From: Dead End					NA		NA			04/29/2008
						To: 24-695 Lewis Rd										
(699) Thompson Dr	0.20	170	R			From: 24-695 Lewis Rd					NA		NA			04/29/2008
						To: SR 45 Cumberland Rd										
(700) Mt Elba Rd	0.70	60	R			From: Dead End					NA		NA			05/12/2008
						To: 24-690 Columbia Rd										
(701) Atkins Rd	1.00	60	R			From: Dead End					NA		NA			04/29/2008
						To: SR 45 Cumberland Rd										
(702) Burks Rd	0.50	20	R			From: 24-600 River Rd					NA		NA			04/29/2008
						To: Dead End										
(703) Hunters Trail	1.05	140	R			From: Dead End					NA		NA			05/05/2008
						To: 24-631 Davenport Rd										
(704) Bear Branch Rd	0.25	20	R			From: 24-600 Plank Rd					NA		NA			04/29/2008
						To: Dead End										
(705) Stone Dr	0.30	30	R			From: SR 45 Cumberland Rd					NA		NA			05/07/2008
						To: Dead End										
(706) High Pockets Rd	0.40	80	R			From: SR 45 Cartersville Rd					NA		NA			05/06/2008
						To: Dead End										
(707) Spillman Rd	0.40	260	R			From: 24-657 Jamestown Rd					NA		NA			04/29/2008
						To: Dead End										
(708) Journeys End Rd	0.40	30	R			From: Dead End					NA		NA			04/29/2008
						To: 24-672 Sports Lake Rd										
(709) Bent Lane	0.40	130	R			From: Dead End					NA		NA			04/29/2008
						To: SR 45 Cumberland Rd										
(710) Fitzgerald Rd	0.17	270	R			From: US 60 Anderson Hwy					NA		NA			05/05/2008
						To: 24-600 Stoney Point Rd										
(711) Crump Rd	0.95	50	R			From: 24-602 Ampt Hill Rd					NA		NA			04/07/2011
						To: Dead End										
(712) Mahan Rd	1.60	290	R			From: SR 45 Cumberland Rd					NA		NA			04/29/2008
						To: 24-657 Jamestown Rd										
(713) Saw Mill Rd	0.93	70	R			From: Dead End					NA		NA			05/12/2008
						To: 24-690 Columbia Rd										
(714) Trices Lake Rd	0.20	80	R			From: 24-612 Flanagan Mill Rd; Trices Lake Rd					NA		NA			04/07/2011
						To: 24-690 Columbia Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(715) Giles Rd	0.45	60	R									NA		NA		05/12/2008
(716) Wedgewood Dr	0.34	130	R									NA		NA		03/24/2011
(717) Langhorne Rd	0.63	160	R									NA		NA		05/05/2008
(718) Amos Rd	0.30	70	R									NA		NA		05/05/2008
(719) Hobson Rd	0.32	80	R									NA		NA		05/05/2008
(720) Randolph Terrace	0.25	70	R									NA		NA		04/29/2008
(721) Pip Junge Rd	0.18	50	R									NA		NA		03/22/2011
(722) Bolden Rd	0.05	30	R									NA		NA		04/29/2008
(723) Hatcher Rd	0.40	50	R									NA		NA		05/07/2008
(724) Ayers Rd	0.50	50	R									NA		NA		05/07/2008
(725) Woodland Dr	0.35	70	R									NA		NA		05/05/2008
(726) Foster Rd	0.31	200	R									NA		NA		05/12/2008
(727) Hill Crest Rd	0.08	70	R									NA		NA		03/22/2011
(728) Poor House Rd	0.65	480	R									NA		NA		04/29/2008
(729) Streets Place	0.33	40	R									NA		NA		04/07/2011
(730) Qimby Rd	0.25	60	R									NA		NA		04/29/2008
(731) Milden Rd	0.39	40	R									NA		NA		05/05/2008
(732) Hauschild Dr	0.20	330	R									NA		NA		03/24/2011
(733) Allen Dr	0.20	60	R									NA		NA		03/24/2011

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Cumberland County																
(734) Town & Country Rd	0.24	20	R								NA			NA		05/12/2008
(735) Mt Airy Lane	1.00	100	R								NA			NA		05/06/2008
(737) Joggers Trail	0.33	60	R								NA			NA		03/22/2011
(1008) Church View Est	0.46	120	R								NA			NA		05/05/2008
(1009) Edgewood Dr	0.10	110	R								NA			NA		03/24/2011
(1009) Edgewood Dr	0.10	160	R								NA			NA		04/29/2008
(1010) Virginia Ave	0.17	60	R								NA			NA		03/24/2011
(1010) Virginia Ave	0.13	30	R								NA			NA		03/24/2011
(1011) Lynn Dr	0.09	47	R								NA			NA		03/24/2011
(1011) Lynn Dr	0.08	140	R								NA			NA		03/24/2011
(1012) Lake View Dr	0.12	30	R								NA			NA		04/29/2008
(1012) Lake View Dr	0.08	90	R								NA			NA		04/29/2008
(1012) Lake View Dr	0.09	130	R								NA			NA		04/29/2008
(1012) Lake View Dr	0.11	180	R								NA			NA		04/29/2008
(1013) Dana Dr	0.22	70	R								NA			NA		03/24/2011
(1013) Dana Dr	0.12	40	R								NA			NA		03/24/2011
(1014) Beechwood Dr	0.07	40	R								NA			NA		03/24/2011
(1015) Kevin Dr	0.11	3	R								NA			NA		03/24/2011
(1015) Kevin Dr	0.17	30	R								NA			NA		03/24/2011
(1020) Fletcher Dr	0.30	160	R								NA			NA		04/29/2008
(9111) School Rd	0.13	2100	R								NA			NA		03/22/2011

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Cumberland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
Cumberland County																		
(9780)	0.09	0	R	From: US 60 Anderson Hwy												NA	NA	03/22/2011
				To: 24-628 Forest View Rd														